



Article scientifique

Article

2022

Appendix

Open Access

This file is a(n) Appendix of:

Effect of the surgical safety checklist on provider and patient outcomes: a
systematic review

Armstrong, Bonnie A; Dutescu, Ilinca A; Nemoy, Lori; Bhavsar, Ekta; Carter, Diana N; Ng, Kimberley-Dale;
Boet, Sylvain; Trbovich, Patricia; Palter, Vanessa

This publication URL:

<https://archive-ouverte.unige.ch/unige:182459>

Publication DOI:

[10.1136/bmjqs-2021-014361](https://doi.org/10.1136/bmjqs-2021-014361)

Supplementary Material

Search strategy

Medline (OVID)

- 1 surgical checklist*.af. (198)
- 2 exp Surgical Procedures, Operative/ (3064537)
- 3 surger*.ti,ab,kf. (1206480)
- 4 surgical.ti,ab,kf. (941134)
- 5 Operating theat*.ti,ab,kf. (4939)
- 6 Operating Rooms/ (13446)
- 7 operating room*.ti,ab,kf. (27127)
- 8 operating theater.ti,ab,kf. (954)
- 9 operating theatr*.ti,ab,kf. (3842)
- 10 or/2-9 (3940858)
- 11 checklist/ (6007)
- 12 checklist*.ti,ab,kf. (36856)
- 13 check list*.ti,ab,kf. (3040)
- 14 or/11-13 (41310)
- 15 10 and 14 (5103)
- 16 1 or 15 (5103)
- 17 surgeons/ (6374)
- 18 surgeon*.ti,ab,kf. (193717)
- 19 surgical.ti,ab,kf. (941134)
- 20 surger*.ti,ab,kf. (1206480)
- 21 or/17-19 (1059947)
- 22 briefing.ti,ab,kf. (1212)
- 23 debrief*.ti,ab,kf. (0)
- 24 sign-in.ti,ab,kf. (5844)
- 25 pause.ti,ab,kf. (6023)
- 26 sign-out.ti,ab,kf. (394)
- 27 Time out.ti,ab,kf. (1515)
- 28 22 or 23 or 24 or 26 or 27 (8872)
- 29 21 and 28 (845)
- 30 17 or 29 (5763)
- 31 Comment/ (822610)
- 32 Letter/ (1057769)
- 33 Editorial/ (513974)
- 34 exp Case Reports/ (2068196)
- 35 31 or 32 or 33 or 34 (3655388)
- 36 30 not 35 (5305)
- 37 remove duplicates from 36 (5283)

CINAHL

- S1 "surgical checklist" (70)
- S2 (MH "Surgery, Operative+"; 589,405)
- S3 (MM "Operating Rooms") OR (MH "Operating Room Personnel+") OR (MM "Perioperative Nursing"; 32,194)
- S4 TI operative or operating or surgical or surgery (134,913)
- S5 S2 OR S3 OR S4 (658,337)
- S6 (MM "Checklists"; 1,943)
- S7 SU (operative or perioperative or surgical) AND SU (checklist or check list or brief* or debrief* or sign-in or sign out or pause or timeout or time out; 60)
- S8 S6 OR S7 (2,001)
- S9 S5 AND S8 (589)
- S10 S1 OR S9 (613)
- S11 S1 OR S9

Embase

- 1 surgical checklist.af. (246)
- 2 exp operating room/ (37886)
- 3 (operating adj2 (room* or theater or theatre)).ti,ab. (44114)
- 4 operative period.ti,ab. (10181)
- 5 exp surgery/ (5118877)
- 6 exp surgeons/ (155804)
- 7 surger*.ti,kw. (582597)
- 8 surgical.ti,kw. (348618)
- 9 surgeon*.ti,kw. (35318)
- 10 or/2-9 (5306586)
- 11 exp checklist/ (23200)
- 12 (Checklist or check list).ti,kw. (7736)
- 13 exp operating room/ (37886)
- 14 surgical team.ti,kw. (389)
- 15 exp surgical nursing/ (208)
- 16 (surgeon or surger* or surgical or operating).ti,kw. (917898)
- 17 13 or 14 or 15 or 16 (941172)
- 18 (brief* or briefing).ti,kw. (37420)

- 19 (debrief* or debriefing).ti,kw. (1117)
- 20 pause.ti,ab,kw. (8511)
- 21 (sign in or sign out).ti,kw. (3132)
- 22 (timeout or time out).ti,kw. (594)
- 23 18 or 19 or 20 or 21 or 22 (50693)
- 24 17 and 23 (1068)
- 25 11 or 12 or 24 (28238)
- 26 10 and 25 (5680)
- 27 limit 26 to (books or chapter or conference abstract or conference paper or "conference review" or editorial or letter or note or short survey or tombstone) (2845)
- 28 26 not 27 (2835)

PsycINFO

- 1 surgical checklist*.af. (35)
- 2 surgeon*.ti,ab. (24985)
- 3 surgical*.ti,ab. (17424)
- 4 Operating theat*.ti,ab. (182)
- 5 operating room*.ti,ab. (466)
- 6 2 or 3 or 4 or 5 (36722)
- 7 exp "Checklist (Testing)"/ (3105)
- 8 checklist*.ti,ab. (25069)
- 9 check list*.ti,ab. (1990)
- 10 surgical team*.ti,ab. (126)
- 11 surgical nursing.ti,ab. (71)
- 12 10 or 11 (196)
- 13 briefing.ti,ab. (337)
- 14 debriefing.ti,ab. (2277)
- 15 pause.ti,ab. (1723)
- 16 sign-in.ti,ab. (487)
- 17 sign-out.ti,ab. (35)
- 18 Time out.ti,ab. (1000)
- 19 13 or 14 or 15 or 16 or 17 or 18 (5794)
- 20 12 and 19 (10)
- 21 7 or 8 or 9 or 20 (27081)
- 22 6 and 21 (306)
- 23 1 or 22 (328)
- 24 limit 23 to (bibliography or chapter or clarification or "column/opinion" or "comment/reply" or editorial or encyclopedia entry or interview or letter or obituary or review-book or review-media or review-software & other) (15)
- 25 23 not 24 (313)

PubMed

Results: 865

((((checklists[MeSH Terms]) AND (surgical or surgery or operating room)))) AND (perioperative care OR surgical nursing or patient safety)

Scopus

Results 3997

(TITLE-ABS-KEY (surgical AND checklist*) OR TITLE-ABS-KEY ((surgery OR surgeries OR surgical OR surgeon* OR operation OR operating)) AND TITLE-ABS-KEY (checklist)) AND (LIMIT-TO (SUBJAREA , "MEDI") OR LIMIT-TO (SUBJAREA , "NURS"))

Web of Science

Results: 1,393

Refined by: Web of Science categories: (SURGERY OR ANESTHESIOLOGY OR MEDICINE
GENERAL INTERNAL OR HEALTH CARE SCIENCES SERVICES)

Timespan: All years. Indexes: SCI-EXPANDED, SSCI.

Supplementary Methods

Study selection

Inter-rater reliability (IRR), that is the average agreement and a kappa coefficient representing both the accuracy and reliability of choice between two raters (0 = no agreement or reliability; 1 = perfect agreement and reliability), was calculated for each review stage (title/abstract: 93% IRR, .73 kappa; full text: 80% IRR, .61 kappa; data extraction: 94% IRR, .86 kappa), with substantial agreement achieved at each stage. All discrepancies were resolved through discussion with the final selection of studies representing 100% agreement amongst reviewers.

Data extraction and coding

For all studies, descriptive study information and outcome variable results were extracted. Key potential moderating factors extracted included the following: **sample size** was categorized as low (0-1000), medium (1,001-10,000) and high (10,001+) for objective studies, and low (0-100), medium (101-1,000), and high (1,001+) for subjective studies; **checklist component** represented the pause points of the checklist that were reported on and were categorized as follows: all = all three components, sign-in, time-out, sign-out or a combination of two components such as sign-in and time-out or time-out and sign-out; **compliance** rates were categorized as low (0-50% compliance), medium (51-75% compliance) and high (76-100% compliance); **checklist type** was categorized as yes (original WHO SSC was used), modified WHO (original WHO SSC was modified), or no (a checklist other than the WHO was used); **surgical risk** was categorized as low risk (superficial procedures, breast surgery, cataract surgery, endoscopic procedures, most ambulatory surgeries or oral surgery), intermediate risk (carotid endarterectomy, head and neck surgery, intraperitoneal or intrathoracic surgery,

orthopedic surgery, prostate surgery, neurosurgery, interventional radiology or cardiology) and high risk (aortic or other major vascular surgery, peripheral vascular surgery, trauma, hepatobiliary, and cardiac surgery; 1); **observer present** was categorized as a third-party researcher being either present in the OR (yes) or absent (no); **attention** was categorized as yes (team paid attention as the SSC was being conducted), no (team did not pay attention as the SSC was conducted), or mixed (some team members paid attention, while others did not while the SSC was conducted); **attitudes** were categorized as positive (positive attitudes towards SSC), negative (negative attitudes towards SSC), or mixed (positive and negative attitudes towards SSC); **location income level** categorized into low, lower middle, upper middle, high and mixed income economies based on the World Bank Atlas method (<https://datahelpdesk.worldbank.org/knowledgebase/articles/906519-world-bank-country-and-lending-groups>).

Studies that reported on complications and mortality commonly measured those variables as primary outcomes. Studies that reported on CUSC did not measure CUSC as primary outcomes but rather briefly mentioned them in addition to their primary interests. Therefore, studies that reported any impact the SSC had on CUSC were extracted and the results were categorized as follows: decreased, increased, no change or mixed results. Studies that implemented the SSC and reported on complications and mortality rate were also extracted, with the direction of statistically significant results categorized as follows: increased, decreased, no change or mixed results.

That is, the population, exposure, comparison, and outcome (PECO) that structured this systematic review was as follows:

- Population: staff that represented a surgical team

- Exposure: surgical safety checklist
- Comparisons: sample size, checklist component, compliance rates, checklist type, surgical risk, observer present, attention, attitudes, economic income-level
- Outcome: communication, shared understanding of the case, safety culture, patient complications, and mortality rate

Analytic plan

The systematic review included all 300 studies in the analysis. Reports of the SSCs' effect on the surgical teams' CUSC and statistical directional findings (e.g., a significant decrease in patient complications after SSC implementation) of complications and mortality were extracted and used as primary and secondary outcomes, respectively. Variables that potentially moderate the effect of the SSC on CUSC, complications and mortality were also extracted and analyzed.

Quality assessment

The NIH scale consisted of 12 questions in which reviewers had to answer yes or no for each question. Based on their ratings, reviewers had to assign the article an overall score of either poor, fair, or good, which were then categorized to low, medium, and high, respectively, to synchronize overall ratings with the other tools. The NOS consisted of 8 questions for both case-control and cohort studies with 10 representing the highest score. Overall quality scores were categorized as follows: 0-6 = low; 7-8 = medium; 9-10 = high. The Nagpal tool was used for studies reporting subjective data such as surveys or questionnaires. It consisted of 12 questions in which reviewers had to assign a 0, 1, or 2 to each, and with 24 representing the highest possible score. Overall quality scores were categorized as follows: 0-7 = low; 8-15 medium; 16-24 = high.

References of 300 Studies Included in the Systematic Review

1. Abdel-Rehim S, Morritt A, Perks G. WHO surgical checklist and its practical application in plastic surgery. *Plast Surg Int*. 2011;2011:1–5.
2. Alidina S, Hur HC, Berry WR, Molina G, Guenther G, Modest AM, Singer SJ. Narrative feedback from OR personnel about the safety of their surgical practice before and after a surgical safety checklist intervention. *Int J Qual Heal Care*. 2017;29(4):461–9.
3. Allard J, Bleakley A, Hobbs A, Vinnell T. “Who’s on the team today?” The status of briefing amongst operating theatre practitioners in one UK hospital. *J Interprof Care*. 2007;21(2):189–206.
4. Allard J, Bleakley A, Hobbs A, Coombes L. Pre-surgery briefings and safety climate in the operating theatre. *BMJ Qual Saf*. 2011;20(8):711–7.
5. Alloni R, De Benedictis A, Nobile L, Sica L, Pensieri C, Sechi M, D’aprile M. Compliance with the surgical safety checklist: results of an audit in a teaching hospital in Italy. *Ann Ital Chir*. 2016;87:401–5.
6. Almeida RE de, Rodrigues MCS. Implementation of the surgical safety checklist for pediatric operations: compliance assessment. *Rev Gauch Enferm*. 2019;40(spe):e20180270.
7. Al-Qahtani AS. The surgical safety checklist: results of implementation in otorhinolaryngology. *Oman Med J*. 2017;32(1):27–30.
8. Ambulkar R, Ranganathan P, Salunke K, Savarkar S. The World Health Organization surgical safety checklist: an audit of quality of implementation at a tertiary care high volume cancer institution. *J Anaesthesiol Clin Pharmacol*. 2018;34(3):46–50.
9. Anderson KT, Bartz-Kurycki MA, Masada KM, Abraham JE, Wang J, Kawaguchi AL, Austin MT, Kao LS, Lally KP, Tsao KJ. Decreasing intraoperative delays with meaningful use of the surgical safety checklist. *Surgery*. 2018;163(2):259–63.
10. Anwer M, Manzoor S, Muneer N, Qureshi S. Compliance and effectiveness of WHO surgical safety check list: a JPMC audit. *Pakistan J Med Sci*. 2016;32(4):831–5.
11. Askarian M, Kouchak F, Palenik CJ. Effect of surgical safety checklists on postoperative morbidity and mortality rates, Shiraz, Faghihy hospital, a 1-year study. *Qual Manag Health Care*. 2011;20(4):293–7.
12. Aveling EL, McCulloch P, Dixon-Woods M. A qualitative study comparing experiences of the surgical safety checklist in hospitals in high-income and low-income countries. *BMJ Open*. 2013;3(8):1–10.
13. Barbanti-Brodano G, Griffoni C, Halme J, Tedesco G, Terzi S, Bandiera S, Ghermandi R, Evangelisti G, Girolami M, Pipola V, Gasbarrini A, Falavigna A. Spinal surgery complications: an unsolved problem—is the World Health Organization safety surgical checklist an useful tool to reduce them? *Eur Spine J*. 2019;29(5):927–36.
14. Bartz-Kurycki MA, Anderson KT, Abraham JE, Masada KM, Wang J, Kawaguchi AL,

- Lally KP, Tsao KJ. Debriefing: the forgotten phase of the surgical safety checklist. *J Surg Res.* 2017;213:222–7.
15. Bartz-Kurycki MA, Anderson KT, Supak DN, Wythe SN, Garwood GM, Martin RF, Gutierrez R, Jain RR, Kawaguchi AL, Kao LS, Tsao KJ. Adherence to the pediatric preinduction checklist is improved when parents are engaged in performing the checklist. *Surgery.* 2018;164(2):344–9.
 16. Bashford T, Reshamwalla S, McAuley J, Allen NH, McNatt Z, Gebremedhen YD. Implementation of the WHO surgical safety checklist in an Ethiopian referral hospital. *Patient Saf Surg.* 2014;8(1).
 17. Bergs J, Hellings J, Cleemput I, Vandijck D. The World Health Organisation's surgical safety checklist in Belgian operating theatres: a content-driven evaluation. *Acta Chir Belg.* 2015;115(2):147–54.
 18. Berrisford RG, Wilson IH, Davidge M, Sanders D. Surgical time out checklist with debriefing and multidisciplinary feedback improves venous thromboembolism prophylaxis in thoracic surgery: a prospective audit. *Eur J Cardio-thoracic Surg.* 2012;41(6):1326–9.
 19. Biffl WL, Gallagher AW, Pieracci FM, Berumen C. Suboptimal compliance with surgical safety checklists in Colorado: a prospective observational study reveals differences between surgical specialties. *Patient Saf Surg.* 2015;9(1):1–8.
 20. Birnbach DJ, Rosen LF, Fitzpatrick M, Paige JT, Arheart KL. Introductions during time-outs: do surgical team members know one another's names? *Jt Comm J Qual Patient Saf.* 2017;43(6):284–8.
 21. Biskup N, Workman AD, Kutzner E, Adetayo OA, Gupta SC. Perioperative safety in plastic surgery: is the World Health Organization checklist useful in a broad practice? *Ann Plast Surg.* 2016;76(5):550–5.
 22. Bliss LA, Ross-Richardson CB, Sanzari LJ, Shapiro DS, Lukianoff AE, Bernstein BA, Ellner SJ. Thirty-day outcomes support implementation of a surgical safety checklist. *J Am Coll Surg.* 2012;215(6):766–76.
 23. Boaz M, Bermant A, Ezri T, Lakstein D, Berlovitz Y, Laniado I, Feldbrin Z. Effect of surgical safety checklist implementation on the occurrence of postoperative complications in orthopedic patients. *Isr Med Assoc J.* 2014;16(1):20–5.
 24. Bock M, Fanolla A, Segur-Cabanac I, Auricchio F, Melani C, Girardi F, Meier H, Pycha A. A comparative effectiveness analysis of the implementation of surgical safety checklists in a tertiary care hospital. *JAMA Surg.* 2016;151(7):639–46.
 25. Böhmer AB, Wappler F, Tinschmann T, Kindermann P, Rixen D, Bellendir M, Schwanke U, Bouillon B, Gerbershagen MU. The implementation of a perioperative checklist increases patients' perioperative safety and staff satisfaction. *Acta Anaesthesiol Scand.* 2012;56(3):332–8.
 26. Böhmer AB, Kindermann P, Schwanke U, Bellendir M, Tinschmann T, Schmidt C, Bouillon B, Wappler F, Gerbershagen MU. Long-term effects of a perioperative safety

- checklist from the viewpoint of personnel. *Acta Anaesthesiol Scand*. 2013;57(2):150–7.
27. Borgmann H, Helbig S, Reiter MA, Hüscher T, Schilling D, Tsaour I, Haferkamp A. Utilization of surgical safety checklists by urological surgeons in Germany: a nationwide prospective survey. *Patient Saf Surg*. 2015;9(1):1–7.
 28. Braaf S, Manias E, Riley R. The “time-out” procedure: an institutional ethnography of how it is conducted in actual clinical practice. *BMJ Qual Saf*. 2013;22(8):647–55.
 29. Cabral RA, Eggenberger T, Keller K, Gallison BS, Newman D. Use of a surgical safety checklist to improve team communication. *AORN J*. 2016;104(3):206–16.
 30. Carpenter JE, Bagian JP, Snider RG, Jeray KJ. Medical team training improves team performance: AOA critical issues. *J Bone Jt Surg Am*. 2017;99(18):1604–10.
 31. Catchpole KR, Dale TJ, Hirst DG, Smith JP, Giddings TAEB. A multicenter trial of aviation-style training for surgical teams. *J Patient Saf*. 2010;6(3):180–6.
 32. Cavallini GM, Campi L, De Maria M, Forlini M. Clinical risk management in eye outpatient surgery: a new surgical safety checklist for cataract surgery and intravitreal anti-VEGF injection. *Graefes Arch Clin Exp Ophthalmol*. 2013;51(3):889–94.
 33. Chaudhary N, Varma V, Kapoor S, Mehta N, Kumaran V, Nundy S. Implementation of a surgical safety checklist and postoperative outcomes: a prospective randomized controlled study. *J Gastrointest Surg*. 2015;19(5):935–42.
 34. Chhabra A, Singh A, Singh Kuka P, Kaur H, Singh Kuka A, Chahal H. Role of perioperative surgical safety checklist in reducing morbidity and mortality among patients: an observational study. *Niger J Surg*. 2019;25(2):192–7.
 35. Close KL, Baxter LS, Ravelojaona VA, Rakotoarison HN, Bruno E, Herbert A, Andean V, Callahan J, Andriamanjato HH, White MC. Overcoming challenges in implementing the WHO surgical safety checklist: lessons learnt from using a checklist training course to facilitate rapid scale up in Madagascar. *BMJ Glob Heal*. 2017;2:6–8.
 36. Conley DM, Singer SJ, Edmondson L, Berry WR, Gawande AA. Effective surgical safety checklist implementation. *J Am Coll Surg*. 2011 May;212(5):873–9.
 37. Correia MITD, Tomasich FDS, De-Castro Filho HF, Portari Filho PE, Colleoni Neto R. Safety and quality in surgery: surgeons’ perception in Brazil. *Rev Col Bras Cir*. 2019;46(4):1–7.
 38. Corso R, Vacirca F, Patelli C, Leni D. Use of “time-out” checklist in interventional radiology procedures as a tool to enhance patient safety. *Radiol Med*. 2014;119(11):828–34.
 39. Cullati S, Le Du S, Raë AC, Micallef M, Khabiri E, Ourahmoune A, Boireaux A, Licker M, Chopard P. Is the surgical safety checklist successfully conducted? An observational study of social interactions in the operating rooms of a tertiary hospital. *BMJ Qual Saf*. 2013;22(8):639–46.
 40. Cullati S, Licker MJ, Francis P, Degiorgi A, Bezzola P, Courvoisier DS, Chopard P.

- Implementation of the surgical safety checklist in Switzerland and perceptions of its benefits: cross-sectional survey. *PLoS One*. 2014;9(7):1–8.
41. Cunat C, Flatin V, Viale JP. Stratégie de déploiement de la check-list dans un CHU. *Ann Fr Anesth Reanim*. 2011;30(6):484–8.
 42. Dabholkar Y, Velankar H, Suryanarayan S, Dabholkar TY, Saberwal AA, Verma B. Evaluation and customization of WHO safety checklist for patient safety in otorhinolaryngology. *Indian J Otolaryngol Head Neck Surg*. 2018;70(1):149–55.
 43. Dackiewicz N. Lista de verificación de seguridad de la cirugía: logros y dificultades de su implementación en un hospital pediátrico. *Arch Argent Pediatr*. 2012;110(6):503–8.
 44. Dayuta JC, Ong LT, Pang NL, Chia SN, Tan HKK, Gomez JM, Tan KH. Process reengineering of preoperative verification, site marking and time-out for patient safety. *World Hosp Heal Serv*. 2013;49(2).
 45. de Freitas MR, Antunes AG, Lopes BNA, Fernandes F da C, Monte L de C, Gama ZA da S. Avaliação da adesão ao checklist de cirurgia segura da oms em cirurgias urológicas e ginecológicas, em dois hospitais de ensino de natal, Rio Grande do Norte, Brasil. *Cad Saude Publica*. 2014;30(1):137–48.
 46. de Oliveira Junior NJ, de Magalhães AMM. Difficulties in the application of the surgical checklist: a qualitative study of a restorative ecological approach. *Online Brazilian J Nurs*. 2017;16(4):448–59.
 47. De Vries EN, Prins HA, Crolla RMPH, Den Outer AJ, Van Andel G, Van Helden SH, Schlack WS, Van Putten MA, Gouma DJ, Dijkgraaf MGW, Smorenburg SM, Boermeester MA. Effect of a comprehensive surgical safety system on patient outcomes. *N Engl J Med*. 2010;363(20):1928–37.
 48. de Vries EN, Dijkstra L, Smorenburg SM, Meijer RP, Boermeester MA. The SURgical PATient Safety System (SURPASS) checklist optimizes timing of antibiotic prophylaxis. *Patient Saf Surg*. 2010;2–7.
 49. De Vries EN, Prins HA, Bennink MC, Neijenhuis P, Van Stijn I, Van Helden SH, Van Putten MA, Smorenburg SM, Gouma DJ, Boermeester MA. Nature and timing of incidents intercepted by the SURPASS checklist in surgical patients. *BMJ Qual Saf*. 2012;21(6):503–8.
 50. Defontes BJ, Surbida S. Preoperative safety briefing project. *Perm J*. 2004;8(2):21–7.
 51. Delisle M, Pradarelli JC, Panda N, Koritsanszky L, Sonnay Y, Lipsitz S, Pearse R, Harrison EM, Biccari B, Weiser TG, Haynes AB. Variation in global uptake of the surgical safety checklist. *Br J Surg*. 2020;107(2):e151–60.
 52. Dell’Atti L. Introduzione di una checklist per ridurre gli eventi avversi in chirurgia urologica: nostra esperienza. *Urologia*. 2013;80(3):239–43.
 53. Dharampal N, Cameron C, Dixon E, Ghali W, Quan ML. Attitudes and beliefs about the surgical safety checklist: just another tick box? *Can J Surg*. 2016;59(4):268–75.

54. Diedhiou M, Manyacka P, Dieng M, Tendeng JN, Diao ML, Thiam O, Tall H, Thiam I, Konaté I. Faisabilité et pertinence de la check-list de sécurité au bloc opératoire central du Centre Hospitalier Régional de Saint Louis du Sénégal. *Pan Afr Med J*. 2017;28:1–5.
55. Dixon JL, Smythe WR, Momsen LS, Jupiter D, Papaconstantinou HT. Quick Response codes for surgical safety: a prospective pilot study. *J Surg Res*. 2013;184(1):157–63.
56. Dixon JL, Mukhopadhyay D, Hunt J, Jupiter D, Smythe WR, Papaconstantinou HT. Enhancing surgical safety using digital multimedia technology. *Am J Surg*. 2016;211(6):1095–8.
57. Dobbie M, Fitzpatrick M, Kent M, Wojtal O'Neill M. Improving preprocedure time out compliance using remote audiovisual observation. *AORN J*. 2019;109(6):748–55.
58. Dommaraju S, Siewert B, O'Bryan B, Swedeen S, Appel E, Nakhaei M, Camacho A, Brook OR. Impact of preprocedure time-out checklist for computed tomography-guided procedures on workflow and patient safety. *J Comput Assist Tomogr*. 2019;43(6):892–7.
59. Duclos A, Peix JL, Piriou V, Occelli P, Denis A, Bourdy S, Carty MJ, Gawande AA, Zadegan F, et al. Cluster randomized trial to evaluate the impact of team training on surgical outcomes. *Br J Surg*. 2016;103(13):1804–14.
60. Einav Y, Gopher D, Kara I, Ben-Yosef O, Lawn M, Laufer N, Liebergall M, Donchin Y. Preoperative briefing in the operating room: shared cognition, teamwork, and patient safety. *Chest*. 2010;137(2):443–9.
61. Ellis R, Izzuddin Mohamad Nor A, Pimentil I, Bitew Z, Moore J. Improving surgical and anaesthesia practice: review of the use of the WHO safe surgery checklist in Felege Hiwot referral hospital, Ethiopia. *BMJ Qual Improv Reports*. 2017;6(1).
62. Epiu I, Bahe Tindimwebwa JV, Mijumbi C, Ndarugirire F, Twagirumugabe T, Lugazia ER, Dubowitz G, Chokwe TM. Working towards safer surgery in Africa; a survey of utilization of the WHO safe surgical checklist at the main referral hospitals in East Africa. *BMC Anesthesiol*. 2016;16(1):1–7.
63. Epiu I, Byamugisha J, Kwikiriza A, Autry MA. Health and sustainable development; Strengthening peri-operative care in low income countries to improve maternal and neonatal outcomes. *Reprod Health*. 2018;15(1):1–7.
64. Erestam S, Haglind E, Bock D, Andersson AE, Angenete E. Changes in safety climate and teamwork in the operating room after implementation of a revised WHO checklist: a prospective interventional study. *Patient Saf Surg*. 2017;11(1):1–10.
65. Fatima I, Humayun A, Anwar MI, Shafiq M. Evaluating quality standards' adherence in surgical care: a case study from Pakistan. *Int J Qual Heal Care*. 2018;30(2):138–44.
66. Finch EP, Langston M, Erickson D, Pereira K. Debriefing in the OR: a quality improvement project. *AORN J*. 2019;109(3):336–44.
67. Forrester JA, Koritsanszky LA, Amenu D, Haynes AB, Berry WR, Alemu S, Jiru F, Weiser TG. Developing process maps as a tool for a surgical infection prevention quality improvement initiative in resource-constrained settings. *J Am Coll Surg*.

- 2018;226(6):1103-1116.e3.
68. Forsyth KL, Hildebrand EA, Hallbeck MS, Branaghan RJ, Blocker RC. Characteristics of team briefings in gynecological surgery. *Appl Ergon.* 2019;78(May 2017):263–9.
 69. Fourcade A, Blache JL, Grenier C, Bourgain JL, Minvielle E. Barriers to staff adoption of a surgical safety checklist. *BMJ Qual Saf.* 2012;21(3):191–7.
 70. Freedman R, Rooney K, Asiimwe A, Kayima P, Mumbere O, Ocokoni T, Okidi R, Schaffer N, Ssemujiu A, Tungotyo M. Relaunching the WHO surgical safety checklist in a Ugandan referral hospital. Is sustainable change possible? A LifeBox Fellowship project. *Anaesthesia.* 2017;Suppl. 2:10–92.
 71. Freundlich RE, Bulka CM, Wanderer JP, Rothman BS, Sandberg WS, Ehrenfeld JM. Prospective investigation of the operating room timeout process. *Anesth Analg.* 2020;130(3):725–9.
 72. Fyfe E, Fleming C. The WHO surgical safety checklist in a dental-teaching hospital department of oral surgery - a model for implementation. *Oral Surg.* 2013;6(4):180–5.
 73. Gagliardi AR, Straus SE, Shojania KG, Urbach DR. Multiple interacting factors influence adherence , and outcomes associated with surgical safety checklists: a qualitative study. *PLoS One.* 2014;9(9).
 74. Gagné JF, Labidi M, Turmel A. Internal audit of compliance with a perioperative checklist in a tertiary care neurosurgical unit. *Can J Neurol Sci.* 2015;43(1):87–92.
 75. Gama CS, Backman C, Oliveira AC de. Effect of surgical safety checklist on colorectal surgical site infection rates in 2 countries: Brazil and Canada. *Am J Infect Control.* 2019 Sep 1;47(9):1112–7.
 76. Garland NY, Kheng S, De Leon M, Eap H, Forrester JA, Hay J, Oum P, Sam Ath S, Stock S, Yem S, Lucas G, Weiser TG. Using the WHO surgical safety checklist to direct perioperative quality improvement at a surgical hospital in Cambodia: the importance of objective confirmation of process completion. *World J Surg.* 2017;41(12):3012–24.
 77. Georgiou E, Mashini M, Panayiotou I, Efstathiou G, Efstathiou CI, Charalambous M, Irakleous I. Barriers and facilitators for implementing the WHO’s safety surgical checklist: a focus group study among nurses. *J Perioper Pract.* 2018;28(12):339–46.
 78. Geraghty A, Reid S, McIlhenny C. Examining patient safety attitudes among urology trainees. *BJU Int.* 2014;113(1):167–75.
 79. Giles K, Munn Z, Aromataris E, Deakin A, Schultz T, Mandel C, Maddern G, Pearson A, Runciman W. Use of surgical safety checklists in Australian operating theatres: an observational study. *ANZ J Surg.* 2017;87(12):971–5.
 80. Gillespie BM, Chaboyer W, Wallis M, Fenwick C. Why isn’t “time out” being implemented? An exploratory study. *Qual Saf Heal Care.* 2010;19(2):103–6.
 81. Gillespie BM, Withers TK, Lavin J, Gardiner T, Marshall AP. Factors that drive team participation in surgical safety checks: a prospective study. *Patient Saf Surg.*

- 2016;10(1):1–9.
82. Gillespie BM, Marshall AP, Gardiner T, Lavin J, Withers TK. Impact of workflow on the use of the surgical safety checklist: a qualitative study. *ANZ J Surg.* 2016;86(11):864–7.
 83. Gillespie BM, Harbeck E, Hons BS, Kang E, Hons MHP, Steel C, Fairweather N, Panuwatwanich K, Chaboyer W. Effects of a brief team training program on surgical teams' nontechnical skills: an interrupted time-series study. *J Patient Saf.* 2017;00(00):1–7.
 84. Gillespie B, Steel C, Kang E, Harbeck E, Hons B, Nikolic K, Fairweather N, Chaboyer W. Evaluation of a brief team training intervention in surgery: a mixed-methods study. *Assoc Regist Nurses.* 2017;106(6):513–22.
 85. Gillespie BM, Harbeck EL, Lavin J, Hamilton K, Gardiner T, Withers TK, Marshall AP. Evaluation of a patient safety programme on surgical safety checklist compliance: a prospective longitudinal study. *BMJ Open Qual.* 2018;7(3):e000362.
 86. Gillespie BM, Harbeck E, Lavin J, Gardiner T, Withers TK, Marshall AP. Using normalisation process theory to evaluate the implementation of a complex intervention to embed the surgical safety checklist. *BMC Health Serv Res.* 2018;1–11.
 87. Gillespie BM, Harbeck E, Lavin J, Gardiner T, Withers TK, Marshall AP. The impact of improved surgical safety checklist participation on OR efficiencies: a pretest-post test analysis. *J Perioper Nurs.* 2019 Sep 1;32(1):9–18.
 88. Gitelis ME, Kaczynski A, Shear T, Deshur M, Beig M, Sefa M, Silverstein J, Ujiki M. Increasing compliance with the World Health Organization surgical safety checklist—a regional health system's experience. *Am J Surg.* 2017;214(1):7–13.
 89. GlobalSurg Collaborative. Mortality of emergency abdominal surgery in high-, middle- and low-income countries. *Br J Surg.* 2016;103(8):971–88.
 90. GlobalSurg Collaborative. Pooled analysis of WHO surgical safety checklist use and mortality after emergency laparotomy. *Br J Surg.* 2019;106(2):103–12.
 91. Göransson K, Lundberg J, Ljungqvist O, Ohlsson E, Sandblom G. Safety hazards in abdominal surgery related to communication between surgical and anesthesia unit personnel found in a Swedish nationwide survey. *Patient Saf Surg.* 2016;10(1):1–8.
 92. Govindappagari S, Guardado A, Goffman D, Bernstein J, Lee C, Schonfeld S, Angert R, McGowan A, Bernstein PS. Is communication improved with the implementation of an obstetrical version of the World Health Organization safe surgery checklist? *J Patient Saf.* 2016;1–5.
 93. Gueguen T, Coevoet V, Mougeot M, Pierron A, Blanquart D, Voicu M, Bouaziz H, Audibert G, Empereur F, Mertes PM. Déploiement de la check-list «sécurité du patient au bloc opératoire» dans deux hôpitaux lorrains. Performances et difficultés. *Ann Fr Anesth Reanim.* 2011;30(6):489–94.
 94. Hacquard P, Cunat C, Toussaint C, Auclair A, Malecot MA, Ginot MF, Brun P, Pecquerie N, Lifante JC, Flatin V, Piriou V. Évaluation de la check-list au bloc opératoire: la

- perception des soignants et des médecins (évaluation du niveau II). *Ann Fr Anesth Reanim.* 2013;32(4):235–40.
95. Hafeez R, Njuguna J, Khan A, Khawaja H, Smedley F. Surgical team members' perceptions of surgical safety checklist: a survey. *Br J Surg.* 2016;103:191.
 96. Hang P, Ngoc L, Nguyen T, Duong N. Surgical team cooperation and compliance with WHO surgical safety checklist in a tertiary hospital, Vietnam. *Int J Qual Heal Care.* 2018;30:46–7.
 97. Hanna N, Hassan A, Ferguson D, Ghali C. Surgical safety checklist? Not for me, thanks. *Int J Surg.* 2014;12(2014):S48.
 98. Hannam JA, Glass L, Kwon J, Windsor J, Stapelberg F, Callaghan K, Merry AF, Mitchell SJ. A prospective, observational study of the effects of implementation strategy on compliance with a surgical safety checklist. *BMJ Qual Saf.* 2013;22(11):940–7.
 99. Haridarshan SJ, Girish CS, Rajagopalan S. Effects of implementation of W.H.O surgical safety check list: our institutional analysis. *Indian J Surg.* 2018;80(5):465–9.
 100. Haugen AS, Sjøfteland E, Eide GE, Sevdalis N, Vincent CA, Nortvedt MW, Harthug S. Impact of the World Health Organization's surgical safety checklist on safety culture in the operating theatre: a controlled intervention study. *Br J Anaesth.* 2013;110(5):807–15.
 101. Haugen AS, Muruges S, Haaverstad R, Eide GE, Sjøfteland E. A survey of surgical team members' perceptions of near misses and attitudes towards time out protocols. *BMC Surg.* 2013;13.
 102. Haugen A, Sjøfteland E, Almeland S, Sevdalis N, Vonen B, Eide G, Nortvedt M, Harthug S. Effect of the World Health Organization checklist on patient outcomes. *Ann Surg.* 2015;261(5):821–8.
 103. Haugen A, Høyland S, Thomassen O, Aase K. 'It's a state of mind': a qualitative study after two years' experience with the World Health Organization's surgical safety checklist. *Cogn Tech Work.* 2015;17:55–62.
 104. Haugen A, Wæhle H, Almeland S, Harthug S, Sevdalis N, Eide E, Nortvedt M, Smith I, Sjøfteland E. Causal analysis of World Health Organization's surgical safety checklist implementation quality and impact on care processes and patient outcomes. *Ann Surg.* 2019;269(2):10–2.
 105. Hawranek M, Gąsior PM, Buchta P, Gierlotka M, Czapla K, Tajstra M, Pyka Ł, Lekston A, Poloński L, Gąsior M. Periprocedural checklist in the catheterisation laboratory is associated with decreased rate of treatment complications. *Kardiologia Pol.* 2015;73(7):511–9.
 106. Haynes AB, Weiser TG, Berry WR, Lipsitz SR, Breizat AHS, Dellinger EP, Herbosa T, Joseph S, Kibatala PL, Lapitan MCM, Merry AF, Moorthy K, Reznick RK, Taylor B, Gawande AA. A surgical safety checklist to reduce morbidity and mortality in a global population. *N Engl J Med.* 2009;360(5):491–9.
 107. Haynes AB, Weiser TG, Berry WR, Lipsitz SR, Breizat AHS, Dellinger EP, Dziekan G, Herbosa T, Kibatala PL, Lapitan MCM, Merry AF, Reznick RK, Taylor B, Vats A,

- Gawande AA. Changes in safety attitude and relationship to decreased postoperative morbidity and mortality following implementation of a checklist-based surgical safety intervention. *BMJ Qual Saf*. 2011;20(1):102–7.
108. Haynes AB, Edmondson L, Lipsitz SR, Molina G, Neville BA, Singer SJ, Moonan AT, Childers AK, Foster R, Gibbons LR, Gawande AA, Berry WR. Mortality trends after a voluntary checklist-based surgical safety collaborative. *Ann Surg*. 2017;266(6):923–9.
 109. Hellar A, Tibyehabwa L, Ernest E, Varallo J, Betram MM, Fitzgerald L, Giiti G, Kihundrwa A, Kapologwe N, Drake M, Zoungrana J, Troxel A, Lemwayi R, Alidina S, Maongezi S, Makuwani A, Varallo J. A team-based approach to introduce and sustain the use of the WHO surgical safety checklist in Tanzania. *World J Surg*. 2020 Mar 1;44(3):689–95.
 110. Helmiö P, Blomgren K, Takala A, Pauniah SL, Takala RSK, Ikonen TS. Towards better patient safety: WHO surgical safety checklist in otorhinolaryngology. *Clin Otolaryngol*. 2011;36(3):242–7.
 111. Helmiö P, Takala A, Aaltonen LM, Pauniah SL, Ikonen TS, Blomgren K. First year with WHO surgical safety checklist in 7148 otorhinolaryngological operations: use and user attitudes. *Clin Otolaryngol*. 2012;37(4):305–8.
 112. Helmiö P, Takala A, Aaltonen LM, Blomgren K. WHO surgical safety checklist in otorhinolaryngology-head and neck surgery: specialty-related aspects of check items. *Acta Otolaryngol*. 2012;132(12):1334–41.
 113. Henderson J, Fung T, Bhatt J, Bdesha A. A simplified WHO checklist improves compliance and time efficiency for urological surgery. *J Clin Urol*. 2012;5(3):120–7.
 114. Hill MR, Roberts MJ, Alderson ML, Gale TCE. Safety culture and the 5 steps to safer surgery: an intervention study. *Br J Anaesth*. 2015;114(6):958–62.
 115. Hovaguimian F, Lübbecke A, Barea C, Hoffmeyer P, Clergue F, Walder B. Intra-operative safety checklist - no effects on postoperative morbidity and mortality in high-risk surgical patients. *Eur J Anaesthesiol*. 2011;28:17.
 116. Høyland S, Haugen AS, Thomassen Ø. Perceptions of time spent on safety tasks in surgical operations: a focus group study. *Saf Sci*. 2014;70:70–9.
 117. Hurtado JJD, Jiménez X, Péalonso MA, Villatoro C, De Izquierdo S, Cifuentes M. Acceptance of the WHO surgical safety checklist among surgical personnel in hospitals in Guatemala city. *BMC Health Serv Res*. 2012;12(1):0–4.
 118. Igaga EN, Sendagire C, Kizito S, Obua D, Kwizera A. World Health Organization surgical safety checklist: compliance and associated surgical outcomes in Uganda's referral hospitals. *Anesth Analg*. 2018;127(6):1427–33.
 119. Jager E De, Gunnarsson R, Ho Y. Implementation of the World Health Organization surgical safety checklist correlates with reduced surgical mortality and length of hospital admission in a high-income country. *World J Surg*. 2019;43(1):117–24.
 120. Jammer I, Ahmad T, Aldecoa C, Koulenti D, Goranović T, Grigoras I, Mazul-Sunko B,

- Matos R, Moreno R, Sigurdsson GH, Toft P, Walder B, Rhodes A, Pearse RM. Point prevalence of surgical checklist use in Europe: relationship with hospital mortality. *Br J Anaesth*. 2015;114(5):801–7.
121. Johnston G, Ekert L, Pally E. Surgical site signing and “time out”: issues of compliance or complacency. *J Bone Jt Surg - Ser A*. 2009;91(11):2577–80.
122. Johnston FM, Tergas AI, Bennett JL, Valero V, Morrissey CK, Fader AN, Hobson DB, Weaver SJ, Rosen MA, Wick EC. Measuring briefing and checklist compliance in surgery: a tool for quality improvement. *Am J Med Qual*. 2014;29(6):491–8.
123. Jones N. Tune-in and time-out: toward surgeon-led prevention of “never” events. *J Patient Saf*. 2019;15(4):36–9.
124. Kaderli R, Seelandt JC, Umer M, Tschan F, Businger AP. Reasons for the persistence of adverse events in the era of safer surgery - a qualitative approach. *Swiss Med Wkly*. 2013;143:2–9.
125. Kasatpibal N, Senaratana W, Chitreecheur J, Chotirosniramit N, Pakvipas P, Junthasopeepun P. Implementation of the World Health Organization surgical safety checklist at a university hospital in Thailand. *Surg Infect (Larchmt)*. 2012;13(1):50–6.
126. Kasatpibal N, Sirakamon S, Punjasawadwong Y, Chitreecheur J, Chotirosniramit N, Pakvipas P, Whitney JAD. An exploration of surgical team perceptions toward implementation of surgical safety checklists in a non-native English-speaking country. *Am J Infect Control*. 2018;46(8):899–905.
127. Kawano T, Taniwaki M, Ogata K, Sakamoto M, Yokoyama M. Improvement of teamwork and safety climate following implementation of the WHO surgical safety checklist at a university hospital in Japan. *J Anesth*. 2014;28(3):467–70.
128. Keijzer WW, Agha RA, Greig A. WHO safer surgery checklist compliance amongst paediatric emergency plastic surgery patients in an UK hospital. *Ann Med Surg*. 2017;21:49–52.
129. Khoshbin A, Lingard L, Wright JG. Evaluation of preoperative and perioperative operating room briefings at the Hospital for Sick Children. *Can J Surg*. 2009;52(4):309–15.
130. Kiefel K, Donsa K, Tiefenbacher P, Mischak R, Brunner G, Sendlhofer G, Pieber T. Feasibility and design of an electronic surgical safety checklist in a teaching hospital: a user-based approach. *Stud Health Technol Inform*. 2018;248:270–7.
131. Kieffer WK, Quaye MC, Chotai N, Ricketts DM. Increasing compliance with the World Health Organisation’s surgical safety checklist. *J Perioper Pract*. 2013;23(12):288–91.
132. Kim RY, Kwakye G, Kwok AC, Baltaga R, Ciobanu G, Merry AF, Funk LM, Lipsitz SR, Gawande AA, Berry WR, Haynes AB. Sustainability and long-term effectiveness of the WHO surgical safety checklist combined with pulse oximetry in a resource-limited setting: two-year update from Moldova. *JAMA Surg*. 2015;150(5):473–9.
133. Kisacik OG, Cigerci Y. Use of the surgical safety checklist in the operating room:

- operating room nurses' perspectives. *Pakistan J Med Sci*. 2019;35(3):614–9.
134. Korkiakangas T. Mobilising a team for the WHO surgical safety checklist: a qualitative video study. *BMJ Qual Saf*. 2017;26(3):177–88.
 135. Kilduff CLS, Leith TO, Drake TM, Fitzgerald JEF. Surgical safety checklist training: a national study of undergraduate medical and nursing student teaching, understanding and influencing factors. *Postgrad Med J*. 2018;94(1109):143–50.
 136. Kwok AC, Funk LM, Baltaga R, Lipsitz SR, Merry AF, Dziekan G, Ciobanu G, Berry WR, Gawande AA. Implementation of the World Health Organization surgical safety checklist, including introduction of pulse oximetry, in a resource-limited setting. *Ann Surg*. 2013;257(4):633–9.
 137. Lacassie HJ, Ferdinand C, Guzman S, Camus L, Echevarria GC. World Health Organization (WHO) surgical safety checklist implementation and its impact on perioperative morbidity and mortality in an academic medical center in Chile. *Med (United States)*. 2016;95(23):1–4.
 138. Lagoo J, Singal R, Berry W, Gawande A, Lim C, Paibulsirijit S, Havens J. Development and feasibility testing of a device briefing tool and training to improve patient safety during introduction of new devices in operating rooms: best practices and lessons learned. *J Surg Res*. 2019;244:579–86.
 139. Lee S. The extended surgical time-out: does it improve quality and prevent wrong-site surgery? *Perm J*. 2010;14(1):19–23.
 140. Lee AJJ, Raniga S, Hooper G, Perry A, Bisset R, Darley D, Hurley-Watts C. The time out procedure: have we changed our practice? *N Z Med J*. 2012;125(1362):26–35.
 141. Lennon R, Smith A. Sign in, time out, sign out checklist-changing practice through interdepartmental teamwork to improve safety at caesarean section. *J Perioper Pract*. 2020;30(1–2):13–9.
 142. Lepänluoma M, Takala R, Kotkansalo A, Rahi M, Ikonen TS. Surgical safety checklist is associated with improved operating room safety culture, reduced wound complications, and unplanned readmissions in a pilot study in neurosurgery. *Scand J Surg*. 2014;103(1):66–72.
 143. Lepänluoma M, Rahi M, Takala R, Löyttyniemi E, Ikonen TS. Surgical checklist and reduction of infection-related and preventable complication-related reoperations. *J Neurosurg*. 2015;123(1):145–52.
 144. Levy SM, Senter CE, Hawkins RB, Zhao JY, Doody K, Kao LS, Lally KP, Tsao K. Implementing a surgical checklist: more than checking a box. *Surgery*. 2012;152(3):331–6.
 145. Lilaonitkul M, Kwikiriza A, Ttendo S, Kiwanuka J, Munyarungero E, Walker IA, Rooney KD. Implementation of the WHO surgical safety checklist and surgical swab and instrument counts at a regional referral hospital in Uganda - a quality improvement project. *Anaesthesia*. 2015;70(12):1345–55.

146. Lindsay AC, Bishop J, Harron K, Davies S, Haxby E. Use of a safe procedure checklist in the cardiac catheterisation laboratory. *BMJ Open Qual*. 2018;7(3):e000074.
147. Lingard L, Espin S, Rubin B, Whyte S, Colmenares M, Baker GR, Doran D, Grober E, Orser B, Bohnen J, Reznick R. Getting teams to talk: development and pilot implementation of a checklist to promote interprofessional communication in the OR. *Qual Saf Heal Care*. 2005;14(5):340–6.
148. Lingard L, Whyte S, Espin S, Ross Baker G, Orser B, Doran D. Towards safer interprofessional communication: constructing a model of “utility” from preoperative team briefings. *J Interprof Care*. 2006;20(5):471–83.
149. Lingard L, Regehr G, Orser B, Reznick R, Baker R, Doran D, Espin S, Bohnen J, Whyte S. Evaluation of a preoperative checklist and team briefing among surgeons, nurses, and anesthesiologists to reduce failures in communication. *Arch Surg*. 2008;143(1):18.
150. Lingard L, Regehr G, Cartmill C, Orser B, Espin S, Bohnen J, Reznick R, Baker R, Rotstein L, Doran D. Evaluation of a preoperative team briefing: a new communication routine results in improved clinical practice. *BMJ Qual Saf*. 2011;20(6):475–82.
151. Logan CA, Cressey BD, Wu RY, Janicki AJ, Chen CX, Bolourchi ML, Hodnett JL, Stratigis JD, MacKey WC, Fairchild DG. Monitoring universal protocol compliance through real-time clandestine observation by medical students results in performance improvement. *J Surg Educ*. 2012;69(1):41–6.
152. Lübbecke A, Hovaguimian F, Wickboldt N, Barea C, Clergue F, Hoffmeyer P, Walder B. Effectiveness of the surgical safety checklist in a high standard care environment. *Med Care*. 2013;51(5):425–9.
153. Lyons VE, Popejoy LL. Time-out and checklists: a survey of rural and urban operating room personnel. *J Nurs Care Qual*. 2017;32(1):E3–10.
154. Magill ST, Wang DD, Rutledge WC, Lau D, Berger MS, Sankaran S, Lau CY, Imershein SG. Changing operating room culture: implementation of a postoperative debrief and improved safety culture. *World Neurosurg*. 2017;107:597–603.
155. Mahmood T, Mylopoulos M, Bagli D, Damignani R, Aminmohamed Haji F. A mixed methods study of challenges in the implementation and use of the surgical safety checklist. *Surgery*. 2019;165(4):832–7.
156. Mainthia R, Lockney T, Zotov A, France DJ, Bennett M, St. Jacques PJ, Furman W, Randa S, Feistritz N, Eavey R, Leming-Lee S, Anders S. Novel use of electronic whiteboard in the operating room increases surgical team compliance with pre-incision safety practices. *Surgery*. 2012;151(5):660–6.
157. Makary MA, Mukherjee A, Sexton JB, Syin D, Goodrich E, Hartmann E, Rowen L, Behrens DC, Marohn M, Pronovost PJ. Operating room briefings and wrong-site surgery. *J Am Coll Surg*. 2007;204(2):236–43.
158. Marquet K, Claes N, Postelmans T, Lemkens P, Rosseel M, Torfs A, Vleugels A. ENT one day surgery: critical analysis with the HFMEA method. *B-ENT*. 2013;9(3):193–200.

159. Martis WR, Hannam JA, Lee T, Merry AF, Mitchell SJ. Improved compliance with the World Health Organization surgical safety checklist is associated with reduced surgical specimen labelling errors. *N Z Med J*. 2016;129(1441):63–7.
160. Mascherek AC, Schwappach DLB, Bezzola P. Frequency of use and knowledge of the WHO-surgical checklist in Swiss hospitals: a cross-sectional online survey. *Patient Saf Surg*. 2013;7:1–7.
161. Mascherek AC, Gehring K, Bezzola P, Schwappach DLB. Using the theory of planned behaviour to model antecedents of surgical checklist use: a cross-sectional study. *BMC Health Serv Res*. 2015;15:462.
162. Mascherek AC, Bezzola P, Gehring K, Schwappach DLB. Effect of a two-year national quality improvement program on surgical checklist implementation. *Z Evid Fortbild Qual Gesundheitswes*. 2016;114:39–47.
163. Mata E, Santos MA, Ramasco F, Aznárez B, Planas A. Implementation of the surgical safety checklist in the digestive surgery operating room in a general hospital. *Eur J Anaesthesiol*. 2010;27(47):231.
164. Mattingly AS, Starr N, Bitew S, Forrester JA, Negussie T, Merrell SB, Weiser TG. Qualitative outcomes of Clean Cut: implementation lessons from reducing surgical infections in Ethiopia. *BMC Health Serv Res*. 2019;19:1–10.
165. Mayer EK, Sevdalis N, Rout S, Caris J, Russ S, Mansell J, Davies R, Hons BA, Skapinakis P, Vincent C, Athanasiou T, Moorthy K, Darzi A. Surgical checklist implementation project: the impact of variable WHO checklist compliance on risk-adjusted clinical outcomes after national implementation. *Ann Surg*. 2016;263(1):58–63.
166. Maziero E, Silva A, Mantovani M, Cruz E. Adherence to the use of the surgical checklist for patient safety. *Rev Gaúcha Enferm*. 2015;36(4):14–20.
167. McCarroll ML, Zullo MD, Dante Roulette G, Mendise TM, Ferris E, Zolton J, Andrews SJ, von Gruenigen VE. Development and implementation results of an interactive computerized surgical checklist for robotic-assisted gynecologic surgery. *J Robot Surg*. 2015;9(1):11–8.
168. McDowell DS, McComb S, McDowell DS. Surgical safety checklists briefings: perceived efficacy and team member involvement. *J Perioper Pract*. 2016;26(6):138–44.
169. McGinlay D, Moore D, Mironescu A. A prospective observational assessment of surgical safety checklist use in Brasov Children's Hospital, barriers to implementation and methods to improve compliance. *Rom J Anaesth Intensive Care*. 2015;22(2):111–21.
170. McLaughlin N, Winograd D, Chung HR, Van De Wiele B, Martin NA. University of California, Los Angeles, surgical time-out process: evolution, challenges, and future perspective. *Neurosurg Focus*. 2012;33:1–8.
171. McLaughlin N, Winograd D, Chung HR, Van De Wiele B, Martin NA. Impact of the time-out process on safety attitude in a tertiary neurosurgical department. *World Neurosurg*. 2014;82(5):567–74.

172. Medvedev ON, Merry AF, Skilton C, Gargiulo DA, Mitchell SJ, Weller JM. Examining reliability of WHOBARS: a tool to measure the quality of administration of WHO surgical safety checklist using generalisability theory with surgical teams from three New Zealand hospitals. *BMJ Open*. 2019;9(1):1–6.
173. Mehta N, Amaranathan A, Jayapal L, Kundra P, Nelamangala Ramakrishnaiah VP. Effect of comprehensive surgical safety system on patients' outcome: a prospective clinical study. *Cureus*. 2018;10(5).
174. Melekcie TB, Getahun GM. Compliance with surgical safety checklist completion in the operating room of University of Gondar hospital, Northwest Ethiopia. *BMC Res Notes*. 2015;8(1):1–7.
175. Mhamdi S El, Letaief M, Cherif Y, Bouanene I, Kallel W, Hamdi A. Implementation of the surgical checklist of the World Health Organization at the University Hospital of Monastir (Tunisia). *Tunis Med Artic*. 2014;92:385–90.
176. Michel L, Lemaire L, Rosiere A. Making surgical care safer: a survey on the implementation of the checklist by Belgian surgeons. *Acta Chir Belg*. 2015;115(5):334–40.
177. Minhas MS, Muzzammil M, Effendi J. Assessment of safety levels in operation rooms at two major tertiary care public hospitals of Karachi. "Safe surgery saves life." *J Ayub Med Coll Abbottabad*. 2017;29(4):580–6.
178. Moccia A, Quattrin R, Battistella C, Fabbro E, Brusaferrero S. An easy, prompt and reproducible methodology to manage an unexpected increase of incident reports in surgery theatres. *BMJ Open Qual*. 2017;6(2):e000147.
179. Mody GN, Taha BW, Mubiligi J, Mpunga T, Musavuli J, Rutaganda E, Riviello R, Hirschhorn LR. Systems-based quality improvement as a tool to implement the surgical safety checklist in Rwanda. *Rwanda Med J*. 2014;71(1):9–14.
180. Mohammed A, Wu J, Biggs T, Ofili-Yebovi D, Cox M, Pacquette S, Duffy S. Does use of a World Health Organization obstetric safe surgery checklist improve communication between obstetricians and anaesthetists? A retrospective study of 389 caesarean sections. *BJOG An Int J Obstet Gynaecol*. 2013;120(5):644–8.
181. Molina G, Jiang W, Edmondson L, Gibbons L, Huang LC, Kiang M V., Haynes AB, Gawande AA, Berry WR, Singer SJ. Implementation of the surgical safety checklist in South Carolina hospitals is associated with improvement in perceived perioperative safety. *J Am Coll Surg*. 2016;222(5):725–736.e5.
182. Montgomery K, Khan I, Thomson K, Wynne D. Improving the practice of the World Health Organisation's surgical pause checklist at a tertiary paediatric surgical unit. *Scott Med J*. 2016;61(2):88–91.
183. Morgan PJ, Cunningham L, Mitra S, Wong N, Wu W, Noguera V, Li M, Semple J. Surgical safety checklist: implementation in an ambulatory surgical facility. *Can J Anesth*. 2013;60(6):528–38.
184. Morgan L, Pickering SP, Hadi M, Robertson E, New S, Griffin D, Collins G, Rivero-Arias

- O, Catchpole K, McCulloch P. A combined teamwork training and work standardisation intervention in operating theatres: controlled interrupted time series study. *BMJ Qual Saf*. 2015;24(2):111–9.
185. Morgan L, New S, Robertson E, Collins G, Rivero-Arias O, Catchpole K, Pickering SP, Hadi M, Griffin D, McCulloch P. Effectiveness of facilitated introduction of a standard operating procedure into routine processes in the operating theatre: a controlled interrupted time series. *BMJ Qual Saf*. 2015;24(2):120–7.
186. Motta Filho G da R, Neves da Silva L de F, Ferracini AM, Bähr GL. The WHO surgical safety checklist: knowledge and use by Brazilian orthopedists. *Rev Bras Ortop (English Ed)*. 2013;48(6):554–62.
187. Munn Z, Giles K, Aromataris E, Deakin A, Schultz T, Mandel C, Peters MDJ, Maddern G, Pearson A, Runciman W. Mixed methods study on the use of and attitudes towards safety checklists in interventional radiology. *J Med Imaging Radiat Oncol*. 2018;62(1):32–8.
188. Myers JW, Gilmore BA, Powers KA, Kim PJ, Attinger CE. The utility of the surgical safety checklist for wound patients. *Int Wound J*. 2016;13(5):848–53.
189. Naidoo M, Moodley J, Gathiram P, Sartorius B. The impact of a modified World Health Organization surgical safety checklist on maternal outcomes in a South African setting: a stratified cluster-randomised controlled trial. *South African Med J*. 2017;107(3):248–57.
190. Neuhaus C, Spies A, Wilk H, Weigand MA, Lichtenstern C. “Attention everyone, time out!”: safety attitudes and checklist practices in anesthesiology in Germany. A cross-sectional study. *J Patient Saf*. 2017;1–5.
191. Nilsson L, Lindberget O, Gupta A, Vegfors M. Implementing a pre-operative checklist to increase patient safety: a 1-year follow-up of personnel attitudes. *Acta Anaesthesiol Scand*. 2010;54(2):176–82.
192. Nissan J, Campos V. The automated operating room: a team approach to patient safety and communication. *JAMA Surg*. 2014;149(11):2013–4.
193. Nørgaard A, Johnsen R, Marhaug G. Bruk av WHO's sjekkliste for trygg kirurgi. *Tidsskr den Nor Laegeforening*. 2016;136(9):815–20.
194. Norton EK, Singer SJ, Sparks W, Ozonoff A, Baxter J, Rangel S. Operating room clinicians’ attitudes and perceptions of a pediatric surgical safety checklist at 1 institution. *J Patient Saf*. 2016;12(1):44–50.
195. Nugent E, Hseino H, Ryan K, Traynor O, Neary P, Keane FB V. The surgical safety checklist survey: a national perspective on patient safety. *Ir J Med Sci*. 2013;171–6.
196. O’Brien B, Graham MM, Kelly SM. Exploring nurses’ use of the WHO safety checklist in the perioperative setting. *J Nurs Manag*. 2017;25(6):468–76.
197. O’Connor P, Reddin C, O’Sullivan M, O’Duffy F, Keogh I. Surgical checklists: the human factor. *Patient Saf Surg*. 2013;7(1):1–7.

198. Ogunlusi JD, Yusuf MB, Ogunsuyi PS, Wuraola OK, Babalola WO, Oluwadiya KS, Ajogbasile OO. Awareness and use of surgical checklist among theatre users at Ekiti State University teaching hospital, Ado-Ekiti, Nigeria. *Niger J Surg*. 2017;23(2):134–7.
199. Olatosi J, Anaegbu N, Adesida A. Use of the World Health Organization surgical safety checklist by Nigerian anesthetists. *Niger J Surg*. 2018;24:111–5.
200. O’Leary JD, Wijesundera DN, Crawford MW. Effect of surgical safety checklists on pediatric surgical complications in Ontario. *CMAJ*. 2016;188(9):1–8.
201. Ong APC, Devcich DA, Hannam J, Lee T, Merry AF, Mitchell SJ. A “paperless” wall-mounted surgical safety checklist with migrated leadership can improve compliance and team engagement. *BMJ Qual Saf*. 2016;25(12):971–6.
202. Overdyk FJ, Dowling O, Newman S, Glatt D, Chester M, Armellino D, Cole B, Landis GS, Schoenfeld D, Dicapua JF. Remote video auditing with real-time feedback in an academic surgical suite improves safety and efficiency metrics: a cluster randomised study. *BMJ Qual Saf*. 2016;25(12):947–53.
203. Owers C, Lees E, Roberts J. Correct site surgery - are we up to standard? *Cent Eur J Med*. 2010;5(4):407–10.
204. Paige JT, Aaron DL, Yang T, Howell DS, Hilton CW, Cohn I, Chauvin SW. Implementation of a preoperative briefing protocol improves accuracy of teamwork assessment in the operating room. *Am Surg*. 2008;74(9):817–23.
205. Paige JT, Aaron DL, Yang T, Howell DS, Chauvin SW. Improved operating room teamwork via SAFETY prep: a rural community hospital’s experience. *World J Surg*. 2009;33(6):1181–7.
206. Papaconstantinou HT, Smythe WR, Reznik SI, Sibbitt S, Wehbe-Janek H. Surgical safety checklist and operating room efficiency: results from a large multispecialty tertiary care hospital. *Am J Surg*. 2013;206(6):853–60.
207. Papaconstantinou HT, Jo CH, Reznik SI, Smythe WR, Wehbe-Janek H. Implementation of a surgical safety checklist: impact on surgical team perspectives. *Ochsner J*. 2013;13(3):299–309.
208. Paull DE, D M, Mazzia LM, D M, Wood SD, Ph D, Theis MS, H MP, Robinson LD, N MS, Carney B, D M, Neily J, H MP, Mills PD, Ph D, Bagian JP, E P. Briefing guide study: preoperative briefing and postoperative debriefing checklists in the Veterans Health Administration medical team training program. *AJS*. 2010;200(5):620–3.
209. Pavlová P, Holá J, Škaroupková L. Compliance with the principles of the perioperative safety process in the context of the work of perioperative nurses. *Cent Eur J Nurs Midwifery*. 2019;10(4):1125–33.
210. Phadnis J, Templeton-Ward O. Inadequate preoperative team briefings lead to more intraoperative adverse events. *J Patient Saf*. 2018;14(2):82–6.
211. Pickering SP, Robertson ER, Griffin D, Hadi M, Morgan LJ, Catchpole KC, New S, Collins G, McCulloch P. Compliance and use of the World Health Organization checklist

- in UK operating theatres. *Br J Surg*. 2013;100(12):1664–70.
212. Prates C, Stadník C, Bagatini A, Caregnato R, de Moura G. Comparison of surgical infection rates after implementation of a safety checklist. *Acta Paul Enferm*. 2018;31(2):116–22.
213. Putnam LR, Levy SM, Sajid M, Dubuisson DA, Rogers NB, Kao LS, Lally KP, Tsao K. Multifaceted interventions improve adherence to the surgical checklist. *Surgery*. 2014;156(2):336–44.
214. Putnam LR, Anderson KT, Diffley MB, Hildebrandt AA, Caldwell KM, Minzenmayer AN, Covey SE, Kawaguchi AL, Lally KP, Tsao KJ. Meaningful use and good catches: more appropriate metrics for checklist effectiveness. *Surgery*. 2016;160(6):1675–81.
215. Rakoff D, Akella K, Guruvogda C, Chhajwani S, Seshadri SK, Sola S. Improved compliance and comprehension of a surgical safety checklist with customized versus standard training: a randomized trial. *J Patient Saf*. 2018;14(3):138–42.
216. Raman J, Leveson N, Samost AL, Dobrilovic N, Oldham M, Dekker S, Finkelstein S. When a checklist is not enough: how to improve them and what else is needed. *J Thorac Cardiovasc Surg*. 2016;152(2):585–92.
217. Ramsay G, Haynes AB, Lipsitz SR, Solsky I, Leitch J, Gawande AA, Kumar M. Reducing surgical mortality in Scotland by use of the WHO surgical safety checklist. *Br J Surg*. 2019;106(8):1005–11.
218. Raphael K, Cerrone S, Sceppa E, Schneider P, Laumenede T, Lynch A, Sejpal D V. Improving patient safety in the endoscopy unit: utilization of remote video auditing to improve time-out compliance. *Gastrointest Endosc*. 2019;90(3):424–9.
219. Reames BN, Scally CP, Thumma JR, Dimick JB. Evaluation of the effectiveness of a surgical checklist in Medicare patients. *Med Care*. 2015;53(1):87–94.
220. Reames BN, Krell RW, Campbell DA, Dimick JB. A checklist-based intervention to improve surgical outcomes in Michigan evaluation of the Keystone surgery program. *JAMA Surg*. 2015 Mar 1;150(3):208–15.
221. Reed S, Ganyani R, King R, Pandit M. Does a novel method of delivering the safe surgical checklist improve compliance? A closed loop audit. *Int J Surg*. 2016;32:99–108.
222. Rhee AJ, Valentin-Salgado Y, Eshak D, Feldman D, Kischak P, Reich DL, LoPachin V, Brodman M. Team training in the perioperative arena: a methodology for implementation and auditing behavior. *Am J Med Qual*. 2017;32(4):369–75.
223. Ribeiro HCTC, Quites HF de O, Bredes AC, Sousa KA da S, Alves M. Adherence to completion of the safe surgery checklist. *Cad Saude Publica*. 2017;33(10):e00046216.
224. Ribeiro L, Fernandes GC, de Souza EG, Souto LC, Dos Santos ASP, Bastos RR. Safe surgery checklist: filling adherence, inconsistencies, and challenges. *Rev Col Bras Cir*. 2019;46(5):1–12.
225. Ricci MA, Brumsted JR. Crew resource management: using aviation techniques to

- improve operating room safety. *Aviat Sp Environ Med*. 2012;83(4):441–4.
226. Rodella S, Mall S, Marino M, Turci G, Gambale G, Montella MT, Bonilauri S, Gelmini R, Zuin P. Effects on clinical outcomes of a 5-year surgical safety checklist implementation experience: a large-scale population-based difference-in-differences study. *Heal Serv Insights*. 2018;11:1–13.
227. Rodrigo-Rincon I, Martin-Vizcaino MP, Tirapu-Leon B, Zabalza-Lopez P, Zaballos-Barcala N, Villalgordo-Ortin P, Abad-Vicente FJ, Gost-Garde J. The effects of surgical checklists on morbidity and mortality: a pre- and post-intervention study. *Acta Anaesthesiol Scand*. 2015;59(2):205–14.
228. Rönnberg L, Nilsson U. Swedish nurse anesthetists' experiences of the WHO surgical safety checklist. *J Perianesthesia Nurs*. 2015;30(6):468–75.
229. Rose MR, Rose KM. Use of a surgical debriefing checklist to achieve higher value health care. *Am J Med Qual*. 2018;33(5):514–22.
230. Rosenberg AD, Wambold D, Kraemer L, Begley-Keyes M, Zuckerman SL, Singh N, Cohen MM, Bennett M V. Ensuring appropriate timing of antimicrobial prophylaxis. *J Bone Jt Surg - Ser A*. 2008;90(2):226–32.
231. Rothmund M, Kohlmann T, Heidecke CD, Siebert H, Ansorg J. Einführung und beurteilung von maßnahmen zur fehlerprävention in chirurgischen kliniken: ergebnisse einer aktuellen online-befragung. *Z Evid Fortbild Qual Gesundheitswes*. 2015;109(4–5):384–93.
232. Roybal J, Tsao K, Rangel S, Ottosen M, Skarda D, Berman L. Surgical safety checklists in children's surgery. *Pediatr Qual Saf*. 2018;3(5):e108.
233. Russ S, Rout S, Caris J, Mansell J, Davies R, Mayer E, Moorthy K, Darzi A, Vincent C, Sevdalis N. Measuring variation in use of the WHO surgical safety checklist in the operating room: a multicenter prospective cross-sectional study. *J Am Coll Surg*. 2015;220(1):1–11.e4.
234. Rydenfält C, Johansson G, Odenrick P, Åkerman K, Larsson PA. Compliance with the WHO surgical safety checklist: deviations and possible improvements. *Int J Qual Heal Care*. 2013;25(2):182–7.
235. Salgado D, Barber KR, Danic M. Objective assessment of checklist fidelity using digital audio recording and a standardized scoring system audit. *J Patient Saf*. 2019;15(3):260–6.
236. Santana HT, de Freitas MR, Ferraz EM, Evangelista MSN. WHO safety surgical checklist implementation evaluation in public hospitals in the Brazilian federal district. *J Infect Public Health*. 2016;9(5):586–99.
237. Santana HT, Rodrigues MCS, Do Socorro Nantua Evangelista M. Surgical teams' attitudes and opinions towards the safety of surgical procedures in public hospitals in the Brazilian federal district. *BMC Res Notes*. 2016;9(1):1–9.
238. Saturno PJ, Soria-Aledo V, Da Silva Gama ZA, Lorca-Parra F, Grau-Polan M. Understanding WHO surgical checklist implementation: tricks and pitfalls. An

- observational study. *World J Surg*. 2014;38(2):287–95.
239. Sayed HA, Zayed M, El Qareh NM, Khafagy H, Helmy AH, Soliman M. Patient safety in the operating room at a governmental hospital. *J Egypt Public Health Assoc*. 2013;88(2):85–9.
240. Schwendimann R, Blatter C, Lüthy M, Mohr G, Girard T, Batzer S, Davis E, Hoffmann H. Adherence to the WHO surgical safety checklist: an observational study in a Swiss academic center. *Patient Saf Surg*. 2019;13(1):4–9.
241. Secanell M, Orrego C, Vila M, Vallverdú H, Mora N, Oller A, Bañeres J. Implementación de un listado de verificación de prácticas seguras en cirugía: experiencia de la fase inicial de la puesta en marcha de un proyecto colaborativo en hospitales de Catalunya. *Med Clin (Barc)*. 2014;143(SUPPL. 1):17–24.
242. Semachew A, Afewerk S, Embiale N. Dataset on utilization of a clinical checklist in the surgical operation in a resource limited settings. *Data Br*. 2018;21:2562–6.
243. Sendlhofer G, Mosbacher N, Karina L, Kober B, Jantscher L, Berghold A, Pregartner G, Brunner G, Kamolz LP. Implementation of a surgical safety checklist: interventions to optimize the process and hints to increase compliance. *PLoS One*. 2015;10(2):1–14.
244. Sendlhofer G, Lumenta DB, Leitgeb K, Kober B, Jantscher L, Schanbacher M, Berghold A, Pregartner G, Brunner G, Tax C, Kamolz LP. The gap between individual perception and compliance: a qualitative follow-up study of the surgical safety checklist application. *PLoS One*. 2016;11(2):1–11.
245. Sendlhofer G, Lumenta DB, Pregartner G, Leitgeb K, Tiefenbacher P, Gombotz V, Richter C, Kamolz LP, Brunner G. Reality check of using the surgical safety checklist: a qualitative study to observe application errors during snapshot audits. *PLoS One*. 2018;13(9):1–11.
246. Seppey R, Oesch A, Viehl CT. Compliance to the surgical safety checklist over time in late and early adopters. *J Perioper Pract*. 2020;30(3):57–62.
247. Sewell M, Adebibe M, Jayakumar P, Jowett C, Kong K, Vemulapalli K, Levack B. Use of the WHO surgical safety checklist in trauma and orthopaedic patients. *Int Orthop*. 2011;35(6):897–901.
248. Shankar R. Implementation of the WHO surgical safety checklist at a teaching hospital in India and evaluation of the effects on perioperative complications. *Int J Health Plann Manage*. 2018;33(4):836–46.
249. Shear T, Deshur M, Avram MJ, Greenberg SB, Murphy GS, Ujiki M, Szokol JW, Vender JS, Patel A, Wijas B. Procedural timeout compliance is improved with real-time clinical decision support. *J Patient Saf*. 2018;14(3):148–52.
250. Sheena Y, Fishman JM, Nortcliff C, Mawby T, Jefferis AF, Bleach NR. Achieving flying colours in surgical safety: audit of World Health Organization “surgical safety checklist” compliance. *J Laryngol Otol*. 2012;126(10):1049–55.
251. Singer SJ, Molina G, Li Z, Jiang W, Nurudeen S, Kite JG, Edmondson L, Foster R,

- Haynes AB, Berry WR. Relationship between operating room teamwork, contextual factors, and safety checklist performance. *J Am Coll Surg*. 2016;223(4):568–80.
252. Siu J, Maran N, Paterson-Brown S. Observation of behavioural markers of non-technical skills in the operating room and their relationship to intra-operative incidents. *Surgeon*. 2016;14(3):119–28.
253. Skarsgard ED. Recommendations for surgical safety checklist use in Canadian children's hospitals. 2016;59(3).
254. Smiley K, Ofori L, Spangler C, Acquaaah-Arhin R, Deh D, Enos J, Manortey S, Baiden F, Finlayson S, Price R, McCrum M. Safety culture and perioperative quality at the Volta River Authority Hospital in Akosombo, Ghana. *World J Surg*. 2019;43(1):16–23.
255. Sokhanvar M, Kakemam E, Goodarzi N. Implementation of the surgical safety checklist in hospitals of Iran; operating room personnel's attitude, awareness and acceptance. *Int J Health Care Qual Assur*. 2018;31(6):609–18.
256. Sparks EA, Wehbe-Janek H, Johnson RL, Smythe WR, Papaconstantinou HT. Surgical safety checklist compliance: a job done poorly! *J Am Coll Surg*. 2013;217(5):867-873.e3.
257. Spence J, Goodwin B, Enns C, Dean H. Student-observed surgical safety practices across an urban regional health authority. *BMJ Qual Saf*. 2011;20(7):580–6.
258. Starr NE, Gebeyehu N, Tesfaye A, Alemu SB, Habteyohannes T, Wayessa E, Forrester JA, Mammo TN, Weiser TG. Improvement of WHO surgical safety checklist use in emergency operations in a low human development index setting. *J Am Coll Surg*. 2019;229(4):S133.
259. Styer KA, Ashley SW, Schmidt I, Zive EM, Eappen S. Implementing the World Health Organization surgical safety checklist: a model for future perioperative initiatives. *AORN J*. 2011;94(6):590–8.
260. Taicher BM, Tew S, Figueroa L, Hernandez F, Ross SS, Rice HE. Implementation of a colour-coded universal protocol safety initiative in Guatemala. *BMJ Qual Saf*. 2018;27(8):593–9.
261. Takala RSK, Pauniah SL, Kotkansalo A, Helmiö P, Blomgren K, Helminen M, Kinnunen M, Takala A, Aaltonen R, Katila AJ, Peltomaa K, Ikonen TS. A pilot study of the implementation of WHO surgical checklist in Finland: improvements in activities and communication. *Acta Anaesthesiol Scand*. 2011;55(10):1206–14.
262. Thomasson BG, Fuller D, Mansour J, Marburger R, Pukenas E. Efficacy of surgical safety checklist: assessing orthopaedic surgical implant readiness. *Healthcare*. 2016 Dec 1;4(4):307–11.
263. Tian TM, Bray APJJ, Bogucki P, Myers L, de Berker D. WHO surgical checklist in dermatology: compliance, barriers, and attitudes. *Dermatologic Surg*. 2019;45(8):1042–6.
264. Tillman M, Wehbe-Janek H, Hodges B, Smythe WR, Papaconstantinou HT. Surgical care improvement project and surgical site infections: can integration in the surgical safety checklist improve quality performance and clinical outcomes? *J Surg Res*.

- 2013;184(1):150–6.
265. Todd J. Audit of compliance with WHO surgical safety checklist and building a shared mental model in the operating theatre. *BMJ Lead*. 2018;2(4):132–5.
266. Toor AA, Nigh-e-Mumtaz S, Syed R, Yousuf M, Syeda A. Surgical safety practices in Pakistan. *J Pak Med Assoc*. 2013;63(1):76–80.
267. Toor AA, Farooka MW, Ayyaz M, Sarwar H, Malik AA, Shabbir F. Pre-operative antibiotic use reduces surgical site infection. *J Pak Med Assoc*. 2015;65(7):733–6.
268. Tostes MF do P, Galvão CM. Surgical safety checklist: benefits, facilitators, and barriers in the nurses' perspective. *Rev Gauch Enferm*. 2019;40(spe):e20180180.
269. Truran P, Critchley RJ, Gilliam A. Does using the WHO surgical checklist improve compliance to venous thromboembolism prophylaxis guidelines? *Surgeon*. 2011;9(6):309–11.
270. Uppot RN, McCarthy CJ, Haynes AB, Burk KS, Mills T, Trifanov DS, Koo TK, Salazar GM, Halpern EF, Yu AY. A verbal electronic checklist for timeouts linked to the electronic health record. *J Am Coll Radiol*. 2017;14(10):1322–5.
271. Urbach DR, Govindarajan A, Saskin R, Wilton AS, Baxter NN. Introduction of surgical safety checklists in Ontario, Canada. *N Engl J Med*. 2014;370(11):1029–38.
272. Vachhani JA, Klopfenstein JD. Incidence of neurosurgical wrong-site surgery before and after implementation of the universal protocol. *Neurosurgery*. 2013;72(4):590–5.
273. Van Klei WA, Hoff RG, Van Aarnhem EEHL, Simmermacher RKJ, Regli LPE, Kappen TH, Van Wolfswinkel L, Kalkman CJ, Buhre WF, Peelen LM. Effects of the introduction of the WHO “surgical safety checklist” on in-hospital mortality: a cohort study. *Ann Surg*. 2012;255(1):44–9.
274. Van Schoten SM, Kop V, De Blok C, Spreuwenberg P, Groenewegen PP, Wagner C. Compliance with a time-out procedure intended to prevent wrong surgery in hospitals: results of a national patient safety programme in the Netherlands. *BMJ Open*. 2014;4(7):1–9.
275. Oszvald Á, Vatter H, Byhahn C, Seifert V, Güresir E. “Team time-out” and surgical safety-experiences in 12,390 neurosurgical patients. *Neurosurg Focus*. 2012;33(5):1–6.
276. Verwey S, Gopalan PD. An investigation of barriers to the use of the World Health Organization surgical safety checklist in theatres. *South African Med J*. 2018;108(4):336–41.
277. Vilz TO, Günther-Lübbers TC, Stoffels B, Lorenzen H, Schäfer N, Kalff JC, Overhaus M. Implementierung der perioperativen WHO-sicherheitscheckliste an einem klinikum der maximalversorgung - eine retrospektive analyse. *Zentralbl Chir*. 2016;141(1):37–44.
278. Vogts N, Hannam JA, Merry AF, Mitchell SJ. Compliance and quality in administration of a surgical safety checklist in a tertiary New Zealand hospital. *NZMJ*. 2011;124(1342):48–58.

279. Wæhle H V., Haugen AS, Sjøfteland E, Hjälmhult E. Adjusting team involvement: a grounded theory study of challenges in utilizing a surgical safety checklist as experienced by nurses in the operating room. *BMC Nurs.* 2012;11.
280. Wæhle HV, Harthug S, Sjøfteland E, Sevdalis N, Smith I, Wiig S, Aase K, Haugen AS. Investigation of perioperative work processes in provision of antibiotic prophylaxis: a prospective descriptive qualitative study across surgical specialties in Norway. *BMJ Open.* 2019;9(6).
281. Wang H, Zheng T, Chen D, Niu Z, Zhou X, Li S, Zhou Y, Cao S. Impacts of the surgical safety checklist on postoperative clinical outcomes in gastrointestinal tumor patients: a single-center cohort study. *Med (United States).* 2019;98(28):1–9.
282. Wangoo L, Ray RA, Ho YH. Staff attitudes and compliance toward the surgical safety checklist in North Queensland. *Int Surg.* 2018;103(5–6):270–9.
283. Watkins JM, Qadan M, Battista C, Polk HC. A closer look at surgical quality measures across different surgical specialties. *Am J Surg.* 2010;200(1):90–6.
284. Weingessel B, Haas M, Vécsei C, Vécsei-Marlovits PV. Clinical risk management – a 3-year experience of team timeout in 18 081 ophthalmic patients. *Acta Ophthalmol.* 2017;95(2):e89–94.
285. Weiser TG, Haynes AB, Dziekan G, Berry WR, Lipsitz SR, Gawande AA. Effect of a 19-item surgical safety checklist during urgent operations in a global patient population. *Ann Surg.* 2010;251(5):976–80.
286. Weller JM, Jowsey T, Skilton C, Gargiulo DA, Medvedev ON, Civil I, Hannam JA, Mitchell SJ, Torrie J, Merry AF. Improving the quality of administration of the surgical safety checklist: a mixed methods study in New Zealand hospitals. *BMJ Open.* 2018;8(12):1–8.
287. Westman M, Marttila H, Rahi M, Rintala E, Löyttyniemi E, Ikonen T. Analysis of hospital infection register indicates that the implementation of WHO surgical safety checklist has an impact on early postoperative neurosurgical infections. *J Clin Neurosci.* 2018;53:188–92.
288. White MC, Peterschmidt J, Callahan J, Fitzgerald JE, Close KL. Interval follow up of a 4-day pilot program to implement the WHO surgical safety checklist at a Congolese hospital. *Global Health.* 2017;13(1):1–9.
289. White MC, Randall K, Ravelojaona VA, Andriamanjato HH, Andean V, Callahan J, Shrimme MG, Russ S, Leather AJM, Sevdalis N. Sustainability of using the WHO surgical safety checklist: a mixed-methods longitudinal evaluation following a nationwide blended educational implementation strategy in Madagascar. *BMJ Glob Heal.* 2018;3(6):1–10.
290. White MC, Baxter LS, Close KL, Ravelojaona VA, Rakotoarison HN, Bruno E, Herbert A, Andean V, Callahan J, Andriamanjato HH, Shrimme MG. Evaluation of a countrywide implementation of the World Health Organisation surgical safety checklist in Madagascar. *PLoS One.* 2018;13(2):1–13.
291. White MC, Randall K, Capo-Chichi NFE, Sodogas F, Quenum S, Wright K, Close KL,

- Russ S, Sevdalis N, Leather AJM. Implementation and evaluation of nationwide scale-up of the surgical safety checklist. *Br J Surg*. 2019;106(2):e91–102.
292. White MC, Daya L, Brice Karel FK, White G, Abid S, Fitzgerald A, Mballa GAE, Sevdalis N, Leather AJM. Using the knowledge to action framework to describe a nationwide implementation of the WHO surgical safety checklist in Cameroon. *Anesth Analg*. 2020;1425–34.
293. Willassen ET, Jacobsen ILS, Tveiten S. Safe surgery checklist, patient safety, teamwork, and responsibility—coequal demands? A focus group study. *Glob Qual Nurs Res*. 2018;5:1–11.
294. Wong JM, Perry WRG, Greenberg Y, Ho AL, Lipsitz SR, Goumnerova LC, Laws ER, Berry WR, Gawande AA, Bader AM. Integrating cerebrospinal fluid shunt quality checks into the World Health Organization's safe surgery checklist: a pilot study. *World Neurosurg*. 2016;92:491–498.e3.
295. Wright M. KP Northwest preoperative briefing project. *Perm J*. 2005;9(2):35–9.
296. Wu HHL, Lewis SR, Čikkelová M, Wacker J, Smith AF. Patient safety and the role of the Helsinki Declaration on patient safety in anaesthesiology: a European survey. *Eur J Anaesthesiol*. 2019;36(12):946–54.
297. Yu X, Huang Y, Guo Q, Wang Y, Ma H, Zhao Y, Wang Y, Yu X, Tan G, Ma S, Wu X, Xu M, Zhang S, Shang H, Xin S, Zhang X, Wang J, Li L, Wu S, Zhao S, Yang J, Wen H, Sun H, Xiong Y, Wang Y, He J, Liu Q, Li J, Jiang J, Xue F, Han W, Wang Z, Wang Y, Hu Y, Wang L. Clinical motivation and the surgical safety checklist. *Br J Surg*. 2017;104(4):472–9.
298. Yu D, Zhao Q. Effect of surgical safety checklists on gastric cancer outcomes: a single-center retrospective study. *Cancer Manag Res*. 2019;11:8845–53.
299. Ziman R, Espin S, Grant RE, Kitto S. Looking beyond the checklist: an ethnography of interprofessional operating room safety cultures. *J Interprof Care*. 2018;32(5):575–83.
300. Zingiryan A, Paruch JL, Osler TM, Hyman NH. Implementation of the surgical safety checklist at a tertiary academic center: impact on safety culture and patient outcomes. *Am J Surg*. 2017 Aug 1;214(2):193–7.

Table S1. Data extracted from each study included in the systematic review

Author	Study Type	Surgery Type	Sample Size	Component, Type, Who	Extraction Method	Everyone who was present	Observer in Room	% Compliance	Attention, Attitude	Location, Income	Communication, Understanding, Culture	Complications, Mortality	Risk of Bias
--------	------------	--------------	-------------	----------------------	-------------------	--------------------------	------------------	--------------	---------------------	------------------	---------------------------------------	--------------------------	--------------

Abdel-Rehim et al. (2011) ¹	Direct	Plastic surgery	90 participants	All, modified, n/a	Audit	--	--	O: 82% SI: 100% TO: 80% SO: 96%	--	UK, high	--	N/a, improved	L
Alidina et al. (2017) ²	Indirect	Mixed	1909 participants	--	Survey	Surg, anes, certified registered nurse anes, nurses, technicians	--	--	N/a, positive	--	Worsened, n/a, worsened	--	M
Allard et al. (2007) ³	Direct	Mixed	118 participants	Briefing, no, n/a	Survey, observation, interviews	Surg, anes, theatre practitioners (scrub & anes)	Yes	O: n/a SI: n/a TO: 18% SO: n/a	N/a, mixed	UK, high	Improved, n/a, improved	--	M
Allard et al. (2011) ⁴	Indirect	Mixed	597 participants	Briefing, no, n/a	Questionnaire	OT practitioner s	No	--	--	UK, high	N/a, n/a, no change	--	M
Alloni et al. (2016) ⁵	Indirect	Mixed	100 records 34 participants, 44 respondents	All, n/a, n/a	Records, survey	Surg, nurse	--	--	Yes, mixed	Italy, high	N/a, n/a, improved	--	L
Almeida et al. (2019) ⁶	Direct	Pediatric	431 surgeries	All, yes, nurse	Observation	Surg, nurses, nursing assistants, anes, residents	Yes	O: 191.9% SI: 85.5% TO: 0% SO: 32.0%	--	Brazil, upper-middle	--	--	L
Al-Qahtani (2017) ⁷	Direct	Ear, nose, throat	5144 procedures	All, modified, n/a	Chart review, audit	Surg, anes, nurse	No	O: 98.4% SI: n/a TO: n/a SO: n/a	--	Saudi Arabia, high	--	--	L
Ambulkar et al. (2018) ⁸	Direct	Oncology	352 patients 600 procedures	All, modified, surg, nurse and/or anes	Observation	Surg, anes, nurse	Yes	O: n/a SI: 100% TO: 78% SO: 76.5%	--	India, lower-middle	--	--	L
Anderson et al. (2018) ⁹	Direct	Pediatric	591 procedures	TO, no, n/a	Observation, audits	--	Yes	O: n/a SI: n/a TO: 96.3% SO: n/a	--	USA, high	--	--	L

Anwer et al. (2016) ¹⁰	Indirect	General	3638 patients	All, yes, n/a	chart review	--	No	O: 56.6% SI: n/a TO: n/a SO: n/a	--	Pakistan, lower-middle	--	Improved, no change	L
Askarian et al. (2011) ¹¹	Indirect	--	150 patients	All, modified, n/a	Chart review	Surg, anes, nurses	--	--	--	Iran, upper-middle	--	Improved, n/a	H
Aveling et al. (2013) ¹²	Direct	Mixed	39 participants	All, modified, n/a	Interviews (semi-structured), observation, informal discussions, review of documentation	Surg, anes, managers/administrators, nurses, theatre practitioners	Yes	--	Yes, mixed	UK and Indirect Saharan African country (anonymized for confidentiality), mixed	--	--	M
Barbanti-Brodano (2019) ¹³	Indirect	Spine	632 procedures	All, yes, n/a	Chart review	--	No	--	--	Italy, high	--	Improved, n/a	H
Bartz-Kurycki et al. (2017) ¹⁴	Direct	Mixed (pediatric)	603 procedures	TO, modified, nurse, surg, anes	Observation	Surg, anes scrub technologists	Yes	O: n/a SI: n/a TO: n/a SO: 91.9%	--	USA, high	--	--	L
Bartz-Kurycki et al. (2018) ¹⁵	Direct	Pediatric (non-emergent)	484 procedures	SI, modified, nurse and/or anes	Observation/audits	Nurse, anes	Yes	O: n/a SI: 41% TO: n/a SO: n/a	--	USA, high	--	--	L
Bashford et al. (2014) ¹⁶	Direct	Plastic	289 procedures 19 questionnaires	All, modified, n/a	Observation, questionnaire	Surg, anes, nurse	Yes	O: 65% SI: 20% TO: 46% SO: 34%	N/a, positive	Ethiopia, low	--	--	M
Bergs et al. (2015) ¹⁷	Indirect	--	36 hospitals	All, modified, n/a	Questionnaire	--	No	O: 69.4% SI: 48.6% TO: 25.7% SO: 37.1%	Improved, n/a	Belgium, high	--	--	M
Berrisford et al. (2012) ¹⁸	Indirect	Thoracic	990 patients	TO, n/a, n/a	Hospital database	Surg, anes, nurse, operating department assistant	--	O: n/a SI: n/a TO: 96.8% SO: n/a	Yes (increased), n/a	UK, high	--	--	L
Biffl et al.	Direct	Mixed	854	N/a,	Observation	Surg, anes,	Yes	--	No,	USA,	--	--	L

(2015) ¹⁹			procedures	modified, n/a	n	nurse			n/a	high			
Birnbach et al. (2017) ²⁰	Indirect	Mixed	150 participants	TO, n/a, n/a	Interview	Surg, anes, resident, nurse	No	--	--	USA, high	Worsened, n/a, n/a	--	M
Biskup et al. (2016) ²¹	Indirect	Plastic	Before: 2166 procedures; after: 2310 procedures	All, modified, n/a	Hospital records	--	--	--	--	USA, high	N/a, n/a, Improved	No change, n/a	M
Bliss et al. (2012) ²²	Direct	General	73 procedures	All, modified, n/a	Observation, hospital records (ACS NSQIP)	Nurse	Yes	O: 97.3% SI: n/a TO: n/a SO: n/a	--	USA, high	--	--	L
Boaz et al. (2014) ²³	Indirect	Orthopedic	380 procedures	TO, modified, n/a	Chart review	Surg, anes, nurse	No	--	--	Israel, high	--	Worsened, improved	M
Bock et al. (2016) ²⁴	Indirect	Mixed	5297 patients	All, modified, nurses and/or surg	Admin record	Physicians, nurses	No	O: 89.4% SI: n/a TO: n/a SO: n/a	--	Italy, high	--	No change, n/a	H
Bohmer et al. (2012) ²⁵	Indirect	Orthopedic	71 participants	All, modified, n/a	Questionnaire	Medical staff and other personnel involved in surgery/in the OR	No	--	N/a, positive	Germany, high	Improved, improved, n/a	--	L
Bohmer et al. (2013) ²⁶	Indirect	Orthopedic	99 participants	All, modified, n/a	Questionnaire	Physician, anes	No	--	--	Germany, high	Improved, improved, n/a	--	M
Borgmann et al. (2015) ²⁷	Indirect	Urology	--	All, yes, surg, nurse, anes	Survey	--	--	O: 91% SI: n/a TO: n/a SO: n/a	N/a, positive	Germany, high	--	--	M
Braaf et al. (2013) ²⁸	Indirect	--	125 participants	TO, n/a, n/a	Focus group, interview	Healthcare professionals	Yes	O: n/a SI: n/a TO: 10% SO: n/a	--	--	Worsened, n/a, no change	--	H
Cabral et al. (2016) ²⁹	Indirect	--	93 participants	N/a, modified,	Questionnaire (safety	Surgical team	--	--	--	USA, high	Improved, n/a,	--	M

				n/a	attitudes questionnaire)	members					no change		
Carpenter et al. (2017) ³⁰	Direct	--	--	All, modified, surg	Observation	Surg, anes, nurse	Yes	O: improved substantially SI: n/a TO: n/a SO: n/a	Yes, positive	USA, high	Improved, improved, improved	--	L
Catchpole et al. (2010) ³¹	Direct	Maxillofacial, vascular, pediatric	61 procedures	All, no, n/a	Questionnaires, observation	--	Yes	O: n/a SI: 58% TO: 66% SO: 32%	N/a, positive	UK, high	No change, n/a, n/a	--	M
Cavallini et al. (2013) ³²	Indirect	Ophthalmology	849 procedures	All, modified, n/a	Documentation system	Surg, anes, nurse	No	--	--	Italy, high	--	Improved, n/a	L
Chaudhary et al. (2015) ³³	Indirect	Gastro-intestinal	350 participants (control) 350 participants (SSC)	All, modified, n/a	Electronic database	Surg, anes, nurse	No	Braaf	--	India, lower-middle	Improved, n/a, n/a	Improved, improved	M
Chhabra et al. (2019) ³⁴	Indirect	--	Before: 250 patients; after: 250 patients	All, yes, n/a	Chart review	Surg, anes, nurse	No	--	--	India, lower-middle	--	Improved, n/a	L
Close et al. (2017) ³⁵	Indirect	Mixed	21 hospitals	All, yes, n/a	Survey, focus group	--	No	--	--	Madagascar, low	Improved, n/a, n/a	--	H
Conley et al. (2011) ³⁶	Indirect	--	10 participants	N/a, yes, n/a	Interviews (semi-structured)	Surg, anes, nurse	No	--	--	USA, high	--	--	L
Correia et al. (2019) ³⁷	Indirect	Mixed (mostly general)	171 participants (surgeons)	All, yes, n/a	Questionnaire	Active and non-active Brazilian College of Surgeons members	No	O: 78.4% SI: n/a TO: n/a SO: n/a	N/a, positive	Brazil, upper-middle	--	--	M
Corso et al. (2014) ³⁸	Indirect	Interventional radiology	112 procedures	TO, modified, n/a	Questionnaire (attitudes) questionnaire, compilation rate	Interventional radiologists, nurses, radiographer, neuro-radiologist	--	--	N/a, mixed	--	--	--	L

					evaluation								
Cullati et al. (2013) ³⁹	Direct	Mixed	TO: 80 periods; SO: 81 periods	TO, yes, surg operator, scrub nurse, anes nurse	Observation	Surg, anes, nurse	Yes	O: n/a SI: n/a TO: 84% SO: 58%	--	Switzerland, high	Worsened, n/a, n/a	--	L
Cullati et al. (2014) ⁴⁰	Indirect	Mixed	152 participants	All, yes, n/a	Questionnaire	Surg, anes	--	--	N/a, positive	Switzerland, high	Improved, n/a, improved	--	M
Cunat et al. (2011) ⁴¹	Direct	Mixed	934 procedures	All, no, n/a	Chart review, observation, interview	--	Yes	O: 86% SI: n/a TO: n/a SO: n/a	--	France, high	--	--	L
Dabholkar et al. (2018) ⁴²	Indirect	Otolaryngology	37 participants ; 126 procedures	All, modified, n/a	Survey	Surg, anes, nurse	Yes	--	Improved, n/a	India, lower-middle	Improved, n/a, n/a	--	M
Dackiewicz et al. (2012) ⁴³	Direct	Mixed	387 procedures	All, yes, n/a	Observation	--	Yes	--	--	Argentina, upper-middle	--	--	L
Dayuta et al. (2013) ⁴⁴	Direct	Mixed	14,000 procedures	SI and TO, no, surg (SI) and anes (TO)	Observation, nursing care record review	Surg, anes, nurse	Yes	O: n/a SI: 98% TO: 98% SO: n/a	--	Singapore, high	Improved, n/a, n/a	--	M
De Freitas et al. (2014) ⁴⁵	Indirect	Gynecology, urology	375 procedures	All, modified, nurse and/or surg	Chart review, checklist review	Surg, nurse, resident	No	O: 61% SI: 3% TO: 13% SO: 28%	--	Brazil, upper-middle	--	--	L
De Oliveira Junior et al. (2017) ⁴⁶	Direct	Mixed	--	All, yes, n/a	Focus groups, observation	Nursing technicians	--	--	N/a, mixed	Brazil, upper-middle	--	--	M
De Vries et al. (2010) ⁴⁷	Indirect	General	Before: 4364; after: 4387	N/a, no, n/a	Chart review	Ward doctor, nurse, surg, anes, operating assistant	No	O: 80% SI: n/a TO: n/a SO: n/a	--	Netherlands, high	--	Mixed, improved	H
De Vries et al. (2010) ⁴⁸	Indirect	General, vascular	Before: 369 procedures; after: 403	N/a, no, n/a	Chart review	Surg, anes, operating assistant	Yes	--	--	Netherlands, high	--	--	M

			procedures										
De Vries et al. (2012) ⁴⁹	Indirect	Mixed (mostly general)	6313 procedures	N/a, no, n/a	Checklist review	Surg, anes, operating assistant, ward doctor, ward nurse	No	O: 72.2% SI: n/a TO: 82.9% SO: n/a	--	Netherlands, high	--	--	M
Defontes et al. (2004) ⁵⁰	Direct	--	--	TO, no, surg, nurse, anes	Questionnaire (safety attitudes questionnaire), risk data reports	Surg, anes, nurse (surg & anes)	No	--	N/a, positive	USA, high	Improved, improved, improved	Improved, n/a	M
Delisle et al. (2020) ⁵¹	Direct	Mixed	85,957 patients	All, modified, n/a	Multiple previous GlobalSurg and Surgical Outcomes studies	--	No	O: 79.1% SI: n/a TO: n/a SO: n/a	--	Multi-Country (Europe, Africa, etc.), mixed	--	--	M
Dell'Atti (2013) ⁵²	Direct	Urology	324 patients	All, modified, n/a	--	Surg, anes, nurse	No	--	--	Italy, high	--	Improved, improved	L
Dharampal et al. (2016) ⁵³	Indirect	Mixed	--	All, modified, n/a	Interview (transcribed)	Surg, anes, nurse	--	--	N/a, mixed	Canada, high	Improved, n/a, improved	N/a, worsened	H
Diedhiou et al. (2017) ⁵⁴	Direct	--	474 procedures	All, no, n/a	--	Surg, anes, nurse	No	O: 60% SI: n/a TO: n/a SO: n/a	--	Senegal, lower-middle	--	--	L
Dixon et al. (2013) ⁵⁵	Direct	Mixed	40 procedures	TO, yes, circulating nurse	Survey, observation	Surg, anes, nurse	Yes	--	N/a, positive	USA, high	--	--	M
Dixon et al. (2016) ⁵⁶	Direct	Mixed	80 procedures	TO, modified, n/a	Observation, questionnaire	Surg, anes, nurse, scrub technician	Yes	--	Yes, positive	USA, high	N/a, n/a, no change	--	M
Dobbie et al. (2019) ⁵⁷	Direct	--	--	TO, modified, nurse	Observation, records	Surg, anes, nurse	No	O: n/a SI: n/a TO: 95% SO: n/a	--	USA, high	--	--	L
Dommaraju	Direct	--	100	TO,	Observation	--	Yes	O: n/a	--	USA,	Improved,	--	M

et al. (2019) ⁵⁸			procedures; 137 participants	no, n/a	n, survey			SI: n/a TO: 100% SO: n/a		high	improved, n/a		
Duclos et al. (2016) ⁵⁹	Indirect	Mixed	8623 patients	All, n/a, n/a	Computerized case report forms	Surg, anes, nurse, quality manager	No	O: 83.2% SI: n/a TO: n/a SO: n/a	--	France, high	--	Improved, no change	H
Einav et al. (2010) ⁶⁰	Direct	Mixed (gynecology, orthopedic)	Before: 130 procedures; after: 102 procedures	TO, n/a, n/a	Observation	Surg, anes, nurse	--	--	--	Israel, high	--	Improved, n/a	H
Ellis et al. (2017) ⁶¹	Direct	General, gynecology	Phase I: 30 patients	All, modified, n/a	Observation, checklist completion	Surg, nurse	Yes	O: 50% (phase I), 98.5% (phase II) SI: 47% TO: 87% SO: 73%	N/a, positive	Ethiopia, low	Worsened, n/a, n/a	--	L
Epiu et al. (2016) ⁶²	Indirect	Obstetrics	85 participants (anes)	All, yes, n/a	Survey, interviews	--	No	--	--	East Africa (Uganda, Kenya, Tanzania, Rwanda, Burundi), mixed	--	--	M
Epiu et al. (2018) ⁶³	Indirect	--	64 hospitals	N/a, yes, n/a	Survey, interviews	--	No	O: 34.4% SI: n/a TO: n/a SO: n/a	--	Uganda, low	--	--	M
Erestam et al. (2017) ⁶⁴	Indirect	--	Before: 150; after: 143	All, modified, n/a	Questionnaire	Surg, anes, nurse (scrub, anes, assistants)	No	--	--	--	No change, n/a, no change	--	M
Fatima et al. (2018) ⁶⁵	Direct	Mixed	55 procedures	All, yes, n/a	Observation, interviews	Surg, anes, nurse, operation theatre assistant	Yes	--	--	Pakistan, lower-middle	--	--	L
Finch et al. (2019) ⁶⁶	Direct	--	506 forms	Debriefing, modified, n/a	Audit	Surg, resident, anes, surg technologists	No	O: n/a SI: n/a TO: n/a SO: 95%	--	USA, high	--	--	M

						t, nurse							
Forrester et al. (2018) ⁶⁷	Direct	Mixed	302 procedures	All, modified, n/a	Observation, staff interviews	Surg, anes, nurse, administration	Yes	O: 79% SI: n/a TO: n/a SO: n/a	--	Ethiopia, low	--	--	H
Forsyth et al. (2019) ⁶⁸	Direct	Gynecology	45 procedures	Briefing, no, surg	Video recording, survey	Surg, resident, anes, certified registered nurse anes, circulating nurse, certified surgical assistant, certified surgical technologist	Yes	--	--	USA, high	--	--	L
Fourcade et al. (2012) ⁶⁹	Direct	Mixed	1440 procedures	All, modified, n/a	Interviews, questionnaire, observation	Surg, anes, nurse, quality manager	Yes	O: 90.2% SI: 77.4% TO: 77.4% SO: 52.6%	Yes, n/a	France, high	--	--	L
Freedman et al. (2017) ⁷⁰	Direct	--	1116 procedures	All, yes, n/a	Observation, checklist completion	--	Yes	O: 52% SI: 63% TO: n/a SO: n/a	--	Uganda, low	--	--	L
Freundlich et al. (2020) ⁷¹	Direct	--	166 procedures	TO, modified, nurse	Observation	Surg, anes, nurses, scrub technicians	Yes	O: n/a SI: n/a TO: 98.2% SO: n/a	--	USA, high	--	--	L
Fyfe et al. (2013) ⁷²	Direct	Oral	--	N/a, modified, nurses	Audit	Surg, nurse	No	O: 100% SI: n/a TO: n/a SO: n/a	N/a, positive	UK, high	--	--	L
Gagliardi et al. (2014) ⁷³	Indirect	--	51 participants	--	Interviews (qualitative)	Surg, anes, nurse	--	--	Improved, mixed	Canada, high	Improved, n/a, n/a	--	M
Gagne et al. (2015) ⁷⁴	Direct	Neurosurgery	171 procedures	All, modified, nurse or anes (SI), surg, nurse,	Observation	Surg, anes, resident, nurse	Yes	O: n/a SI: 82% TO: 99% SO: 93%	--	Canada, high	--	--	L

				anesthesia (TO, SO)									
Gama et al. (2019) ⁷⁵	Indirect	Colorectal	Before: 348 procedures; after: 1012 procedures	All, modified, n/a	Chart review	Surg, anes, nurse	No	O: 98.8% (Canada) and 64% (Brazil) SI: n/a TO: n/a SO: n/a	--	Canada and Brazil, mixed	--	No change, n/a	H
Garland et al. (2017) ⁷⁶	Direct	Orthopedic	--	All, modified, surg, nurses, anes	Observatio n	Surg, anes, nurse	Yes	O: n/a SI: n/a TO: >99% SO: n/a	N/a, mixed	Cambodia , lower- middle	--	--	L
Georgiou et al. (2018) ⁷⁷	Indirect	--	23 participants (nurses)	N/a, yes, circulating nurse	Focus groups (qualitative)	Surg, anes, nurse	No	--	N/a, mixed	Cyprus, high	Worsened, n/a, n/a	--	M
Geraghty et al. (2014) ⁷⁸	Indirect	Urology	28 participants	--	Questionna ire	Surg, anes, nurse	No	--	N/a, positive	UK, high	--	--	M
Giles et al. (2017) ⁷⁹	Direct	Mixed	103 procedures (11 hospitals)	All, mixed, n/a	Observatio n, audit medical records	--	Yes	O: 27% (observed), 86% (medical record audit) SI: 16.6% TO: 36.7% SO: 21.3%	--	Australia, high	--	--	L
Gillespie et al. (2010) ⁸⁰	Indirect	Mixed	16 participants	TO, no, n/a	Individual and group interviews	Surg, anes, nurse, nurse manager	No	--	N/a, negative	Australia, high	Worsened, n/a, n/a	--	M
Gillespie et al. (2016) ⁸¹	Direct	Mixed; except transplant	70 participants	All, yes, n/a	Observatio n, field notes, individual and group interviews	Surg, anes, nurse	Yes	--	Yes, n/a	Australia, high	--	--	M
Gillespie et al. (2016) ⁸²	Direct	Mixed	80 participants observed; 70	All, modified, n/a	Observatio n, field notes, individual	Surg, anes, nurse (anes, scrub, scout,	Yes	--	--	Australia, high	--	--	M

			participants interviewed		and group interviews	PACU, management/education), patients							
Gillespie et al. (2017) ⁸³	Direct	Mixed (cardiac, hepatobiliary, upper gastrointestinal, vascular)	179 participants (before: 99 procedures; after: 80 procedures)	All, yes, n/a	Observation, field notes	surg, anes, nurse	Yes	O: n/a SI: 100% TO: 85% SO: 33.8%	--	Australia, high	--	--	M
Gillespie et al. (2017) ⁸⁴	Direct	Mixed (cardiac, hepatobiliary, upper gastrointestinal, vascular)	179 participants (before: 99 procedures; after: 80 procedures)	N/a, yes, n/a	Observation, survey, interview (semi-structured)	Surg, anes, nurses (scrub, circulating, anes)	Yes	O: n/a SI: 100% TO: 85% SO: 33.8%	--	Australia, high	No change, n/a, no change	--	H
Gillespie et al. (2018) ⁸⁵	Direct	Mixed	77 surgical teams	All, modified, anesthetic nurse (SI), surg (TO), circulating nurse (SO)	Electronic database audit, observation	Surg (consultant, registrar, resident medical officer), anes (consultant, registrar, resident medical officer), nurse (anes, scrub, scout), theatre assistant	Yes	O: 75.9-82.8% SI: 74.7% TO: 200% SO: 94.5%	--	Australia, high	--	--	M
Gillespie et al. (2018) ⁸⁶	Indirect	--	59 participants surveyed; 26 participants interviewed	All, modified, circulating or anes nurse (SI), circulating nurse or surg (TO), circulating	Individual and focus group interviews, survey	Medical, nursing and operational (i.e., porters and administration officers) staff	No	--	Improved, n/a	Australia, high	--	--	M

				nurse (SO)									
Gillespie et al. (2019) ⁸⁷	Indirect	Mixed	Before: 16262 procedures; after: 16755 procedures	All, modified, n/a	Chart review	Surg, anes, nurse	No	--	--	Australia, high	--	--	M
Gitelis et al. (2017) ⁸⁸	Direct	Mixed	1204 patients	All, modified, surg, nurse and/or anes	Observation, survey, electronic records	Surg, anes, nurse	Yes	O: 48% (paper checklist), 92% (electronic checklist) SI: n/a TO: n/a SO: n/a	--	USA, high	--	--	M
Globalsurg Collaborative (2016) ⁸⁹	Indirect	Intra-peritoneal	10,745 procedures	N/a, yes, n/a	Chart review	Surg, anes	No	--	--	--	--	N/a, improved	M
Globalsurg Collaborative (2019) ⁹⁰	Indirect	Intra-peritoneal and gastrointestinal, excluding laparoscopy	12,296 patients	N/a, yes, n/a	Chart review	--	No	--	--	--	--	N/a, improved	M
Goransson et al. (2016) ⁹¹	Indirect	General (abdominal)	17 participants	All, yes, n/a	Survey, interview	--	--	--	--	Sweden, high	--	--	M
Govindappagari et al. (2016) ⁹²	Indirect	Obstetric	600 procedures	All, modified, n/a	Data form	Surg, anes, nurse, pediatrician	--	--	--	--	--	--	M
Gueguen et al. (2011) ⁹³	Indirect	Pediatric, ophthalmic, neurosurgery	28 medical files; 80 participants	N/a, no, n/a	Medical file analysis, survey	OR personnel	--	O: 70% (hospital 1), 20% (hospital 2) SI: n/a TO: n/a SO: n/a	--	--	Improved, n/a, n/a	--	M
Hacquard et al. (2013) ⁹⁴	Indirect	Mixed	170 participants	All, yes, surg, nurses,	Questionnaire, observation	OR personnel	No	--	--	France, high	Worsened, n/a, n/a	--	L

				anes	, audit								
Hafeez et al. (2016) ⁹⁵	Indirect	--	--	All, n/a, n/a	Questionnaire	Surg, anes, nurses, support staff	--	--	--	--	--	--	L
Hang et al. (2018) ⁹⁶	Direct	Obstetric, gynecology	--	All, n/a, n/a	--	--	--	--	--	--	--	--	L
Hanna et al. (2014) ⁹⁷	Direct	--	--	All, yes, n/a	--	Surg, anes, theatre staff	--	O: n/a SI: n/a TO: n/a SO: 10%	--	--	--	--	L
Hannam et al. (2013) ⁹⁸	Direct	Mixed (general, orthopaedic, plastic, urology, vascular, neurosurgery, gynecology)	200 procedures (100 per hospital)	All, modified, surg, nurses, anes	Observation	Surg, anes, nurse	Yes	O: n/a SI: 96% (hospital 1), 31% (hospital 2) TO: 99% (hospital 1), 48% (hospital 2) SO: 22% (hospital 1), 9% (hospital 2)	Yes, n/a	New Zealand, high	--	--	L
Haridarshan et al. (2018) ⁹⁹	Indirect	General	464 patients (before: 216; after: 248)	All, yes, n/a	Data forms, chart review	Surg, anes, theatre staff	--	--	Yes, n/a	India, lower-middle	Improved, n/a, n/a	Improved, improved	M
Haugen et al. (2013) ¹⁰⁰	Indirect	Mixed	641 participants	All, modified, anes (SI), nurse (TO, SO)	Chart review, survey	Surg, anes, nurse, ancillary personnel	No	O: 75% SI: 85% TO: 84% SO: 77%	--	Norway, high	No change, n/a, no change	--	M
Haugen et al. (2013) ¹⁰¹	Indirect	Mixed	427 participants	TO, no, n/a	Questionnaire	Surg, anes, nurse	No	--	N/a, positive	Norway, high	N/a, n/a, no change	--	M
Haugen et al. (2015) ¹⁰²	Indirect	Mixed (cardiothoracic, neurosurgery, orthopedic, general,	Before: 2212 procedures; after: 3083 procedures	All, modified, n/a	Chart review	Surg, anes, nurse	No	--	--	Norway, high	--	Improved, no change	H

		urology)											
Haugen et al. (2015) ¹⁰³	Indirect	Mixed	--	All, yes, n/a	Qualitative, focus group interviews	Surg, anes, nurse	No	--	Improved, mixed	Norway, high	Improved, improved, improved	--	M
Haugen et al. (2019) ¹⁰⁴	Indirect	Mixed (cardiothoracic, neurosurgery, orthopedic, general, urology)	2304 procedures	All, modified, n/a	Chart review	Surg, anes, nurse	Yes (to provide feedback only, not to record data points)	O: 75.7% SI: n/a TO: n/a SO: n/a	--	Norway, high	--	Improved, n/a	H
Hawranek et al. (2015) ¹⁰⁵	Indirect	Cardiac	1053 patients	All, no, surg and nurses	Chart review	Doctor, nurse, medical technician	No	--	--	Poland, high	--	Improved, n/a	L
Haynes et al. (2009) ¹⁰⁶	Direct	Mixed (non-cardiac)	7688 procedures	All, yes, n/a	Chart review, observation	Surg, anes, nurse	Yes	--	--	Canada, India, Jordan, New Zealand, Philippines, Tanzania, England, USA, mixed	--	Improved, improved	H
Haynes et al. (2011) ¹⁰⁷	Indirect	--	538 participants	N/a, yes, n/a	Chart review, questionnaire	Surg, anes, nurse, surg technologist, trainee	No	--	N/a, positive	USA, high	Improved, n/a, improved	Improved, n/a	H
Haynes et al. (2017) ¹⁰⁸	Indirect	Mixed, excluding obstetric	109,720 patients	All, yes, n/a	Chart review	--	No	--	--	USA, high	--	N/a, improved	M
Hellar et al. (2020) ¹⁰⁹	Direct	--	14,580 procedures	N/a, yes, n/a	Self-reported data, observation, audits	Surg, anes, nurse	Yes	O: 89% SI: n/a TO: n/a SO: n/a	--	Tanzania, high	--	--	L
Helmiö et al. (2011) ¹¹⁰	Indirect	Otolaryngology	--	All, modified, nurse	Questionnaire	Surg, anes, nurse	No	--	Improved, n/a	Finland, high	Improved, n/a, improved	--	H
Helmiö et	Indirect	Otolaryngol	100	All,	Questionna	Surg, anes,	No	--	N/a,	Finland,	Improved,	--	M

al. (2012) ¹¹¹		ogy	participants	yes, nurse	ire	nurse			positive	high	n/a, improved		
Helmiö et al. (2012) ¹¹²	Indirect	--	--	--	--	--	--	--	--	--	--	--	M
Henderson et al. (2012) ¹¹³	Direct	Urology	100 procedures (50 original; 50 simplified)	All, modified, n/a	Observation	Surg, anes, nurse	Yes	O: 53% (original), 92% (simplified) SI: n/a TO: n/a SO: n/a	--	UK, high	--	Improved, n/a	H
Hill et al. (2015) ¹¹⁴	Indirect	Orthopaedic	52 participants	All, modified, n/a	Questionnaire	Surg, anes, nurse	No	--	N/a, positive	UK, high	Improved, n/a, improved		M
Hovaguimian et al. (2011) ¹¹⁵	Indirect	"High risk", gynecology excluded	Before: 609 patients; after: 1110 patients	--	Chart review	--	No	O: 63.5% SI: n/a TO: n/a SO: n/a	--	Switzerland, high	--	No change, no change	M
Høyland et al. (2014) ¹¹⁶	Indirect	--	14 participants	All, yes, n/a	Focus group interviews	Surg, anes, nurse	--	--	--	Norway, high	--	--	H
Hurtado et al. (2012) ¹¹⁷	Indirect	--	147 participants (3 hospitals: 2 public, 1 private)	All, yes, circulating nurse	Questionnaire	Nurse, anes, residents	No	--	N/a, positive	Guatemala, Upper-middle	Improved, n/a, improved	--	M
Igaga et al. (2018) ¹¹⁸	Direct	Mixed (58% gynecology)	859 patients	All, yes, n/a	Observation, chart review	Surg, anes, anes officer, medical officer, intern doctor, nurse, midwife, medical student	Yes	O: 41.7% SI: 44% TO: 42% SO: 33.3%	--	Uganda, low	--	No change, no change	M
Jager et al. (2019) ¹¹⁹	Indirect	Mixed	21306 procedures	All, modified, n/a	Chart review	--	No	--	--	Australia, high	--	No change, worsened	H

Jammer et al. (2015) ¹²⁰	Indirect	Non-cardiac (planned day-case surgery, cardiac, neurosurgery, radiological or obstetric procedures were excluded)	45591 procedures	All, yes, n/a	Secondary analysis of the European Surgical Outcome Study data set	--	No	O: 67.5% SI: n/a TO: n/a SO: n/a	--	European countries, mixed	--	N/a, improved	L
Johnston et al. (2009) ¹²¹	Direct	Orthopedic	231 procedures (SI and TO); 48 procedures (SI)	TO, no, n/a	Observation	--	Yes	O: n/a SI: n/a TO: 76 % (emergency cases) and 68% (elective cases) SO: n/a	--	Canada, high	--	--	M
Johnston et al. (2014) ¹²²	Direct	Mixed	63 procedures	Briefing and debriefing, no, surg or circulating nurse	Audit tool	Surg, anes, nurse, technologist	Yes	O: 26% SI: n/a TO: n/a SO: n/a	Yes, n/a	USA, high	--	--	L
Jones (2019) ¹²³	Indirect	--	--	TO, yes, n/a	Medical records, survey (nursing staff)	Surg, nurse	No	O: 79% SI: n/a TO: n/a SO: n/a	N/a, mixed	Australia, high	N/a, n/a, Improved	N/a, improved	M
Kaderli et al. (2013) ¹²⁴	Indirect	--	799 participants	All, yes, n/a	Questionnaire	--	--	--	N/a, positive	Switzerland, high	Worsened, n/a, worsened	--	H
Kasatpibal et al. (2012) ¹²⁵	Direct	Mixed	4,340 procedures	All, modified, n/a	Observation (by nurse)	Surg, anes, nurse	No	--	N/a, mixed	Thailand, upper-middle	--	--	L
Kasatpibal, et al. (2018) ¹²⁶	Indirect	--	89 participants (39 nurses in focus groups, 50 surgical	All, yes, n/a	Focus group, interview	OR nurses	--	--	--	Thailand, upper-middle	--	--	H

			personnel interviewed)										
Kawano et al. (2014) ¹²⁷	Indirect	--	Before: 177 participants ; after: 162 participants	All, yes, n/a	Questionnaire	Surg, anes, nurse	--	--	--	Japan, high	Improved, n/a, improved	--	M
Keijzer et al. (2017) ¹²⁸	Indirect	Plastic	80 participants	All, yes, n/a	Chart review	--	No	O: 91% SI: 85.5% TO: 95% SO: 87.5%	--	UK, high	N/a, n/a, improved	--	L
Khoshbin et al. (2009) ¹²⁹	Direct	Mixed	391 procedures	N/a, no, n/a	Observation, questionnaires, interviews	Surg (staff, fellows, residents), anes (staff, fellows, residents), nurses (scrub circulating, cardiovascular perfusionists)	Yes	O: n/a SI: 64.1% TO: 99.1% SO: n/a	N/a, mixed	Canada, high	N/a, n/a, improved	--	M
Kiefel et al. (2018) ¹³⁰	Indirect	Mixed	12 participants	All, modified, n/a	Literature review, interviews, questionnaire	Surg, anes, nurse, surgery manager	No	--	N/a, positive	Austria, high	--	--	M
Kieffer et al. (2013) ¹³¹	Direct	Orthopedic	147 procedures	All, n/a, n/a	Audit	--	--	O: 95% SI: n/a TO: n/a SO: n/a	--	--	--	--	M
Kim et al. (2015) ¹³²	Indirect	Mixed	637 participants	N/a, yes, n/a	Medical records	--	Yes	O: 90% SI: n/a TO: n/a SO: n/a	--	Moldova, lower-middle	N/a, n/a, improved	Worsened, improved	M
Kisacik et al. (2019) ¹³³	Indirect	--	--	N/a, yes, scrub nurse	Questionnaire	Nurses	--	--	--	Turkey, upper-middle	--	--	M
Korkiakangas	Direct	Mixed	--	--	Video recordings	Surg, anes, nurse,	No	--	--	UK, high	--	--	M

(2017) ¹³⁴						residents, operating department practitioner s							
Kilduff et al. (2018) ¹³⁵	Indirect	--	3338 participants	N/a, yes, n/a	Electronic Survey	--	--	--	--	UK, high	--	--	M
Kwok et al. (2013) ¹³⁶	Direct	Mixed	Before: 2145 procedures; after: 2212 procedures	All, yes, n/a	Intraoperative data form, chart review, observation	Surg, anes, nurse	Yes	O: 38.5% SI: n/a TO: n/a SO: n/a		Moldova, lower-middle		Improved, no change	H
Lacassie et al. (2016) ¹³⁷	Indirect	Cardiothoracic	29858 procedures	All, yes, n/a	Admin database	--	No	O: 42.3% SI: n/a TO: n/a SO: n/a	--	Chile, high	--	No change, improved	H
Lagoo et al. (2019) ¹³⁸	Indirect	Mixed	55 participants	All, modified, n/a	Survey	Representatives and clinicians participating in the device briefing tool training	No	--	--	Thailand, upper-middle	--	--	M
Lee (2010) ¹³⁹	Indirect	--	583 procedures	TO, no, n/a	Survey	Surg, anes, nurse	--	--	--	USA, high	Improved, n/a, n/a	--	L
Lee et al. (2012) ¹⁴⁰	Indirect	Mixed	35,416 procedures	TO, no, n/a	Form collection, questionnaire	Surg, anes, nurse, assistants, technicians	No	--	N/a, mixed	New Zealand, high	--	--	L
Lennon et al. (2020) ¹⁴¹	Direct	Obstetric	--	All, modified, n/a	--	--	--	O: n/a SI: 94% TO: 83% SO: 69%	--	Ireland, high	--	--	L
Lepanluoma et al. (2014) ¹⁴²	Indirect	Neurosurgery	67 procedures	All, yes, n/a	Chart review, questionnaire	Surg, anes, nurse	No	--	--	Finland, high	Improved, n/a, improved	Improved, n/a	M
Lepanluoma et al. (2015) ¹⁴³	Indirect	Neurosurgery reoperations	72 procedures	All, yes, n/a	Hospital/patient charts	--	No	O: n/a SI: n/a TO: 74%	--	Finland, high	--	Improved, n/a	M

								SO: n/a					
Levy et al. (2012) ¹⁴⁴	Direct	Mixed	140 procedures; 29 participants	All, modified, n/a	Observation, survey	Surg, anes, nurse	--	O: 21% SI: n/a TO: 97% SO: n/a	--	USA, high	N/a, n/a, worsened	--	L
Lilaonitkul et al. (2015) ¹⁴⁵	Indirect	Mixed	2,645 procedures	All, modified, nurse, anes officers, anes, medical students and/or surg	Operative information from operating theatre logbook, patient medical records	--	No	O: 69% SI: 91.2% TO: 89.9% SO: 87.5%	--	Uganda, low	--	--	L
Lindsay et al. (2018) ¹⁴⁶	Indirect	Cardiac catheterization	8991 procedures	All, modified, n/a	Chart review, patient questionnaire, staff survey	Surg, anes, nurse, technicians, cardiologists, paediatricians	No	O: 70.9% SI: n/a TO: n/a SO: n/a	N/a, mixed	UK, high	--	Improved, no change	M
Lingard et al. (2005) ¹⁴⁷	Direct	Vascular	18 procedures	N/a, no, surg	Observation, interviews	Surg, anes, residents	Yes	--	--	Canada, high	--	--	M
Lingard et al. (2006) ¹⁴⁸	Direct	General	302 procedures	TO, no, surg	Field notes	Surg, anes, nurse	Yes	--	N/a, mixed	Canada, high	--	--	M
Lingard et al. (2008) ¹⁴⁹	Direct	General	86 procedures	SI, no, surg	Observation, survey	Surg, anes, nurse	Yes	--	N/a, positive	Canada, high	Improved, improved, n/a	--	H
Lingard et al. (2011) ¹⁵⁰	Direct	General (mostly colon)	340 procedures	TO, no, surg	Chart review, observation	Surg, anes, nurse, resident, trainee, respiratory therapist, technical assistant	Yes	--	--	Canada, high	--	--	H
Logan et al. (2012) ¹⁵¹	Direct	Mixed	98 procedures	TO, no, n/a	Observation (form)	Surg, anes, nurse	Yes	O: n/a SI: n/a TO: 98% SO: n/a	Yes, n/a	USA, high	--	--	M
Lübbecke et al.	Indirect	Mixed	2427 procedures	All, yes, n/a	Chart review	Surg, anes, nurse,	No	O: 63.4% SI: n/a	--	Switzerland	--	Improved, no change	H

(2013) ¹⁵²						quality officer		TO: n/a SO: n/a		d, high			
Lyons et al. (2017) ¹⁵³	Indirect	--	134 participants	TO, mixed, n/a	Survey	Perioperative staff members	--	O: 83.5% SI: n/a TO: 99.4% SO: n/a	--	--	--	--	M
Magill et al. (2017) ¹⁵⁴	Indirect	Neurosurgery	112 participants	TO, n/a, n/a	Survey (safety attitudes questionnaire)	Surg, anes, nurse	--	--	N/a, positive	USA, high	--	--	M
Mahmood et al. (2019) ¹⁵⁵	Direct	Mixed	51 surgeries; 18 participants	TO, modified, nurse (SI), surg (TO), anes (SO)	Observation, interview	Surg, anes, nurse	Yes	O: 94% SI: 94% TO: 100% SO: 100%	--	Canada, high	--	--	L
Mainthia et al. (2012) ¹⁵⁶	Direct	Otolaryngology	240 procedures (before: 80; after: 160)	TO, no, surg, nurse	Observation	Surg, nurse, resident, certified registered nurse anes, technician	Yes	O: n/a SI: n/a TO: 100% SO: n/a	--	USA, high	Improved, n/a, n/a	--	H
Makary et al. (2007) ¹⁵⁷	Direct	Mixed	116 participants	TO, no, surg	Questionnaire (safety attitudes questionnaire), observation	Surg, anes, nurse	No	--	N/a, positive	USA, high	Improved, improved, n/a	--	M
Marquet et al. (2013) ¹⁵⁸	Direct	Otolaryngology	2 hospitals	All, modified, surg, nurse and/or anes	Observation	--	Yes	O: 42% (hospital A), 16.9% (hospital B) SI: n/a TO: n/a SO: n/a	--	Belgium, high	--	--	L
Martis et al. (2016) ¹⁵⁹	Direct	Mixed	9825 specimens (before: 4760; after: 5065)	TO, yes, n/a	Specimen labelling assessment	--	No	--	--	New Zealand, high	--	--	M
Mascherek et al. (2013) ¹⁶⁰	Indirect	--	1378 participants	N/a, mixed, n/a	Survey	Doctors, anes, nurse, surgical	No	--	N/a, mixed	Switzerland, d,	--	--	M

						technicians				high			
Mascherek et al. (2015) ¹⁶¹	Indirect	--	1139 participants	--	Survey	Doctors, nurse, surgical technicians, attendants for surgical positioning	No	--	--	Switzerland, high	--	--	M
Mascherek et al. (2016) ¹⁶²	Indirect	--	Before: 2708 participants ; after: 2264 participants	N/a, yes, n/a	Surveys (attitudes, knowledge, safety climate)	Doctors, nurse, surgical technicians, attendants for surgical positioning	No	--	N/a, no change	Switzerland, high	N/a, n/a, improved	--	M
Mata et al. (2010) ¹⁶³	Indirect	--	184 patients	All, modified, n/a	Chart review (form)	Surg, anes, nurse	No	O: 58.2% SI: n/a TO: n/a SO: n/a	--	Spain, high	--	--	L
Mattingly et al. (2019) ¹⁶⁴	Indirect	--	20 participants	--	Group interviews (semi-structured)	Surg, anes, nurse, OR managers, quality personnel, hospital administrator	No	--	--	Ethiopia, low	--	--	H
Mayer et al. (2016) ¹⁶⁵	Direct	General, urology, orthopedic	6714 patients	All, yes, n/a	Form completed by anesthesia	Surg, anes, nurse	No	O: 62.1% SI: n/a TO: n/a SO: n/a	--	UK, high	--	Improved, no change	M
Maziero et al. (2015) ¹⁶⁶	Direct	Orthopedics	20 procedures	All, modified, n/a	Observation	Surg, anes, nurse, resident, technician	Yes	--	--	Brazil, upper-middle	--	--	L
McCarroll et al. (2015) ¹⁶⁷	Indirect	Gynecology	121 patients	N/a, modified, nurses	Chart review	Surg, nurse	No	--	--	USA, high	--	--	M
McDowell et al. (2016) ¹⁶⁸	Indirect	--	346 surveys	--	Questionnaire	Surg, anes, nurse (perioperative registered nurses,	No	--	--	USA, high	--	--	M

						certified surgical technologists)							
McGinlay et al. (2015) ¹⁶⁹	Direct	Mixed	40 procedures; 15 participants	All, yes, n/a	Observation, questionnaire	Surg, anes, nurse	Yes	--	--	Romania, high	--	--	L
McLaughlin et al. (2012) ¹⁷⁰	Direct	Neurosurgery	--	TO, modified, surg	--	Surg, anes, nurses	Yes	O: 77-100% SI: n/a TO: n/a SO: n/a	N/a, positive	USA, high	Improved, n/a, improved	No change, n/a	M
McLaughlin et al. (2014) ¹⁷¹	Indirect	Neurosurgery	--	TO, yes, n/a	Questionnaire (safety attitudes questionnaire)	Surg, anes, nurse, resident, technician	--	--	N/a, positive	USA, high	Improved, n/a, improved	--	M
Medvedev et al. (2019) ¹⁷²	Direct	--	--	All, n/a, n/a	WHOBAR	--	Yes	--	--	--	--	--	L
Mehta et al. (2018) ¹⁷³	Indirect	--	Before: 200 procedures; after: 172 procedures	All, no, n/a	Chart review	--	--	--	--	India, lower-middle	--	Improved, n/a	M
Melekiet al. (2015) ¹⁷⁴	Direct	Mixed	282 participants	All, modified, circulating nurses	Observation	Surg, anes, nurse resident	Yes	O: 39.7% SI: n/a TO: n/a SO: n/a	--	Ethiopia, low	--	--	L
Mhamdi et al. (2014) ¹⁷⁵	Direct	General	508 patients (before: 185; after: 323)	TO, yes, n/a	--	--	Yes	--	--	Tunisia, lower-middle	--	Mixed, no change	M
Michel et al. (2015) ¹⁷⁶	Indirect	Mixed	81 participants	All, modified, surg, nurses, anes	Survey	--	No	O: 87.5% SI: n/a TO: n/a SO: n/a	N/a, mixed	Belgium, high	--	--	M
Minhas et al. (2017) ¹⁷⁷	Indirect	General, orthopaedic, neurosurgery	--	All, yes, n/a	Questionnaire (safety attitude questionnaire)	Surg, anes, nurse, trainee technician	--	--	--	Pakistan, lower-middle	--	--	L
Moccia et	Direct	Mixed	177	All,	Observation	Surg, anes,	Yes	O: 97%	N/a,	Italy,	--	No change,	M

al. (2017) ¹⁷⁸			procedures	modified, n/a	n, review of incident reporting system, chart review	nurse		SI: n/a TO: 89% SO: n/a	mixed	high		no change	
Mody et al. (2014) ¹⁷⁹	Indirect	Obstetrics (C-sections)	Before: 63 procedures; after: 90 procedures	N/a, modified, n/a	Chart review	Surg, anes, nurse	No	--	--	Rwanda, low	--	--	M
Mohammed et al. (2013) ¹⁸⁰	Indirect	Obstetrics	389 procedures	All, yes, n/a	Chart review	--	No	--	--	UK, high	Improved, improved, n/a	--	M
Molina et al. (2016) ¹⁸¹	Indirect	--	Before: 929 participants ; after: 815 participants	All, yes, n/a	Survey	Surg, anes, nurse, certified registered nurse anes, technicians	No	--	N/a, mixed	USA, high	Improved, n/a, n/a	--	M
Montgomer y et al. (2016) ¹⁸²	Direct	Mixed (pediatric)	39 procedures	TO, modified, nurse	Observatio n (nurses as data collectors, other staff unaware of study)	Surg, anes, nurse	Yes (scrub nurse)	O: n/a SI: n/a TO: 77% SO: n/a	Yes, n/a	Scotland, high	--	--	H
Morgan et al. (2013) ¹⁸³	Direct	--	Before: 180 procedures; after: 195 procedures	All, modified, n/a	--	Surg, anes, nurse	Yes	O: n/a SI: 99.5% TO: 98.0% SO: 96.9%	--	Canada, high	--	--	M
Morgan et al. (2015) ¹⁸⁴	Direct	Orthopaedic (lower limb)	101 procedures	TO, modified, n/a	Observatio n	--	Yes	O: n/a SI: n/a TO: 47% SO: 19%	Yes, n/a	UK, high	Improved, n/a, n/a	No change, n/a	M
Morgan et al. (2015) ¹⁸⁵	Direct	Orthopaedic	105 procedures	TO, yes, n/a	Observatio n, hospital records	Surg, anes, nurse	Yes	O: SI: TO: 89.5% SO: .28%	--	UK, high	No change, n/a, n/a	No change, n/a	L
Motta Filho et al. (2013) ¹⁸⁶	Indirect	Orthopaedic	502 participants	All, yes, n/a	Survey	--	No	--	--	Brazil, upper- middle	--	--	M
Munn et al. (2018) ¹⁸⁷	Direct	Intervention al radiology	39 procedures	All, no, n/a	Observatio n, record	--	Yes	O: 38% (observed),	--	--	Worsened, n/a,	--	M

					audit , focus group			64% (record audit) SI: n/a TO: n/a SO: n/a			n/a		
Myers et al. (2016) ¹⁸⁸	Indirect	Wound patients (soft tissue reconstructio n of chronic wounds)	233 patients	TO, modified, surg	Chart review	Surg, anes, nurse	No	--	--	USA, high	--	--	L
Naidoo et al. (2017) ¹⁸⁹	Direct	Obstetrics	10,479 procedures	All, modified, anes (SI, TO), surg (TO), nurse (SO)	Observatio n (theatre staff)/charti ng, focus groups	Surg, anes nurse	Yes	--	--	South Africa, upper- middle	--	Improved, no change	M
Neuhaus et al. (2017) ¹⁹⁰	Indirect	--	316 participants (anesthetist s)	N/a, yes, n/a	Survey	Anes, nurses	No	--	Improved, mixed	Germany, high	--	--	M
Nilsson et al. (2010) ¹⁹¹	Indirect	Mixed	331 participants	TO, yes, OR team	Questionna ire	Surg, anes, nurse	No	--	N/a, positive	Sweden, high	Mixed, n/a, n/a	--	M
Nissan et al. (2014) ¹⁹²	Indirect	--	46 participants	All, yes, n/a	Survey, report	Physician, nurse, certified registered nurse anes, resident, technician	No	O: n/a SI: 89% TO: 99% SO: 82%	N/a, positive	USA, high	Improved, n/a, improved	--	M
Nørgaard et al. (2016) ¹⁹³	Indirect	Mixed	2,487 procedures	All, modified, n/a	Chart review	--	No	O: 47% SI: n/a TO: n/a SO: n/a	--	Norway, high	--	--	M
Norton et al. (2016) ¹⁹⁴	Indirect	--	196 participants	N/a, modified, n/a	Staff survey	Anes, nurse, certified nurse anes, technologis ts	No	--	N/a, positive	USA, high	--	--	M

Nugent et al. (2013) ¹⁹⁵	Indirect	--	41 hospitals	N/a, modified, n/a	Survey	--	No	--	Improved, n/a	Ireland, high	Worsened, n/a, n/a	--	M
O'Brien et al. (2017) ¹⁹⁶	Indirect	--	58 participants	All, yes, nurse	Interviews (semi-structured)	Nurses	No	--	N/a, positive	Ireland, high	--	--	H H
O'Connor et al. (2013) ¹⁹⁷	Indirect	--	107 participants	All, modified, nurse	Questionnaire, interviews	Surg, anes, nurse	No	--	Improved, mixed	Ireland, high	--	--	M
Ogunlusi et al. (2017) ¹⁹⁸	Indirect	Mixed	66 participants	All, yes, n/a	Survey	Surg, anes, nurse	No	--	--	Nigeria, lower-middle	--	--	M
Olatosi et al. (2018) ¹⁹⁹	Indirect	Mixed	102 participants	All, yes, nurse, anes	Survey	--	No	--	--	Nigeria, lower-middle	Improved, n/a, n/a	--	M
O'Leary et al. (2016) ²⁰⁰	Indirect	Mixed (pediatric)	14,314 procedures	All, yes, n/a	Chart review	--	No	O: >98% SI: n/a TO: n/a SO: n/a	--	Canada, high	--	No change, no change	H
Ong et al. (2016) ²⁰¹	Direct	Mixed	111 procedures	All, yes, anes (SI), surg (TO), nurse (SO)	Observation	Surg, anes, nurse	Yes	O: n/a SI: 98% TO: 99% SO: 84%	Yes, n/a	New Zealand, high	--	--	H
Overdyk et al. (2016) ²⁰²	Direct	Mixed	2693 procedures	All, modified, n/a	Video recording, live audit	Surg, anes, nurse, support staff	Yes (via video)	O: n/a SI: 64.1% TO: 84.4% SO: 65.8%	Yes, n/a	USA, high	--	--	M
Owers et al. (2010) ²⁰³	Direct	Mixed	First audit: 95 records; second audit: 96 records	N/a, modified, n/a	Chart audit of "correct side surgery" documentation	Surg, anes, nurse	No	--	--	UK, high	--	--	L
Paige et al. (2008) ²⁰⁴	Indirect	General	16 procedures	TO, no, n/a	Self-assessment questionnaire	Surg, anes, nurse, technologist	No	--	--	Alaska, high	Improved, n/a, n/a	--	M
Paige et al. (2009) ²⁰⁵	Indirect	General	16 participants	TO, no, n/a	Survey	Surgeon, nurse,	No	--	--	Alaska, high	Improved, improved,	--	M

						certified registered nurse anes, technician					n/a		
Papaconstan tinou et al. (2013) ²⁰⁶	Indirect	Mixed	35570 procedures (before: 17,204; after: 18,366)	All, modified, n/a	Hospital charts	Surg, anes, nurse,	--	O: 85% SI: n/a TO: n/a SO: n/a	--	USA, high	--	--	H
Papaconstan tinou et al. (2013) ²⁰⁷	Indirect	Mixed	355 participants	All, modified, surg, nurses, anes	Survey	Surg, anes, nurse,	No	--	N/a, positive	USA, high	Improved, n/a, n/a	--	M
Paull et al. (2010) ²⁰⁸	Indirect	Mixed	74 hospitals	Briefing and debriefing, no, n/a	Interviews, chart review	OR staff, post-anes care unit, surgical intensive care unit providers	--	O: n/a SI: 98% (briefing) TO: n/a SO: n/a	--	USA, high	--	--	L
Pavlová et al. (2019) ²⁰⁹	Indirect	--	--	All, yes, n/a	Questionna ire	Operating theatre supervisors of perioperati ve nurses	--	--		Czech, high	--	--	M
Phadnis et al. (2018) ²¹⁰	Direct	Orthopedic	47 procedures	TO, yes, n/a	Audits, questionnai re	Surg, anes, nurse	No	O: 81% SI: n/a TO: n/a SO: n/a	--	UK, high	N/a, n/a, improved	Improved, n/a	H
Pickering et al. (2013) ²¹¹	Direct	Mixed	294 procedures	TO, yes, surg, nurses, anes	Observatio n	--	Yes	O: 38.5% SI n/a: TO: 33.7% SO: 19.0%	Somewhat, n/a	UK, high	Improved, n/a, n/a	--	L
Prates et al. (2018) ²¹²	Direct	Mixed	Before: 5481 records; after: 9838 records	All, yes, circulating nurse	Chart review, daily follow up with patients, post discharge	Surg, anes, nurse	No	--	--	Brazil, upper- middle	--	Improved, n/a	H

					surveillance (phone or email)								
Putnam et al. (2014) ²¹³	Direct	Mixed (pediatric)	873 procedures	TO, modified, nurse	Observation, questionnaire	Surg, anes, nurse, technician	Yes	O: 30% (baseline), 76% (intervention 1), 96% (intervention 2) SI: n/a TO: 30% (baseline), 76% (intervention 1), 96% (intervention 2) SO: n/a	--	USA, high	N/a, n/a, improved	--	M
Putnam et al. (2016) ²¹⁴	Direct	Mixed (pediatric)	1346 procedures	All, no, anes, nurse, surg	Observation	Surg, anes, nurse	Yes	O: n/a SI: n/a TO: 56% SO: 95%	N/a, positive	USA, high	--	--	L
Rakoff et al. (2018) ²¹⁵	Direct	Cardiothoracic, vascular	--	All, modified, n/a	Chart review, observation, multiple choice exam	Surg, anes, nurse, perfusionist	Yes	O: 87% (customized training group) and 49% (standard training group) SI: n/a TO: n/a SO: n/a	--	India, lower-middle	--	--	M
Raman et al. (2016) ²¹⁶	Direct	Complex cardiac	380 procedures	TO, modified, nurse	Database (Society of Thoracic Surgeons database), observation	Surg, anes, nurse	Yes	O: 100% SI: n/a TO: n/a SO: n/a	--	USA, high	Worsened, n/a, n/a	--	L
Ramsay et al. (2019) ²¹⁷	Indirect	--	6,839,736 procedures	All, yes, n/a	Chart review	--	No	--	--	Scotland, high	--	N/a, improved	H
Raphael et	Direct	Gastroentero	12,008	TO,	Observation	Surg, anes,	Yes	O: 95.3%	--	USA,	--	--	H

al. (2019) ²¹⁸		logy	procedures	modified, anes	n, video analysis	nurse, technician		SI: n/a TO: 95.3% SO: n/a		high			
Reames et al. (2015) ²¹⁹	Indirect	General, vascular	1,002,241 patients	Briefing and debriefing, no, n/a	Chart review	--	No	--	--	USA, high	--	No change, no change	H
Reames et al. (2015) ²²⁰	Indirect	General	Before: 14005 participants ; after: 14801 participants ; control hospital: 36085 participants	Briefing and debriefing, no, n/a	Chart review	Surg, anes, nurse	No	--	--	USA, high	--	No change, no change	M
Reed et al. (2016) ²²¹	Direct	Mixed	92 procedures	TO, modified, n/a	Observation	Surg, anes, nurse	Yes	O: n/a SI: n/a TO: 99.1% SO: 94.3%	--	--	--	--	L
Rhee et al. (2017) ²²²	Direct	--	--	--	Observation/audit	Surg, anes, nurse, technician	Yes	--	--	USA, high	--	Improved, n/a	L
Ribeiro et al. (2017) ²²³	Indirect	Mixed	24421 procedures	All, modified, nurse	Chart review	--	No	O: 58.5% SI: 70.0% TO: 93.5% SO: 59.4%	--	Brazil, upper-middle	--	--	L
Ribeiro et al. (2019) ²²⁴	Indirect	Mixed	423 patients	All, modified, nurse	Chart review	Surg, anes, nurse	No	O: 67.4% SI: 84.2% TO: 84.2% SO: n/a	--	Brazil, upper-middle	--	--	L
Ricci et al. (2012) ²²⁵	Direct	--	70 procedures	Briefing and debriefing, no, surg, nurses	--	Surg, anes, nurse, technician, OR assistant	--	--	--	USA, high	--	Improved, n/a	M
Rodella et al. (2018) ²²⁶	Indirect	Mixed	1,166,424 patients	All, yes, n/a	Regional database	--	No	O: 47.3% SI: n/a TO: n/a SO: n/a	--	Italy, high	--	No change, n/a	L
Rodrigo-Rincon et al. (2015) ²²⁷	Indirect	Mixed	801 procedures	All, modified, n/a	Chart review	Surg, anes, nurse	No	O: 88% SI: n/a TO: n/a SO: n/a	--	Spain, high	--	Mixed, no change	H

Ronnberg et al. (2015) ²²⁸	Indirect	Mixed	47 participants	All, modified, nurse anes (SI)	Questionnaire	Certified registered nurse anes	--	O: 60% SI: 30% TO: 70% SO: 70%	N/a, mixed	Sweden, high	--	--	M
Rose et al. (2018) ²²⁹	Indirect	--	54,003 procedures	TO, no, n/a	Questionnaire	Surg	No	--	--	USA, high	Improved, n/a, improved	N/a, improved	H
Rosenberg et al. (2008) ²³⁰	Indirect	Orthopedic (spine, hip and knee replacement)	319 patients	TO, no, n/a	Chart review	Surg, anes, nurse	No	--	--	USA, high	--	--	M
Rothmund et al. (2015) ²³¹	Indirect	Mixed	3,328 participants	All, modified, n/a	Survey	--	No	O: 60% SI: n/a TO: n/a SO: n/a	N/a, positive	Germany, high	--	--	M
Roybal et al. (2018) ²³²	Indirect	Mixed	353 participants	All, yes, n/a	Survey	--	No	O: 93.6% SI: 79% TO: 83.8% SO: 29%	N/a, mixed	USA, high	--	--	M
Russ et al. (2015) ²³³	Direct	Mixed	TO: 565 procedures SO: 309 procedures	TO, yes, surg, nurses, anes	Observation	Surg, anes, nurse	Yes	O: n/a SI: n/a TO: 97.5% SO: 60.8%	No, n/a	UK, high	--	--	L
Rydenfalt et al. (2013) ²³⁴	Direct	Mixed	24 procedures	TO, modified, surg and anes	Observation, video recordings	Surg, anes, nurse	Yes	O: n/a SI: n/a TO: 96% SO: n/a	Yes, n/a	Sweden, high	--	--	L
Salgado et al. (2019) ²³⁵	Direct	Mixed	100 procedures	All, modified, n/a	Audio recordings	Nurse, physician, resident/student, technician	No	O: 74% (recording) and 96.8% (self-reported) SI: 15.6% TO: n/a SO: n/a	Yes, n/a	USA, high	--	--	L
Santana et al. (2016) ²³⁶	Direct	Mixed	1052 procedures	All, yes, n/a	Observation, chart review, survey	Surg, anes, nurse, hospital infection control committee, quality risk manageme	Yes	--	--	Brazil, upper-middle	--	No change, no change	H

						nt							
Santana et al. (2016) ²³⁷	Indirect	Mixed	215 participants	All, yes, n/a	Survey	Surg, anes, nurse, technician, assistant, resident physician, student, department heads	No	--	N/a, positive	Brazil, upper-middle	Improved, n/a, improved	--	H
Saturno et al. (2014) ²³⁸	Direct	General, gynecology, ophthalmology	280 procedures	TO, yes, n/a	Observation, interview, survey	Surg, anes, nurse	Yes	O: 83.1% SI: 49.3% TO: 51.8% SO: 43.1%	N/a, mixed	Spain, high	N/a, n/a, improved	--	M
Sayed et al. (2013) ²³⁹	Indirect	General, urology	100 procedures	All, yes, nurse and surg	Interviews, chart review	Surg, anes, nurse	No	--	--	Egypt, lower-middle	No change. No change, n/a	--	L
Schwendimann et al. (2019) ²⁴⁰	Direct	Mixed	11 participants ; 104 procedures	TO, yes, surg and nurse	Interviews, observation	Surg, anes, nurse	Yes	O: n/a SI: n/a TO: 99.0% SO: n/a	N/a, negative	Switzerland, high	Worsened, n/a, n/a	--	M
Secanell et al. (2014) ²⁴¹	Indirect	--	2891 procedures	All, modified, n/a	Checklist review, survey	Surg, anes, nurse	No	O: n/a SI: 75.1% TO: 77.1% SO: 88.3%	--	Spain, high	--	--	H
Semachew et al. (2018) ²⁴²	Direct	--	313 procedures	All, modified, n/a	Structured checklist	Surg, anes, nurse	--	O: 32.6% SI: n/a TO: n/a SO: n/a	--	Ethiopia, low	--	--	L
Sendlhofer et al. (2015) ²⁴³	Direct	Mixed	305 procedures	All, modified, nurse or anes (SI), surg (TO, SO)	Survey, electronic system, audit	Surg, anes, nurse	Yes	O: 65.1% SI: n/a TO: n/a SO: n/a	N/a, mixed	Austria, high	--	--	M
Sendlhofer et al. (2016) ²⁴⁴	Direct	--	291 procedures	All, modified, n/a	Survey, audits, electronic documentation system	Surg, anes, nurse	No	O: 59.3% SI: n/a TO: n/a SO: n/a	N/a, mixed	Austria, high	--	--	M
Sendhofer et al.	Direct	--	136 procedures	All, yes,	Audit	Surg, anes, nurse	Yes	O: n/a SI: 52.9%	--	Norway, high	--	--	L

(2018) ²⁴⁵				scrub nurse, anes nurse and anes (SI), surg (TO, SO)				TO: 33.3% SO: 21.4%					
Sepey et al. (2019) ²⁴⁶	Direct	Mixed	824 operations	All, modified, surg	Observation	Surg, anes, nurse	Yes	O: 95.3% SI: 100% TO: 94.3-96.3% SO: n/a	--	Switzerland, high	--	--	L
Sewell et al. (2011) ²⁴⁷	Direct	Orthopaedic	485 participants	All, yes, n/a	Audits, questionnaire	Surg, anes, nurse, allied health care professional	--	O: 96.9% SI: n/a TO: n/a SO: n/a	N/a, positive	--	--	Mixed, no change	M
Shankar (2018) ²⁴⁸	Indirect	Mixed	1778 procedures	All, modified, nurse	Chart review, questionnaire	--	No	--	--	India, lower-middle	--	Improved, improved	L
Shear et al. (2018) ²⁴⁹	Direct	Mixed	300 procedures	TO, modified, surg	Observation	Surg, anes, nurse	Yes	O: poor SI: n/a TO: n/a SO: n/a	--	--	--	--	L
Sheena et al. (2012) ²⁵⁰	Direct	Otolaryngology	72 procedures	All, n/a, n/a	Observation	Surg, anes, nurse	--	O: 90.4% SI: improved TO: n/a improved SO: 94%	--	UK, high	--	--	L
Singer et al. (2016) ²⁵¹	Direct	Mixed	207 procedures	All, modified, n/a	Observation using two tools: The Surgical Teamwork Coaching Tool and SSC Coaching Tool	Surg, nurse	Yes	--	N/a, positive	USA, high	Improved, n/a, n/a	--	L
Siu et al. (2016) ²⁵²	Direct	Mixed	51 procedures	TO, yes, n/a	Observation, interviews	Surg, anes, nurse, student	Yes	O: 66.7% SI: n/a TO: 67% SO: n/a	--	Scotland, high	--	--	L

Skarsgard (2016) ²⁵³	Indirect	Pediatric	15 hospitals	All, modified, n/a	Questionnaire	--	No	--	--	Canada, high	--	--	M
Smiley et al. (2019) ²⁵⁴	Direct	General, gynecology	10 procedures	All, yes, n/a	Observation, survey	Surg, anes, nurse	Yes	O: 100% SI: n/a TO: n/a SO: n/a	N/a, positive	Ghana, lower-middle	--	--	M
Sokhanvar et al. (2018) ²⁵⁵	Indirect	Mixed	145 participants	All, modified, n/a	Questionnaire	Surg, anes, nurse	No	--	N/a, positive	Iran, upper-middle	Improved, n/a, improved	--	M
Sparks et al. (2013) ²⁵⁶	Indirect	Mixed	265 procedures	All, modified, n/a	Chart review	--	No	--	--	USA, high	--	--	L
Spence et al. (2011) ²⁵⁷	Direct	Mixed	65 procedures	All, no, nurse and anes (SI), surg, anes, nurse (TO), nurse (SO)	Observation, focus groups	Surg, anes, nurse	Yes	--	N/a, positive	Canada, high	--	--	L
Starr et al. (2019) ²⁵⁸	Direct	--	--	All, yes, n/a	Observation	--	Yes	O: n/a SI: 82.2% (emergency cases), 96.6% (elective cases) TO: 82.0% (emergency cases), 96.4% (elective cases) SO: 74.9% (emergency cases), 90.8% (elective cases)	--	--	--	--	L
Styer et al. (2011) ²⁵⁹	Direct	Mixed	--	N/a, modified, anes (SI),	Observation, checklist review	Surg, anes, nurse	Yes	O: 100% SI: n/a TO: n/a	--	USA, high	--	--	L

				surg (TO), nurse (SO)				SO: n/a					
Taicher et al. (2018) ²⁶⁰	Indirect	Pediatric, general, urology	--	N/a, no, circulating nurse	Chart review, focus groups	Surg, anes, nurse	No	--	--	Guatemala, upper-middle	--	--	L
Takala et al. (2011) ²⁶¹	Indirect	Mixed	1748 procedures/questionnaires (847 after implementation)	N/a, yes, n/a	Questionnaire	Surg, anes, nurse	--	--	--	Finland, high	No change, improved, n/a	--	M
Thomasson et al. (2016) ²⁶²	Indirect	Orthopedic	Before: 457 procedures; after: 518 procedures	N/a, modified, n/a	Chart review, questionnaire	Surg, anes, nurse, technician	No	O: 100% SI: n/a TO: n/a SO: n/a	--	USA, high	--	--	L
Tian et al. (2019) ²⁶³	Indirect	Dermatology	454 participants; 25 questionnaires	All, modified, n/a	Survey	Dermatology doctor, nurse	--	O: 48.7% SI: n/a TO: n/a SO: n/a	--	UK, high	--	--	M
Tillman et al. (2013) ²⁶⁴	Indirect	Mixed	277 participants	SI and TO, yes, n/a	Survey, NSQIP report	Surg, anes, nurse	No	--	--	USA, high	--	Improved, n/a	H
Todd et al. (2018) ²⁶⁵	Direct	Mixed	34 procedures	All, yes, n/a	Audit	Surg, anes, nurse	Yes	O: n/a SI: 94% TO: 88% SO: 53%	Yes, n/a	UK, high	--	--	L
Toor et al. (2013) ²⁶⁶	Direct	Mixed	103 procedures	N/a, yes, n/a	Observation, questionnaire	Surg, anes, nurse	Yes	--	--	--	--	--	M
Toor et al. (2015) ²⁶⁷	Indirect	Mixed (non-cardiac, non-obstetric)	Before: 303 patients; after: 310 patients	N/a, yes, n/a	Chart review	Surg, anes, nurse, assistant	No	--	--	--	--	Improved, n/a	M
Tostes et al. (2019) ²⁶⁸	Indirect	--	91 participants (nurses)	All, yes, n/a	Survey	Nurse	No	--	--	Brazil, upper-middle	Improved, n/a, improved	--	M
Truran et al. (2011) ²⁶⁹	Direct	--	--	--	--	--	--	--	--	--	--	--	H

Uppot et al. (2017) ²⁷⁰	Direct	Interventional radiology	201 procedures	All, yes, n/a	Observation, survey	--	--	--	--	--	--	--	L
Urbach et al. (2014) ²⁷¹	Indirect	Mixed	130 hospitals	N/a, mixed, n/a	Chart review	--	No	O: 91.6-100% SI: n/a TO: n/a SO: n/a	--	Canada, high	----	No change, no change	H
Vachhani et al. (2013) ²⁷²	Indirect	Neurosurgery	15,457 procedures	SI, no, n/a	Morbidity and Mortality Conference database	--	No	--	--	USA, high	--	--	H
Van Klei et al. (2012) ²⁷³	Indirect	Mixed	11,151 participants	All, yes, n/a	Hospital records, patient records	Surg, anes, nurse	No	O: 39% SI: 58.6% TO: 59.2% SO: 44.6%	--	--	--	N/a, improved	L
Van Schoten et al. (2014) ²⁷⁴	Direct	Mixed	1281 procedures	TO, no, n/a	Observation	Surg	Yes	O: n/a SI: n/a TO: 71.3% SO: n/a	--	Netherlands, high	--	--	M
Vatter et al. (2012) ²⁷⁵	Indirect	Neurosurgery	12,390 procedures	All, modified, n/a	Chart review	Surg, anes, nurse	No	O: 97% SI: n/a TO: n/a SO: n/a	--	Germany, high	--	--	H
Verwey et al. (2018) ²⁷⁶	Indirect	Mixed	225 participants	N/a, yes, n/a	Questionnaire	Surg, anes, nurse	No	--	N/a, positive	South Africa, upper middle	Improved, n/a, improved	Improved, improved	M
Vilz et al. (2016) ²⁷⁷	Direct	--	358 procedures	All, modified, n/a	--	Surg, anes, nurse	--	O: n/a SI: 48% TO: 64% SO: 41%	--	--	--	--	L
Vogts et al. (2011) ²⁷⁸	Direct	Mixed	--	All, yes, n/a	Observation, compliance assessment tool	Surg, anes, nurse	Yes	O: n/a SI: 56% TO: 69% SO: 40%	No, n/a	New Zealand, high	No change, n/a, n/a	--	L
Waehle et al. (2012) ²⁷⁹	Direct	--	--	All, modified, nurse	Observer recorded, interviews	Surg, anes, nurse	Yes	--	Mixed, mixed	Norway, high	Mixed, mixed, mixed	--	M
Waehle et al. (2019) ²⁸⁰	Direct	Mixed	--	TO, yes, anes or nurse	Observation, interviews	Surg, anes, nurse	Yes	--	--	Norway, high	Improved, n/a, n/a	Improved, n/a	M

Wang et al. (2019) ²⁸¹	Indirect	Gastrointestinal tumors (elective)	3971 procedures	All, yes, surg (SI), circulating nurse (TO, SO)	Patient follow up, chart review, electronic database	Surg, anes, nurse	No	--	Yes, n/a	China, upper-middle	Improved, n/a, n/a	Improved, improved	H
Wangoo et al. (2018) ²⁸²	Direct	Mixed	205 participants ; 165 procedures	All, yes, n/a	Questionnaire, observation	Surg, anes, nurse	Yes	O: n/a SI: <70% TO: <70% SO: 18%	N/a, mixed	Australia, high	Improved, n/a, improved	--	M
Watkins et al. (2010) ²⁸³	Direct	Mixed	2,383 procedures	TO, no, n/a	Data collection form	--	No	O: n/a SI: n/a TO: 98% SO: n/a	--	USA, high	--	--	L
Weingessel et al. (2017) ²⁸⁴	Direct	Ophthalmology	18081 procedures	TO, no, circulating nurse	Form	Surg, anes, nurse, patient	No	--	--	Austria, high	--	--	L
Weiser et al. (2010) ²⁸⁵	Direct	Mixed	1750 patients	All, yes, n/a	Observation	--	Yes	O: 11.7% SI: n/a TO: n/a SO: n/a	--	USA, high	--	Mixed, improved	M
Weller et al. (2018) ²⁸⁶	Direct	Mixed	59 procedures	All, modified, anes (SI), surg (TO), nurse (SO)	Observation, interviews	Surg, anes, nurse, assistant	Yes	--	N/a, positive	New Zealand, high	Improved, n/a, improved	--	M
Westman et al. (2018) ²⁸⁷	Indirect	Neurosurgery	104 participants	TO, yes, n/a	Electronic OR record checklist	--	No	O: 68% SI: n/a TO: 82% SO: n/a	--	Finland, high	--	No change, n/a	L
White et al. (2017) ²⁸⁸	Indirect	--	--	All, yes, n/a	Questionnaire, interview	Surg, certified registered nurse, anes	No	--	--	Republic of Congo, low	Improved, n/a, n/a	--	M
White et al. (2018) ²⁸⁹	Direct	--	149 participants	All, yes, n/a	Questionnaire, focus groups, observation	Surg, anes, nurse	Yes	O: 49% SI: n/a TO: n/a SO: n/a	N/a, positive	Madagascar, low	Improved, improved, improved	--	H
White et al. (2018) ²⁹⁰	Direct	--	427 participants	All, yes, n/a	Questionnaire, observation, focus	Surg, anes, nurse, assistant	Yes	O: 65% SI: n/a TO: n/a SO: n/a	--	Madagascar, low	--	--	M

					groups								
White et al. (2019) ²⁹¹	Direct	--	17 hospitals; 110 participants	All, yes, n/a	Questionnaire, focus group, observation	Surg, anes, nurse, assistant	Yes	O: 55% SI: n/a TO: n/a SO: n/a	N/a, mixed	Benin, lower-middle	No change, n/a, worsened	--	H
White et al. (2020) ²⁹²	Direct	--	425 participants	All, yes, n/a	Questionnaire, observation	Surg, anes, nurse, technician, student	Yes	O: 56% SI: n/a TO: n/a SO: n/a	N/a, positive	Cameroon, lower-middle	--	--	M
Willassen et al. (2018) ²⁹³	Indirect	--	20 participants	N/a, yes, anes (SI), surg (TO, SO)	Focus groups	Nurse, student	No	--	Improved, mixed	Norway, high	Mixed, n/a, n/a	--	H
Wong et al. (2016) ²⁹⁴	Direct	Neurosurgeon	16 procedures	All, modified, nurse or surg	Observation, questionnaire	Surg, resident, anes, nurse, technician	Yes	O: 56% SI: n/a TO: n/a SO: n/a	N/a, positive	USA, high	--	--	M
Wright (2005) ²⁹⁵	Direct	--	--	TO, no, n/a	Audit, questionnaire	Surg, anes, nurse, assistant	No	O: 80% SI: n/a TO: n/a SO: n/a	--	USA, high	N/a, n/a, improved	--	L
Wu et al. (2019) ²⁹⁶	Indirect	Mixed	1558 participants	All, yes, n/a	Survey	--	No	O: 78.4% SI: n/a TO: n/a SO: n/a	--	Europe, mixed	--	--	M
Yu et al. (2017) ²⁹⁷	Direct	--	30 654 procedures (before: 1852; after: 1822) 2211	All, no, n/a	Observation, survey	Surg, anes, nurse	Yes	O: n/a SI: 94% TO: 97% SO: 95%	Improved, negative	China, upper-middle	Improved, n/a, n/a	--	M

Notes. Created by the authors. Direct = direct data collection method. Indirect = indirect data collection method. Surg = surgeon. Anes = anesthesiologist. O = overall. SI = sign-in. TO = time-out. SO = sign-out. H = high. M = medium. L = low. SSC = surgical safety checklist. UK = United Kingdom. USA = United State of America. OR = operating room. ICU = intensive care unit. PACU = post anesthesia care unit. OT = occupational therapist. WHO = World Health Organization. WHOBARS = World Health Organization Behaviourally Anchored Rating Scale. ACS = American College of Surgeons. NSQIP = National Surgical Quality Improvement Program. N/a = not applicable

Yu et al. (2017) ³⁰⁰	Direct	--	(OR team members)	n/a	Survey review	resident, technician	Yes			high	improved	no change	M
---------------------------------	--------	----	-------------------	-----	---------------	----------------------	-----	--	--	------	----------	-----------	---

Table S2. Quality assessment: Newcastle-Ottawa Scale for case and cohort, non-randomized studies

Article	Study Design	Selection	Comparability	Exposure/Outcome	Quality Score	Overall Rating
Al-Qahtani (2017)	Cohort	3	0	2	Low	Low
Ambulkar et al. (2018)	Cohort	3	0	1	Low	Low
Anderson et al. (2018)	Cohort	1	2	3	Low	Low
Anwer et al. (2016)	Cohort	2	0	3	Low	Low
Bartz-Kurycki et al. (2017)	Cohort	2	0	3	Low	Low
Bartz-Kurycki et al. (2018)	Cohort	2	0	3	Low	Low
Berrisford et al. (2012)	Cohort	3	0	1	Low	Low
Biffi et al. (2015)	Cohort	2	0	0	Low	Low
Bliss et al. (2012)	Case-control	4	0	2	Low	Low
Boaz et al. (2014)	Case control	4	2	2	Medium	Medium
Cavallini et al. (2013)	Cohort	3	0	2	Low	Low
Corso et al. (2014)	Cohort	3	0	1	Low	Low
Cullati et al. (2013)	Cohort	2	2	1	Low	Low
Cunat et al. (2011)	Cohort	2	0	2	Low	Low
Dackiweicz et al. (2012)	Cohort	4	0	1	Low	Low
de Almeida et al. (2019)	Cohort	3	0	1	Low	Low
de Vries et al (2012)	Cohort	4	1	3	Medium	Medium
Delisle et al. (2020)	Cohort	2	2	3	Medium	Medium
Diedhiou et al. (2017)	Cohort	2	0	2	Low	Low

Dobbie et al. (2019)	Cohort	1	0	3	Low	Low
Ellis et al. (2017)	Cohort	3	0	2	Low	Low
Fatima et al. (2018)	Cohort	2	0	2	Low	Low
Forsyth et al. (2019)	Cohort	1	0	3	Low	Low
Fourcade et al. (2011)	Cohort	2	1	2	Low	Low
Freedman et al. (2017)	Cohort	3	0	0	Low	Low
Freundlich et al. (2019)	Cohort	3	0	1	Low	Low
Fyfe et al. (2013)	Cohort	2	0	3	Low	Low
Gagne et al. (2015)	Cohort	1	1	2	Low	Low
Garland et al. (2017)	Cohort	2	0	2	Low	Low
Giles et al. (2017)	Cohort	2	0	3	Low	Low
Gitelis et al. (2017)	Cohort	4	0	3	Medium	Medium
GlobalSurg Collaborative (2016)	Cohort	4	1	2	Medium	Medium
GlobalSurg Collaborative (2019)	Cohort	4	1	2	Medium	Medium
Hang et al. (2018)	Cohort	2	0	1	Low	Low
Hanna et al. (2015)	Cohort	1	0	0	Low	Low
Hannam et al. (2013)	Cohort	1	2	2	Low	Low
Hawranek et al. (2015)	Case control	3	1	2	Low	Low
Haynes et al (2017)	Cohort	4	1	2	Medium	Medium
Hellar et al (2019)	Cohort	3	0	1	Low	Low
Igaga et al (2018)	Cohort	3	1	3	Medium	Medium
Jammer et al. (2015)	Cohort	3	0	2	Low	Low

Johnston et al (2014)	Cohort	2	0	3	Low	Low
Kasatpibal et al. (2012)	Cohort	3	0	1	Low	Low
Khoshbin et al (2009)	Cohort	3	1	3	Medium	Medium
Kieffer et al. (2013)	Cohort	2	2	1	Medium	Medium
Kim et al. (2015)	Cohort	4	1	2	Medium	Medium
Lee et al (2009)	Cohort	4	0	1	Low	Low
Lee et al. (2010)	Cohort	2	0	0	Low	Low
Lennon et al. (2020)	Cohort	3	0	1	Low	Low
Levy et al. (2012)	Cohort	3	2	1	Low	Low
Lilaonitkul et al. (2015)	Cohort	3	0	3	Low	Low
Logan et al (2012)	Cohort	3	1	3	Medium	Medium
Mahmood et al. (2019)	Cohort	3	0	2	Low	Low
Marquet et al. (2013)	Cohort	3	0	2	Low	Low
Mata et al (2010)	Cohort	3	0	2	Low	Low
Mayer et al (2016)	Cohort	4	0	3	Medium	Medium
Maziero et al (2015)	Cohort	2	1	2	Low	Low
McGinlay et al (2015)	Cohort	2	0	2	Low	Low
Medvedev et al. (2019)	Cohort	2	0	1	Low	Low
Melekie et al. (2015)	Cohort	3	0	2	Low	Low
Mehta et al. (2018)	Case control	3	2	2	Medium	Medium
Myers et al. (2016)	Cohort	3	0	3	Low	Low
Naidoo et al. (2017)	Case-control	4	2	2	Medium	Medium

Norgaard et al (2016)	Cohort	4	1	2	Medium	Medium
Owers et al (2010)	Cohort	3	0	2	Low	Low
Pickering et al. (2013)	Cohort	1	0	1	Low	Low
Putnam et al. (2016)	Cohort	1	0	3	Low	Low
Raman et al. (2016)	Cohort	2	0	2	Low	Low
Reed et al. (2012)	Cohort	3	0	0	Low	Low
Reis de Freitas et al. (2014)	Cohort	3	0	1	Low	Low
Rhee et al (2017)	Cohort	3	0	1	Low	Low
Ribeiro et al. (2017)	Cohort	2	0	3	Low	Low
Ribeiro et al. (2019)	Cohort	2	1	3	Low	Low
Rodella et al. (2018)	Cohort	4	0	2	Low	Low
Russ et al. (2015)	Cohort	2	2	1	Low	Low
Rydenfalt et al (2103)	Cohort	4	0	2	Low	Low
Salgado et al (2019)	Cohort	3	0	2	Low	Low
Sayed et al. (2013)	Cohort	2	0	3	Low	Low
Semachew et al (2018)	Cohort	3	0	1	Low	Low
Seppey et al. (2020)	Cohort	3	0	1	Low	Low
Shankar (2018)	Cohort	4	0	1	Low	Low
Shear et al. (2018)	Cohort	4	0	2	Low	Low
Sheena et al. (2012)	Cohort	4	1	0	Low	Low
Sendhofer et al (2016)	Cohort	3	1	2	Low	Low
Singer et al. (2016)	Cohort	3	0	1	Low	Low

Siu et al. (2016)	Cohort	1	0	3	Low	Low
Sparks et al (2012)	Cohort	2	1	1	Low	Low
Starr et al. (2019)	Cohort	3	0	1	Low	Low
Styer et al. (2011)	Cohort	1	0	1	Low	Low
Taicher et al (2018)	Cohort	4	0	2	Low	Low
Thomasson et al (2016)	Cohort	3	0	3	Low	Low
Todd et al. (2018)	Cohort	1	0	2	Low	Low
van Klei et al. (2012)	Cohort	4	0	2	Low	Low
van Schoten et al (2014)	Cohort	3	2	1	Medium	Medium
Vilz et al. (2016)	Cohort	3	2	1	Low	Low
Vogts et al. (2011)	Cohort	2	0	1	Low	Low
Watkins et al. (2010)	Cohort	1	0	2	Low	Low
Weingessel et al (2017)	Cohort	3	0	2	Low	Low

Notes. Created by the authors.

Table S3. Quality assessment: National Institute of Health for before and after studies

Article	Item 1	Item 2	Item 3	Item 4	Item 5	Item 6	Item 7	Item 8	Item 9	Item 10	Item 11	Item 12	Total	Overall Rating
Abdel-Rehim et al. (2011)	Y	Y	Y	C/D	N	Y	N	C/D	N/A	N	Y	N/A	P	Low
Ali Toor et al (2015)	Y	Y	Y	Y	N	Y	Y	N	N	Y	N	N	F	Medium
Alidina et al. (2017)	Y	Y	Y	Y	Y	Y	Y	C/D	N/A	Y	N	N/A	F	Medium
Askarian et al. (2011)	Y	Y	Y	N/R	N	Y	Y	N/A	N/R	Y	N/A	Y	G	High
Barbanti-Brodano et al. (2019)	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	Y	N/A	N/A	G	High
Biskup et al. (2016)	Y	Y	Y	C/D	Y	Y	Y	C/D	N/A	Y	N	N/A	F	Medium
Bock et al. (2016)	Y	Y	Y	N/R	Y	Y	Y	N/A	N/A	Y	N/A	Y	G	High
Cabralet al. (2016)	Y	Y	Y	C/D	N	Y	Y	C/D	N/A	Y	N	N/A	F	Medium
Carpenter et al. (2017)	N	N	Y	N/R	N/R	Y	Y	N/A	N/R	N	N/A	N/A	P	Low
Chhabra et al. (2019)	Y	Y	Y	N	N	Y	Y	N	Y	Y	Y	N	P	Low
Dabholkar et al. (2018)	Y	Y	Y	Y	N	Y	Y	C/D	N/A	Y	Y	N/A	F	Medium
Dayuta et al. (2013)	Y	N	Y	Y	Y	Y	Y	N/A	Y	N	N/A	Y	F	Medium
de Vries et al (2010)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	Y	N	G	High
de Vries et al (2010)	Y	Y	Y	Y	N	Y	Y	N	N	Y	Y	N	F	Medium
Dell'Atti (2013)	Y	Y	Y	N/R	Y	Y	Y	N/A	N/R	N	N/A	N/A	P	Low
Eerestam et al. (2017)	Y	Y	Y	Y	Y	Y	Y	C/D	N/A	Y	Y	N	F	Medium
Einav et al. (2010)	Y	Y	Y	C/D	Y	Y	Y	Y	N/A	Y	Y	N/A	G	High
Finch et al (2019)	Y	Y	Y	Y	N	Y	Y	N	N	Y	Y	N	F	Medium
Forrester et al. (2018)	Y	N	Y	N/R	Y	Y	Y	N/A	N/A	Y	N/A	Y	G	High
Gillespie et al	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	F	Medium

(2017)														
Gillespie et al. (2018)	Y	Y	Y	Y	N	Y	Y	N	Y	Y	Y	N	F	Medium
Gillespie et al (2019)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	F	Medium
Govindappagaro et al. (2016)	Y	Y	Y	Y	Y	Y	Y	C/D	N/A	Y	N	N/A	F	Medium
Haugen et al (2015)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High
Haugen et al (2019)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High
Haridarshan et al. (2018)	Y	Y	Y	Y	Y	Y	Y	C/D	N/A	N	N	N/A	F	Medium
Haynes et al (2009)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High
Helmio et al. (2011)	Y	Y	Y	Y	Y	Y	Y	C/D	Y	Y	N	N/A	G	High
Henderson et al. (2012)	Y	Y	Y	N/R	Y	Y	Y	N	N	Y	N/A	Y	G	High
Hovaguimian et al (2011)	Y	Y	C/D	C/D	C/D	Y	Y	C/D	Y	Y	Y	C/D	F	Medium
Jager et al. (2019)	Y	Y	N	Y	Y	Y	Y	N	Y	Y	Y	Y	G	High
Johnston et al. (2009)	Y	Y	Y	N	N	Y	Y	N	Y	Y	Y	N	F	Medium
Kawano et al. (2014)	Y	Y	Y	Y	Y	Y	Y	C/D	N	Y	Y	N/A	F	Medium
Keijzer et al. (2017)	Y	Y	Y	N	N	Y	Y	C/D	C/D	N	N	N/A	P	Low
Kwok et al (2013)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High
Lacassie et al. (2016)	Y	Y	Y	Y	Y	N/R	Y	N/A	N/A	Y	N/A	Y	G	High
Lagoo et al. (2019)	Y	N	Y	N/R	N	Y	Y	N/A	N/R	N	N/A	Y	F	Medium
Lepanluoma et al. (2014)	Y	Y	Y	N/R	N	N	Y	N/A	N/R	Y	N/A	Y	F	Medium
Lepanluoma et al. (2015)	Y	Y	N	Y	N	Y	Y	N/A	N/R	Y	N/A	Y	F	Medium
Lindsay et al. (2018)	Y	Y	Y	Y	N	Y	Y	N	Y	Y	Y	N	F	Medium
Lingard et al. (2008)	Y	Y	Y	Y	Y	Y	Y	N/A	N/R	Y	N/A	Y	G	High
Lingard et al.	Y	Y	Y	Y	Y	Y	Y	N/A	N/R	Y	N/A	Y	G	High

(2011)														
Lubbeke et al. (2013)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High
Magill et al. (2017)	Y	Y	Y	Y	Y	Y	Y	C/D	C/D	Y	Y	N/A	F	Medium
Mainthia et al. (2012)	Y	Y	Y	Y	Y	Y	Y	Y	C/D	Y	Y	N/A	G	High
Mamdi et al. (2014)	Y	N	C/D	C/D	Y	Y	Y	C/D	N/A	Y	Y	N/A	F	Medium
Martis et al. (2016)	Y	Y	Y	Y	Y	Y	Y	C/D	N/A	Y	Y	N/A	F	Medium
McCarroll et al. (2015)	Y	Y	Y	Y	N	Y	Y	C/D	N/A	Y	Y	N/A	F	Medium
Moccia et al. (2017)	Y	Y	Y	Y	N	Y	Y	N	Y	Y	Y	N	F	Medium
Mody et al. (2014)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	Y	N	F	Medium
Mohammed et al. (2013)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	F	Medium
Montgomery et al. (2016)	Y	N	Y	N/R	N	Y	Y	N/A	N/A	Y	N/A	Y	G	High
Morgan et al. (2013)	Y	Y	Y	Y	Y	Y	Y	C/D	N/A	Y	Y	N/A	F	Medium
Morgan et al. (2015)	Y	N	Y	N/R	Y	Y	Y	N/A	N/R	Y	Y	N/A	F	Medium
Morgan et al. (2015)	Y	N	Y	N	N	Y	Y	N/A	N/R	Y	Y	N/A	P	Low
O'Leary et al. (2016)	Y	Y	Y	Y	Y	N	Y	N/A	N/R	Y	N/A	Y	G	High
Ong et al. (2016)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High
Overdyk et al. (2016)	Y	Y	Y	Y	N	Y	Y	N	Y	Y	Y	N	F	Medium
Paige et al. (2008)	Y	N	Y	N/R	N	Y	Y	N/A	N/A	Y	N/A	Y	F	Medium
Paige et al. (2009)	Y	N	Y	N/R	N	Y	Y	N/A	N/A	Y	N/A	Y	F	Medium
Papaconstantinou et al. (2013)	Y	Y	Y	Y	Y	Y	Y	C/D	C/D	Y	Y	N/A	G	High
Papaconstantinou et al. (2013)	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	Y	N/A	Y	G	High
Phadnis et al. (2018)	Y	N	Y	Y	N	Y	Y	N/A	N/A	Y	N/A	Y	G	High
Prates et al	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High

(2018)														
Putnam et al. (2014)	Y	N	Y	N	Y	Y	Y	N/A	N/R	Y	N/A	Y	F	Medium
Ramsay et al. (2019)	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	G	High
Raphael et al. (2019)	Y	Y	Y	N/R	Y	Y	Y	N/A	N/A	Y	N/A	Y	G	High
Reames et al (2015)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High
Reames et al (2015)	Y	Y	N	Y	Y	Y	Y	N	N	Y	N	N	F	Medium
Ricci et al. (2012)	Y	Y	Y	Y	Y	Y	Y	C/D	N/A	N	Y	N/A	F	Medium
Rodrigo-Rincon et al. (2016)	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	Y	N/A	Y	G	High
Rose et al. (2018)	Y	Y	Y	Y	Y	Y	Y	C/D	N/A	Y	Y	Y	G	High
Rosenberg et al (2008)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	F	Medium
Santana et al. (2016)	Y	Y	Y	Y	Y	Y	Y	N/A	Y	Y	N/A	Y	G	High
Sarmiento Gama et al (2019)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High
Sewell et al. (2011)	Y	Y	Y	N/R	Y	Y	Y	N/A	N/R	N	N/A	Y	F	Medium
Sheena et al. (2012)	Y	Y	Y	C/D	N	Y	Y	C/D	N/A	Y	Y	N/A	F	Medium
Takala et al. (2011)	Y	Y	Y	Y	Y	Y	Y	N	C/D	Y	N	N/A	F	Medium
Tillman et al. (2013)	Y	N	Y	N/R	Y	Y	Y	N/A	Y	Y	N/A	Y	G	High
Truran et al. (2011)	Y	Y	Y	Y	Y	Y	Y	C/D	C/D	Y	Y	N/A	G	High
Urbach et al (2014)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High
Vachhani et al. (2013)	Y	Y	Y	Y	Y	N	Y	N	N/A	Y	N/A	N/A	G	High
Vatter et al (2012)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High
Wang et al. (2019)	Y	Y	Y	Y	Y	Y	Y	N/A	N	Y	N/A	N/A	G	High
Weiser et al. (2010)	Y	Y	Y	Y	Y	Y	Y	C/D	N/A	Y	N	N/A	F	Medium
Westman et al.	Y	Y	N	N	N	N	Y	N/A	N/A	Y	N/A	Y	P	Low

(2018)														
White et al. (2018)	Y	N	Y	N/R	Y	Y	Y	N/A	N	Y	N/A	Y	G	High
White et al. (2019)	Y	N	Y	C/D	Y	Y	Y	C/D	N/A	Y	N	Y	F	Medium
Wong et al. (2016)	Y	N	Y	N/R	N	Y	Y	N/A	N/A	Y	N/A	Y	F	Medium
Yu and Zhao (2019)	Y	Y	Y	Y	Y	Y	Y	N	N	Y	N	N	G	High

Notes. Created by the authors. C/D = Cannot Determine. F = Fair. G = Good. N = No. N/A = Not Applicable. N/R = Not Reported. P = Poor. Y = Yes.

Table S4. Quality assessment: National Institute of Health for controlled intervention studies

Article	Item 1	Item 2	Item 3	Item 4	Item 5	Item 6	Item 7	Item 8	Item 9	Item 10	Item 11	Item 12	Item 13	Item 14	Total	Overall Rating
Chaudhary et al. (2015)	Y	Y	Y	Y	Y	Y	CD	CD	Y	CD	Y	N	Y	Y	G	High
Duclos et al. (2016)	Y	CD	Y	CD	CD	Y	CD	CD	CD	CD	Y	Y	Y	Y	F	Medium
Rakoff et al. (2015)	Y	Y	CD	CD	Y	CD	CD	CD	Y	CD	Y	CD	Y	Y	F	Medium

Notes. Created by the authors. C/D = Cannot Determine; F = Fair; G = Good; N = No; P = Poor; Y = Yes.

Table S5. Quality Assessment: Nagpal scale for qualitative studies

Article	Item 1	Item 2	Item 3	Item 4	Item 5	Item 6	Item 7	Item 8	Item 9	Item 10	Item 11	Item 12	Total	Overall Rating
Ali Toor et al. (2013)	2	1	1	0	1	1	0	0	0	1	0	1	8	Medium
Aveling et al. (2013)	2	2	1	1	2	0	0	0	2	2	0	2	14	Medium
Allard et al. (2007)	2	2	1	2	1	0	0	0	0	1	0	2	9	Medium
Allard et al. (2011)	2	2	1	0	1	0	0	0	0	0	0	2	8	Medium
Alloni et al. (2016)	2	1	2	1	0	0	N/A	N/A	N/A	1	0	0	7	Low
Bashford et al. (2014)	2	1	2	1	2	0	N/A	N/A	N/A	2	0	2	12	Medium
Bergs et al. (2015)	2	0	1	2	2	0	1	0	1	1	0	2	12	Medium
Bohmer et al. (2012)	2	0	1	0	2	0	1	0	0	1	0	0	7	Low
Bohmer et al. (2013)	2	0	1	1	2	0	1	0	0	1	0	2	10	Medium
Borgmann et al. (2015)	2	2	1	1	0	0	1	0	1	1	0	2	11	Medium
Birnbach et al. (2017)	2	0	2	1	2	2	1	0	0	1	0	2	13	Medium
Braaf et al. (2013)	2	0	1	2	2	1	2	2	2	2	0	2	18	High
Catchpole et al. (2010)	2	0	2	1	0	1	1	0	0	1	0	2	10	Medium
Close et al. (2017)	2	1	2	2	2	0	2	0	2	2	0	2	17	High
Conley et al. (2011)	1	0	1	1	0	0	1	0	0	2	0	1	7	Low
Correia et al. (2019)	2	2	1	1	0	0	1	0	0	1	0	1	9	Medium
Cullat et al. (2014)	2	2	2	2	2	0	N/A	N/A	N/A	2	0	2	14	Medium
da Rocha Motta Filho et al. (2013)	2	2	2	2	0	0	1	0	0	1	0	1	11	Medium
de Oliveira Junior et al. (2017)	2	1	2	1	2	0	2	N/A	N/A	2	0	1	13	Medium
Defonte et al. (2004)	2	1	2	1	0	0	1	0	2	1	0	2	12	Medium

Delgado-Hurtado et al. (2012)	1	2	2	2	2	0	1	0	0	1	0	2	13	Medium
Dharampal et al. (2016)	2	0	2	1	2	0	2	1	2	2	2	2	18	High
Dixon et al. (2013)	2	0	1	1	2	0	1	0	0	1	0	2	9	Medium
Dixon et al. (2016)	2	0	1	1	1	0	1	0	0	1	0	2	9	Medium
Dommaraju et al. (2019)	2	1	2	2	1	0	N/A	N/A	N/A	1	0	2	11	Medium
Epiu et al. (2016)	2	1	2	2	2	0	1	0	0	1	0	2	13	Medium
Epiu et al. (2018)	2	0	1	1	2	0	1	0	0	1	0	1	9	Medium
Gagliardi et al. (2014)	2	2	2	1	2	1	0	0	2	0	0	2	12	Medium
Georgiou et al. (2018)	2	2	1	1	2	0	1	0	0	2	0	1	12	Medium
Geraghty et al. (2013)	2	2	2	1	0	0	1	0	0	1	0	1	10	Medium
Gillespie et al. (2010)	2	0	1	1	2	0	1	0	0	2	1	2	12	Medium
Gillespie et al. (2016)	2	0	0	1	2	0	2	1	0	2	1	1	12	Medium
Gillespie et al. (2016)	2	0	1	1	2	2	0	0	0	2	0	2	12	Medium
Gillespie et al. (2017)	2	0	1	2	2	0	2	1	1	2	1	2	16	High
Gillespie et al. (2018)	2	0	2	0	2	0	0	0	2	2	0	2	12	Medium
Goransson et al. (2016)	2	0	1	1	N/A	1	0	0	2	1	0	1	9	Medium
Gueguen et al. (2011)	2	1	1	2	0	0	0	N/A	N/A	1	0	1	8	Medium
Hacquard et al. (2013)	2	1	2	1	0	0	N/A	N/A	N/A	1	0	0	7	Low
Hafeez et al. (2016)	2	0	1	0	0	0	N/A	N/A	N/A	1	0	0	4	Low
Haugen et al. (2013)	2	2	2	1	2	0	1	0	0	2	0	2	14	Medium
Haugen et al. (2015)	2	0	1	1	2	0	0	0	2	0	0	2	10	Medium
Haynes et al. (2011)	2	1	2	2	2	0	2	0	0	1	0	2	14	High

Helmio et al. (2012)	2	1	2	1	0	0	N/A	N/A	N/A	2	0	1	9	Medium
Helmio et al. (2012)	2	1	2	2	2	0	N/A	N/A	N/A	2	0	0	11	Medium
Hill et al. (2015)	2	2	2	1	N/A	0	2	0	1	1	0	2	13	Medium
Hoyland et al. (2014)	2	0	2	2	2	1	2	1	2	2	1	2	19	High
Jones (2019)	2	1	2	0	1	0	0	N/A	0	2	0	0	8	Medium
Kaderli et al. (2013)	2	1	2	1	2	2	2	N/A	2	2	0	2	18	High
Kasatpibal et al. (2018)	2	0	2	2	2	2	2	1	2	2	1	2	20	High
Kiefel et al. (2018)	2	0	1	2	0	0	1	0	1	1	0	0	8	Medium
Kilduff et al. (2018)	2	2	2	2	2	0	1	0	1	1	0	2	15	Medium
Kisacik et al. (2019)	2	2	2	2	2	0	N/A	N/A	N/A	1	0	0	11	Medium
Korkiakangas (2016)	2	0	2	1	2	0	2	N/A	N/A	2	0	2	13	Medium
Lingard et al. (2005)	2	0	2	1	1	1	2	0	1	2	0	1	13	Medium
Lingard et al. (2006)	2	1	1	1	1	1	1	0	1	2	0	0	11	Medium
Lyons et al. (2017)	2	0	2	2	2	0	2	N/A	N/A	2	0	2	14	Medium
Makary et al. (2007)	2	2	1	1	0	0	1	0	1	1	0	2	11	Medium
Mascherek et al. (2013)	2	2	2	2	2	0	1	0	0	1	0	2	14	Medium
Mascherek et al. (2015)	2	2	2	2	2	0	2	0	0	1	0	2	15	Medium
Mascherek et al. (2016)	2	2	2	2	2	0	1	0	0	1	0	2	14	Medium
Mattingly et al. (2019)	2	0	2	1	2	0	1	0	2	2	2	2	16	High
MC/Dowell et al. (2016)	2	2	2	1	2	0	1	0	0	1	0	1	12	Medium
McLaughlin et al. (2012)	2	1	2	1	0	0	0	N/A	2	1	0	0	9	Medium
McLaughlin et al. (2014)	2	2	2	1	2	0	N/A	N/A	N/A	2	0	2	13	Medium

Michel et al. (2016)	2	2	2	2	0	0	1	0	0	2	0	0	11	Medium
Minhas et al. (2017)	2	0	1	2	0	0	0	N/A	N/A	1	0	0	6	Low
Molina et al. (2016)	2	2	2	2	2	0	1	0	0	2	0	2	15	Medium
Munn et al. (2018)	2	0	1	1	1	0	1	0	0	2	0	2	10	Medium
Neuhaus et al. (2017)	2	2	2	2	2	0	0	0	0	1	0	2	13	Medium
Nilsson et al. (2010)	2	2	1	1	0	0	1	0	0	1	0	2	10	Medium
Nissan et al. (2014)	2	0	2	1	0	1	0	1	1	1	0	0	9	Medium
Norton et al. (2016)	2	2	1	2	2	0	1	0	0	1	0	2	13	Medium
Nugent et al. (2013)	2	2	2	1	0	0	0	0	0	1	0	1	9	Medium
O'Brien et al. (2016)	2	1	1	1	2	0	2	2	1	2	1	1	16	High
O'Connor et al. (2013)	2	2	1	1	2	0	2	0	1	1	0	2	14	Medium
Ogunlusi et al. (2017)	2	2	1	2	0	0	0	0	0	1	0	1	9	Medium
Olatosi et al. (2018)	2	2	2	2	0	0	1	0	0	1	0	0	10	Medium
Papaconstantinou et al. (2013)	2	2	2	1	1	0	1	0	0	1	0	2	12	Medium
Paull et al. (2010)	2	0	1	0	0	N/A	N/A	N/A	0	0	0	2	5	Low
Pavlová et al. (2019)	2	1	2	1	0	0	0	N/A	N/A	1	0	2	9	Medium
Ronnberg et al. (2015)	2	2	2	2	2	0	1	0	0	2	0	2	15	Medium
Rothmund et al. (2015)	2	2	2	2	0	0	1	0	0	1	N/A	2	12	Medium
Roybal et al. (2018)	2	2	1	0	0	0	2	0	2	2	0	2	13	Medium
Santana et al. (2016)	2	1	2	2	2	1	1	1	1	1	0	2	16	High
Saturno et al. (2014)	2	0	1	1	0	0	N/A	N/A	2	0	0	2	8	Medium
Schwendimann et al. (2019)	2	0	1	2	2	0	1	1	1	2	0	1	13	Medium

Secanell et al. (2014)	2	2	2	2	2	2	0	0	2	2	0	2	18	High
Sendhofer et al. (2015)	2	2	2	2	1	2	0	0	2	0	0	2	15	Medium
Sendhofer et al. (2016)	2	2	2	2	2	0	1	0	0	1	0	2	14	Medium
Skarsgard (2016)	2	2	2	1	0	0	1	0	0	1	0	0	9	Medium
Smiley et al. (2019)	2	0	2	2	2	0	2	0	0	1	0	2	13	Medium
Sokhanvar et al. (2018)	2	1	2	2	2	0	N/A	N/A	N/A	1	0	2	12	Medium
Spence et al. (2011)	2	0	0	1	2	0	1	0	0	2	0	0	7	Low
Tian et al. (2019)	2	1	2	2	0	0	1	N/A	N/A	2	0	2	12	Medium
Tostes et al. (2019)	2	2	2	1	2	0	1	0	0	1	0	2	13	Medium
Uppot et al. (2017)	2	1	0	0	0	0	N/A	N/A	N/A	1	0	2	6	Low
Verwey et al. (2018)	2	1	2	2	2	0	0	0	1	1	0	2	13	Medium
Wachle et al. (2012)	2	0	2	1	0	1	2	0	2	2	2	1	15	Medium
Wachle et al. (2019)	1	0	1	1	N/A	2	1	0	2	2	1	1	13	Medium
Wangoo et al. (2018)	2	1	1	2	2	0	1	0	0	1	0	2	12	Medium
Weller et al. (2018)	2	0	2	1	2	0	2	0	1	1	0	2	13	Medium
White et al. (2017)	2	1	2	1	2	1	1	N/A	1	2	0	2	15	Medium
White et al. (2018)	2	1	2	2	2	2	2	N/A	2	2	0	2	19	High
White et al. (2018)	2	0	1	2	2	0	1	N/A	2	1	0	2	13	Medium
Willassen et al. (2018)	2	0	2	1	2	1	2	1	1	2	0	2	16	High
Wright (2005)	2	0	2	0	0	0	2	0	0	1	0	0	7	Low
Wu et al. (2019)	2	2	2	2	2	1	1	0	0	1	0	2	15	Medium
Yu et al. (2017)	2	0	2	2	2	0	1	N/A	N/A	1	0	2	12	Medium

Ziman et al. (2018)	2	0	2	2	2	0	2	1	2	2	0	1	16	High
Zingiryan et al. (2017)	2	2	2	2	2	0	1	0	0	1	0	1	13	Medium

Notes. Created by the authors. N/A = Not Applicable.