

Article scientifique

Article

2017

Published version

Open Access

This is the published version of the publication, made available in accordance with the publisher's policy.

---

## Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

---

Collaborators: Ancu, Lucian Stefan; Bilbao De Mendizabal, Javier; Calace, Noemi; Chatterjee, Avishek; Clark, Allan Geoffrey; Coccaro, Andrea; Delitzsch, Chris Malena; Della Volpe, Domenico; Ferrere, Didier; Golling, Tobias; Gonzalez Sevilla, Sergio; Gramling, Johanna Léna Guescini, Francesco [and 13 more]

### How to cite

ATLAS Collaboration. Search for heavy resonances decaying to a Z boson and a photon in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector. In: Physics letters. B, 2017, vol. 764, p. 11–30. doi: [10.1016/j.physletb.2016.11.005](https://doi.org/10.1016/j.physletb.2016.11.005)

This publication URL: <https://archive-ouverte.unige.ch/unige:89836>

Publication DOI: [10.1016/j.physletb.2016.11.005](https://doi.org/10.1016/j.physletb.2016.11.005)



# Search for heavy resonances decaying to a $Z$ boson and a photon in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration\*



## ARTICLE INFO

### Article history:

Received 22 July 2016

Received in revised form 3 November 2016

Accepted 4 November 2016

Available online 11 November 2016

Editor: W.-D. Schlatter

## ABSTRACT

This Letter presents a search for new resonances with mass larger than 250 GeV, decaying to a  $Z$  boson and a photon. The dataset consists of an integrated luminosity of  $3.2 \text{ fb}^{-1}$  of  $pp$  collisions collected at  $\sqrt{s} = 13$  TeV with the ATLAS detector at the Large Hadron Collider. The  $Z$  bosons are identified through their decays either to charged, light, lepton pairs ( $e^+e^-$ ,  $\mu^+\mu^-$ ) or to hadrons. The data are found to be consistent with the expected background in the whole mass range investigated and upper limits are set on the production cross section times decay branching ratio to  $Z\gamma$  of a narrow scalar boson with mass between 250 GeV and 2.75 TeV.

© 2016 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP<sup>3</sup>.

## 1. Introduction

Many models of physics beyond the Standard Model (SM) introduce new bosons through either an extension of the Higgs sector or additional gauge fields. This suggests that a broad experimental survey of physics beyond the SM can be made by searching for new massive bosons. Some models predict that these bosons decay to final states containing the SM electroweak  $W$  or  $Z$  bosons or photons [1,2]. Attractive decays from an experimental perspective are to  $\gamma\gamma$  [3–6],  $Z\gamma$  [7,8] or  $ZZ$  [9,10] final states, since both the  $Z$  bosons and photons in pair production can be measured well with relatively low backgrounds. If such new bosons were produced, the complete reconstruction of these final states could be used to precisely measure their properties, such as their mass.

This Letter presents a search for  $X \rightarrow Z\gamma$  resonances using an integrated luminosity of  $3.2 \text{ fb}^{-1}$  of proton–proton ( $pp$ ) collisions at a centre-of-mass energy  $\sqrt{s}$  of 13 TeV, collected with the ATLAS detector at the Large Hadron Collider (LHC) in 2015. To enhance the sensitivity of the search, both the leptonic ( $Z \rightarrow \ell^+\ell^-$ ,  $\ell = e, \mu$ <sup>1</sup>) and hadronic ( $Z \rightarrow q\bar{q}$ ) decay modes of the  $Z$  boson are used. The combined selection captures about 77% of all  $Z$  boson decays. In the following, the search based on the selection of  $\ell\ell\gamma$  final states is also referred to as the *leptonic analysis*, while the search based on the selection of the  $q\bar{q}\gamma$  final state is also referred to as the *hadronic analysis*.

The leptonic analysis uses events collected using lepton triggers and is performed in the  $X$  boson mass ( $m_X$ ) range 250 GeV–

1.5 TeV. The hadronic analysis is performed in the  $m_X$  range 700 GeV–2.75 TeV. Due to the large value of  $m_X$ , the  $Z$  bosons from  $X \rightarrow Z\gamma$  are highly boosted and the two collimated sprays of energetic hadrons, called jets in the following, that are produced in  $Z \rightarrow q\bar{q}$  decays are merged into a single, large-radius, jet  $J$ . The events used for the hadronic analysis are collected using single-photon triggers. Due to the larger  $Z$  boson branching ratio to hadrons, the boosted hadronic analysis dominates the sensitivity at high  $m_X$ , where the number of events is very small, while the leptonic analysis, with its higher signal-to-background ratio, dominates the sensitivity at low  $m_X$ .

Previous searches for non-SM bosons decaying into  $Z\gamma$  final states were carried out at the Tevatron and the LHC. The D0 Collaboration set limits [11] on  $X \rightarrow Z\gamma$  production using  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV. At the LHC, the ATLAS Collaboration used  $pp$  collisions collected in 2011 and 2012 at  $\sqrt{s} = 7$  and 8 TeV to extend the mass range and sensitivity of  $X \rightarrow Z\gamma$  searches [7,8]. The analyses assumed a narrow width for the  $X$  boson and used  $e^+e^-$  and  $\mu^+\mu^-$  decays of the  $Z$  boson. No signals were observed and limits on the product of the production cross section  $\sigma(pp \rightarrow X)$  times the branching ratio  $BR(X \rightarrow Z\gamma)$  were determined for values of  $m_X$  in the range  $\approx 200$  to 1600 GeV.

The analyses presented here search for a localized excess in the reconstructed invariant mass distribution of the final state, either a photon and two leptons or a photon and a heavy, large-radius jet. In the leptonic analysis, the main background arises from continuum production of a  $Z$  boson in association with a photon, or, to a lesser extent, with a hadronic jet misidentified as a photon. In the hadronic analysis, the background is dominated by non-resonant SM production of  $\gamma + \text{jet}$  events, with smaller contributions from dijet events with a jet misidentified as a photon, and from SM

\* E-mail address: [atlas.publications@cern.ch](mailto:atlas.publications@cern.ch).

<sup>1</sup> In the following,  $\ell^+\ell^-$  final states are referred to as  $\ell\ell$  for simplicity.

$V + \gamma$  events ( $V = W, Z$ ). The invariant mass distribution of the background should be smoothly and steeply decreasing with the mass. It is parameterized by a smooth function with free parameters, which are adjusted to the data. The intrinsic width of the heavy boson is assumed to be small compared to the experimental resolution. The boson is assumed to be a spin-0 particle produced via gluon fusion.

## 2. The ATLAS detector

The ATLAS detector is a multi-purpose particle detector with approximately forward–backward symmetric cylindrical geometry.<sup>2</sup> Its original design [12] has been complemented with the installation, prior to the 2015 data-taking, of a new innermost silicon pixel layer [13].

A two-level trigger system [14] selects events to be recorded for offline analysis. The first-level trigger is hardware-based, while the second, high-level trigger is implemented in software and employs algorithms similar to those used offline to identify lepton and photon candidates.

## 3. Data sample

Data were collected in 2015 during  $pp$  collisions at a centre-of-mass energy of 13 TeV. The bunch spacing was 25 ns and the average number of inelastic interactions per bunch crossing was 13.

The search in the  $\ell\ell\gamma$  final state is performed in events recorded using the lowest-threshold unprescaled single-lepton or dilepton triggers. The single-muon trigger has a nominal transverse momentum ( $p_T$ ) threshold of 20 GeV and a loose requirement on the track isolation. This quantity, defined as the sum of the transverse momenta of the tracks in the inner detector (ID) found in a cone of size  $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.2$  around the muon, excluding the muon track itself, is required to be less than 12% of the muon  $p_T$ . Only tracks with longitudinal impact parameter  $z_0$  within 6 mm of that from the muon track are considered in the calculation. An additional single-muon trigger with a higher  $p_T$  threshold (50 GeV) but no isolation requirement is also used. The dimuon trigger has a  $p_T$  threshold of 10 GeV for both muon candidates and applies no isolation criteria. The single-electron (dilepton) trigger has a nominal  $p_T$  threshold of 24 GeV (12 GeV). Electron candidates are required to satisfy likelihood-based identification criteria looser than those applied offline and described in Section 5. The electron identification likelihood is computed from both the properties of the track reconstructed in the ID and the energy deposited in the electromagnetic (EM) calorimeter.

The search in the  $J\gamma$  final state uses events recorded by the lowest- $p_T$  threshold unprescaled single-photon trigger. This trigger requires at least one photon candidate with  $p_T > 120$  GeV passing loose identification requirements based on the shape of the shower in the EM calorimeter and on the energy leaking into the hadronic calorimeter [15].

The trigger efficiency for events satisfying the offline selection criteria described in Section 5 is greater than 99% in the  $e\gamma\gamma$  and  $J\gamma$  channels and is about 96% in the  $\mu\mu\gamma$  channel due to the reduced geometric acceptance of the muon trigger system.

The integrated luminosity after the trigger and data quality requirements is  $L_{\text{int}} = 3.2 \text{ fb}^{-1}$ .

## 4. Monte Carlo simulation

Simulated signal and background samples were generated with a Monte Carlo (MC) technique. They are used to optimize the selection criteria and to quantify the signal efficiency of the final selection. Such MC samples are also used to test the analytic parameterization of the  $Z\gamma$  invariant mass spectra of signal and background, while the estimate of the background yield after the selection is estimated *in situ* from the data.

All MC samples are generated assuming a centre-of-mass  $pp$  collision energy of 13 TeV. The samples are passed through a detailed simulation of the ATLAS detector response [16] based on GEANT4 [17]. Multiple inelastic proton–proton collisions (referred to as pile-up) are simulated with the soft QCD processes of PYTHIA 8.186 [18] using the A2 set of tuned parameters (A2 tune) [19] and the MSTW2008LO parton distribution function (PDF) set [20], and are overlaid on each MC event. The distribution of the number of pile-up interactions in the simulation is reweighted to match the data. The simulated signals in the detector are passed through the event reconstruction algorithms used for the data. The simulation is tuned to take into account small differences with data. These include corrections to photon, lepton and jet reconstruction and selection efficiencies, and their energy or momentum resolution and scale. The corrections are obtained either from control samples selected in early  $\sqrt{s} = 13$  TeV data or from 8 TeV data with additional systematic uncertainties introduced to cover the different conditions between the 2012 and 2015 data-taking.

In the signal simulation, a scalar boson  $X$  is produced in  $pp$  collisions via gluon fusion, and decays to a photon and a  $Z$  boson. Monte Carlo samples are produced for different  $m_X$  hypotheses between 200 GeV and 3 TeV. The width of the boson  $X$  is set to 4 MeV, which is much smaller than the experimental resolution, regardless of the resonance mass. Due to the assumed narrow width of the  $X$  boson and the small contribution of gluon fusion to the non-resonant SM production of  $Z + \gamma$  [21], the interference between the  $gg \rightarrow X \rightarrow Z\gamma$  signal process and the SM  $gg \rightarrow Z\gamma$  background is neglected in the simulation. The signal samples are generated with POWHEG-BOX [22,23] interfaced to PYTHIA 8.186 for the underlying event, parton showering and hadronization. The CT10 [24] PDF set and the AZNLO tune [25] of the underlying event are used.

Events from SM processes containing a photon and a  $Z$  or  $W$  boson ( $V + \gamma$ ), a  $Z$  boson produced in association with jets, or a prompt photon produced in association with jets ( $\gamma + \text{jets}$ ) are simulated using the SHERPA 2.1.1 [26] generator. The matrix elements for SM  $V + \gamma$  ( $\gamma + \text{jets}$ ) production are calculated for real emission of up to three (four) partons at leading order (LO) in the strong coupling constant  $\alpha_S$  and are merged with the SHERPA parton shower [27] using the ME+PS@LO prescription [28]. The matrix elements of events containing  $Z$  bosons with associated jets are calculated for up to two partons at next-to-leading order (NLO) and four partons at LO and merged with the parton shower using the ME+PS@NLO prescription [29]. The matrix elements are calculated using the Comix [30] and OpenLoops [31] generators. For all the background samples, the CT10 PDF set is used in conjunction with dedicated parton shower tuning developed by the SHERPA authors. The  $\gamma + \text{jets}$  and  $V + \gamma$  samples are generated in binned ranges of the transverse momentum of the photon to ensure precise predictions over the full spectrum relevant for these analyses. Similarly,  $Z + \text{jets}$  events are generated in binned ranges of the dilepton pair  $p_T$  from the  $Z$  boson decays.

<sup>2</sup> ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the  $z$ -axis along the beam pipe. The  $x$ -axis points from the IP to the centre of the LHC ring, and the  $y$ -axis points upward. Cylindrical coordinates  $(r, \phi)$  are used in the transverse plane,  $\phi$  being the azimuthal angle around the  $z$ -axis. The pseudorapidity is defined in terms of the polar angle  $\theta$  as  $\eta = -\ln \tan(\theta/2)$ .

## 5. Event selection

Events with at least one primary vertex candidate with two or more tracks with  $p_T > 400$  MeV are selected. In each event, the primary vertex candidate with the largest sum of the  $p_T^2$  of the associated tracks is chosen as the hard interaction primary vertex.

Events are required to contain at least one photon candidate and one  $Z$  boson candidate. In the leptonic analysis, the  $Z$  boson candidate is formed from a pair of opposite-sign, same-flavour electrons or muons. In the hadronic analysis,  $Z$  bosons are required to recoil against a high-momentum photon ( $p_T > 250$  GeV); as a consequence of the  $Z$  boson's large Lorentz boost, the two jets from the hadronization of the two quarks are reconstructed as a single, relatively heavy, large-radius jet. Jet-substructure variables and the jet mass are then used to discriminate between a  $Z$  boson decay and jets from single quarks or gluons [32]. Events with one or more electron or muon candidates satisfying the selection described below are vetoed in the hadronic analysis. In the following, the selection of photons, leptons, large-radius jets and of the final  $X \rightarrow Z\gamma$  candidates is described.

Unconverted photons, photon conversions to electron-positron pairs, and electrons are reconstructed from clusters of energy deposits in the EM calorimeter cells found by a sliding-window algorithm and from tracks reconstructed in the ID and extrapolated to the calorimeter [33,34].

Photon candidates are required to have a pseudorapidity within the regions  $|\eta| < 1.37$  or  $1.52 < |\eta| < 2.37$ , where the first calorimeter layer has high granularity. In the leptonic analysis, the transverse momentum of photon candidates is initially required to pass a loose preselection,  $p_T > 15$  GeV, whereas the final photon  $p_T$  requirement is applied when a  $Z\gamma$  candidate is reconstructed, as described later. In the hadronic analysis, the photon transverse momentum is required to be larger than 250 GeV. To reduce background from hadronic jets, photon candidates are required to satisfy a set of requirements on the shower leakage in the hadronic calorimeter and on the transverse shower profile measured with the first two layers of the electromagnetic calorimeter [33]. The requirements were optimized using simulated samples of photons and hadronic jets produced in 13 TeV  $pp$  collisions. The efficiency of the identification criteria is about 98% for converted photon candidates and 94% for unconverted photon candidates with  $p_T > 100$  GeV. Background from hadronic jets is further reduced by requiring the transverse energy measured in the calorimeter in a cone of size  $\Delta R = 0.4$  around the photon direction ( $E_{T,\text{iso}}$  [35], also called *calorimeter isolation* in the following) to be less than  $2.45\text{GeV} + 0.022 \times p_T$ .

Electron candidates are required to have  $p_T > 10$  GeV and  $|\eta| < 2.47$ , excluding the transition region between the barrel and endcaps in the EM calorimeter ( $1.37 < |\eta| < 1.52$ ). To suppress background from hadronic jets, electron candidates are required to satisfy likelihood-based identification criteria [36]. Such requirements provide approximately 85% identification efficiency for electrons with a transverse momentum of 20 GeV, increasing to 95% for  $p_T > 80$  GeV.

Muons with  $|\eta| < 2.5$  are reconstructed by combining tracks in the ID with tracks in the muon spectrometer (MS) [37]. The acceptance is extended to the region  $2.5 < |\eta| < 2.7$  by also selecting muons whose trajectory is reconstructed only in the MS. Muon candidates are required to have transverse momentum above 10 GeV. Background muons, originating mainly from pion and kaon decays, are rejected by applying a set of quality requirements on the number of hits in the muon spectrometer and (for  $|\eta| < 2.5$ ) on the compatibility between the ID and MS momentum measurements. The muon identification efficiency is around 97% for transverse momenta above 10 GeV.


If two electron candidates share the same track, or have clusters in the calorimeter separated by  $|\Delta\eta| < 0.075$  and  $|\Delta\phi| < 0.125$ , only the candidate with the higher energy measured by the calorimeter is kept. In addition, if the track associated with an electron candidate is within a distance  $\Delta R = 0.02$  from the track associated with a muon candidate, the electron candidate is rejected.

Track and calorimeter isolation requirements are further applied to the selected leptons. For electrons, combined criteria are applied to the calorimeter isolation,  $E_{T,\text{iso}}$ , in a cone of radius  $\Delta R = 0.2$ , and to the track isolation,  $\sum_{\text{tracks}} p_T$ , in a cone of radius  $\Delta R = 0.2$  for electron transverse momenta  $p_T < 50$  GeV and of radius  $\Delta R = (10 \text{ GeV})/p_T$  for  $p_T > 50$  GeV. In the calculation of the track isolation, the contribution from the electron track itself is not included. The criteria are chosen to provide an efficiency of about 99% independent of the electron transverse momentum and pseudorapidity, as determined in a control sample of  $Z \rightarrow ee$  decays selected with a tag-and-probe technique [36]. For muons, combined criteria are imposed on  $E_{T,\text{iso}}$  in a cone of radius  $\Delta R = 0.2$  and on  $\sum_{\text{tracks}} p_T$  inside a cone of radius  $\Delta R = 0.3$  for muon transverse momenta  $p_T < 33$  GeV and of radius  $\Delta R = (10 \text{ GeV})/p_T$  for  $p_T > 33$  GeV. The efficiency of these criteria increases with the muon transverse momentum, reaching 95% at 25 GeV and 99% at 60 GeV, as measured in  $Z \rightarrow \mu\mu$  events selected with a tag-and-probe method [37].

In the hadronic analysis, topological clusters of energy in the calorimeter that were locally calibrated and assumed to be massless [38] are used as inputs to reconstruct large-radius jets, based on the anti- $k_t$  algorithm [39] with radius parameter  $R = 1.0$  [40]. Within the large-radius jets, smaller “subjets” are reconstructed using the  $k_\perp$  algorithm [41,42] with a radius parameter  $R = R_{\text{sub}} = 0.2$ . The large-radius jet is trimmed [43] by removing subjets that carry fractional  $p_T$  less than  $f_{\text{cut}} = 5\%$  of the  $p_T$  of the original jet. The pseudorapidity, energy and mass of these trimmed large-radius jets are calibrated using a simulation-based calibration scheme [44]. The large-radius jets are required to have  $p_T > 200$  GeV and  $|\eta| < 2.0$ . Large-radius jets within  $\Delta R = 1.0$  from selected photons are discarded. A  $p_T$ -dependent requirement on the substructure observable  $D_2^{(\beta=1)}$  [45], defined as the ratio  $e_3^{(\beta=1)} / (e_2^{(\beta=1)})^3$  of  $N$ -point energy correlation functions  $e_N^{(\beta=1)}$  of the jet constituents [46], is used to select hadronically decaying bosons while rejecting jets from single quarks or gluons. The ratio makes use of the sensitivity of the  $e_N$  functions to the “pronginess” character of the jet. In particular, it relies on the sensitivity of  $e_2$  to radiation around a single hard core, and of  $e_3$  to radiation with two cores. The powers of the  $e_2$  and  $e_3$  functions in the ratio are chosen to optimize the discrimination between one- and two-prong jets following an analysis of the  $(e_2, e_3)$  phase-space of these two types of jets.

The jet mass  $m_j$ , computed from its topological cluster constituents that remain after the trimming procedure, is required to be in the range  $80 \text{ GeV} < m_j < 110 \text{ GeV}$ . The jet is required to be associated with less than 30 tracks with  $p_T > 500$  MeV originating from the hard-interaction primary vertex (before trimming). The efficiency of the  $D_2^{(\beta=1)}$ ,  $m_j$  and number-of-track requirements is around 22% for the signal jet and 2.2% for jets from single quarks or gluons.

After the selection of photons, leptons and large-radius jet candidates, the  $Z\gamma$  candidate is chosen. If an event has multiple photon or jet candidates, only the photon or jet candidate with highest transverse momentum is kept. In the leptonic analysis, only  $Z \rightarrow \ell\ell$  candidates with invariant mass  $m_{\ell\ell}$  within  $\pm 15$  GeV of the  $Z$  boson mass [47] are retained; in case of multiple dilepton candidates, only the one with invariant mass closest to the  $Z$  bo-



**Fig. 1.** Invariant-mass distribution for  $X \rightarrow Z\gamma$ ,  $Z \rightarrow \ell\ell$  (solid circles) or  $Z \rightarrow q\bar{q}$  events (open squares) in a simulation of a narrow resonance  $X$  with a mass of 800 GeV produced in a gluon-fusion process in  $\sqrt{s} = 13$  TeV  $pp$  collisions. All selection requirements have been applied. The blue solid (red dashed) line represents the fit of the points with a double-sided Crystal Ball function (sum of a Crystal Ball function and a Gaussian function).

son mass is kept. Moreover, the triggering leptons are required to match one, or both in the case of events collected with dilepton triggers, of the  $Z$  boson candidate's leptons.

The invariant mass  $m_{Z\gamma}$  of the selected  $Z\gamma$  candidate is computed from the four-momenta of the photon candidate and either the selected leptons or the jet ( $m_{Z\gamma} = m_{\ell\ell\gamma}$  or  $m_{J\gamma}$ ). In the leptonic analysis, the four-momentum of the photon is recalculated using the identified primary vertex as the photon's origin, while the four-momenta of the leptons are first corrected for collinear FSR (muons only) and then recomputed by means of a  $Z$ -mass-constrained kinematic fit [48]. The  $Z\gamma$  invariant mass is required to be larger than 200 (640) GeV for the leptonic (hadronic) analysis, to be sufficiently far from the kinematic turn-on due to the  $Z$  boson mass and the photon transverse momentum requirement.

Finally, the leptonic analysis only retains candidates in which the photon transverse momentum is larger than 30% of  $m_{Z\gamma}$ , significantly suppressing background at large invariant mass while maintaining high efficiency over a large range of signal masses.


## 6. Signal and background models

The final discrimination between signal and background events in the selected sample is achieved by means of an unbinned maximum-likelihood fit of a signal+background model to the invariant mass distribution of the selected data events. Both the signal and background models are described in this section.

### 6.1. Signal model

**Fig. 1** illustrates the distributions of  $m_{\ell\ell\gamma}$  and  $m_{J\gamma}$  for simulated signal events for a resonance mass of 800 GeV. The intrinsic width of the simulated resonance (4 MeV) is negligible compared to the experimental resolution. The  $m_{\ell\ell\gamma}$  resolution ranges between 2 GeV at  $m_X = 200$  GeV and 15 GeV at  $m_X = 1500$  GeV (1% relative resolution). The  $m_{J\gamma}$  resolution ranges between 22 GeV at  $m_X = 750$  GeV (3%) and 50 GeV at  $m_X = 3$  TeV (1.7%).

The  $m_{\ell\ell\gamma}$  distribution is modelled with a double-sided Crystal Ball function (a Gaussian function with power-law tails on both sides). The  $m_{J\gamma}$  distribution is modelled with the sum of a Crystal Ball function [49] (a Gaussian function with a power-law tail on



**Fig. 2.** Efficiency (including the acceptance of the kinematic criteria) of the leptonic selection for simulated signal events in which  $Z$  bosons decay to  $\ell\ell$  (solid circles), and of the hadronic selection for simulated signal events in which the  $Z$  bosons decay to  $q\bar{q}$  (open squares), as a function of the resonance mass  $m_X$ . The solid line represents an interpolation with a smooth function (of the type  $a + be^{cm_X}$ ) of the leptonic analysis efficiency, while the dashed line represents a linear, piece-wise interpolation of the efficiencies of the hadronic analysis.

one side) and a second small, wider Gaussian component. The fraction of signal  $J\gamma$  events described by the Crystal Ball function is above 90% for resonance masses up to 1.8 TeV and decreases with  $m_X$ , reaching 85% at  $m_X = 3$  TeV. Polynomial parameterizations of the signal shape parameters as a function of the resonance mass  $m_X$  are obtained from a simultaneous fit to the invariant mass distributions of all the simulated signal samples, for each  $Z$  boson decay channel.

The signal detection efficiency (including the acceptance of the kinematic criteria) as a function of  $m_X$  is computed in the leptonic analysis by interpolating the efficiencies predicted by all the simulated signal samples up to  $m_X = 1.5$  TeV with a function of the form  $a + be^{cm_X}$ . In the hadronic analysis, the efficiency at any value of  $m_X$  is obtained through a linear interpolation between the efficiencies obtained from the two simulated signal samples with masses closest to  $m_X$ . The signal detection efficiency of the leptonic analysis ranges between 28% at  $m_X = 250$  GeV and 43% at  $m_X = 1.5$  TeV, while that of the hadronic analysis increases from 11% at  $m_X = 700$  GeV to 15% at  $m_X = 3$  TeV, as shown in **Fig. 2**.

### 6.2. Background model

In both the leptonic and hadronic final states, the total background exhibits a smoothly falling spectrum as a function of the invariant mass  $m_{Z\gamma}$  of the final-state products. The  $m_{Z\gamma}$  distribution of the background is parameterized with a function similar to the one used in previous searches in the  $\gamma + \text{jet}$  and diphoton final states [5,50]:

$$f_{\text{bkg}}(m_{Z\gamma}) = \mathcal{N}(1 - x^k)^{p_1 + \xi p_2} x^{p_2}. \quad (1)$$

Here  $\mathcal{N}$  is a normalization factor,  $x = m_{Z\gamma}/\sqrt{s}$ , the exponent  $k$  is 1/3 for the leptonic analysis and 1 for the hadronic analysis, and  $p_1$  and  $p_2$  are dimensionless shape parameters that are fitted to the data. The constant  $\xi$  is set to zero in the leptonic analysis and to the value (ten) that minimizes the correlation between the maximum-likelihood estimates of  $p_1$  and  $p_2$  in a fit to the background simulation for the hadronic analysis.

These parameterizations were chosen since they satisfy the following two requirements: (i) the bias in the fitted signal due to the

choice of this functional form is estimated to be sufficiently small compared to the statistical uncertainties from the background, and (ii) the addition of further degrees of freedom to Eq. (1) does not lead to a significant improvement in the goodness of the fit to the data distribution.

The bias is checked by performing signal+background fits to large background control samples, scaled to the luminosity of the data. A functional form is retained if the absolute value of the fitted signal yield  $N_{\text{spur}}$  (*spurious signal* in the following) is less than 20% (25%) of its statistical uncertainty in the leptonic (hadronic) analysis [51].

For the leptonic analysis, the control sample for the spurious signal study is obtained by summing the invariant mass distributions of  $Z + \gamma$  and  $Z + \text{jets}$  simulated events, normalized according to their relative fractions measured in data (90% and 10% respectively). These fractions are determined by means of a simultaneous fit of the  $E_{\text{T},\text{iso}}$  distributions of the photon candidates passing or failing the identification requirements. To increase the number of  $Z + \gamma$  MC events, a very large (up to one thousand times more events than in data) simulated sample is obtained by passing the events generated by SHERPA through a fast simulation of the calorimeter response [52]. The agreement of the  $m_{Z\gamma}$  distribution in the parametric simulation with that of the full-simulation  $Z + \gamma$  sample described in Section 4 was evaluated with a  $\chi^2$  test. The  $\chi^2$  was found to be 23 for 28 degrees of freedom, corresponding to a  $p$ -value of 75%, indicating that the shapes agree well within statistical uncertainties. The  $m_{Z\gamma}$  distribution of  $Z + \text{jets}$  events is obtained by reweighting that of the large  $Z + \gamma$  sample by a second-order polynomial function. The parameters of this function are determined from a fit to the ratio of the  $m_{Z\gamma}$  distributions of a  $Z + \text{jets}$ -enriched data control sample to that of the parameterized simulation of  $Z + \gamma$ .

For the hadronic analysis, the spurious signal is studied in a data control sample enriched in jets not originating from  $Z$  boson decays. This sample passes the selection described in Section 5, with the exception that the jet mass  $m_j$  is either between 50 GeV and 65 GeV, or between 110 GeV and 140 GeV. Based on simulation and data-driven studies, the  $m_{J\gamma}$  distribution of  $\gamma + \text{jets}$  events has a similar shape to that of the total background in the signal region, where the latter also includes contributions at the 10% level from  $V + \gamma$  and dijet events. Thus, this control region (dominated by  $\gamma + \text{jets}$  events) can be used to study the background in the hadronic  $Z\gamma$  signal region.

Tests to check whether the degrees of freedom of the chosen function are sufficient to accurately describe the background distribution in data are performed by comparing the goodness of the fits to the data using either the nominal background function or a function with one or two additional degrees of freedom. A test statistic  $\Delta_{12}$  to discriminate between two background models  $f_1$  and  $f_2$  is built. This uses either the  $\chi^2$  and number of degrees of freedom computed from a binned comparison between the data and the fit (leptonic analysis) or directly the maximum value of the likelihood (hadronic analysis), for the fits performed to data using either  $f_1$  or  $f_2$ . The simpler model  $f_1$  is then rejected in favour of  $f_2$  if the probability of finding values of  $\Delta_{12}$  more extreme than the one measured in data is lower than 5%. No significant improvement in goodness of fit over the model of Eq. (1) is found when adding one or two extra degrees of freedom to it.

## 7. Systematic uncertainties

The systematic uncertainty in the measured  $\sigma(pp \rightarrow X) \times BR(X \rightarrow Z\gamma)$  has contributions from uncertainties in the integrated luminosity  $L_{\text{int}}$  of the analyzed data, in the estimated signal yield  $N_{\text{sig}}$ , and in the signal efficiency  $\varepsilon$ .

An integrated-luminosity uncertainty of  $\pm 5\%$  is derived, following a methodology similar to that detailed in Ref. [53], from a preliminary calibration using  $x$ - $y$  beam-separation scans performed in August 2015.

The uncertainties in the signal yield arise from the choice of functional forms used to describe the signal and the background in the final fit to  $m_{Z\gamma}$ , as well as from the parameters of the signal model, which are determined from the simulation. Uncertainties due to the parameterization of the signal distribution chosen in Section 6.1 are negligible compared to the other uncertainties. Effects of spurious signals from the choice of background function on the signal are included as described in Section 6.2. The uncertainties in the signal model parameters arise from the uncertainties in the energy scales and resolutions of the final-state particles (photons, electrons, muons, and large-radius jets).

Contributions to the uncertainty in the signal detection efficiency  $\varepsilon$  originate from the trigger and the reconstruction, identification and isolation requirements of the selected final-state particles. There is also a contribution from the kinematic requirements used to select the final-state particles due to uncertainties in the energy scale and resolution. The effects of the lepton and photon trigger, reconstruction, identification and isolation efficiency uncertainties are estimated by varying the simulation-to-data efficiency correction factors by their  $\pm 1\sigma$  uncertainties and recalculating the signal efficiency. The impact of the lepton and photon energy scale and resolution uncertainties is estimated by computing the relative change in efficiency and in the peak position and the width of the invariant mass distribution of the signal after varying these quantities by their uncertainties in the simulation.

The uncertainties in the jet  $p_{\text{T}}$ , mass and  $D_2^{\beta=1}$  scales and resolutions are evaluated by comparing the ratio of calorimeter-based to track-based measurements in dijet data and simulation [32, 54]. Their effect is estimated by recomputing the efficiency of the hadronic  $Z$  boson selection and the signal  $m_{J\gamma}$  distribution after varying the  $p_{\text{T}}$ , mass and  $D_2^{\beta=1}$  scales and resolutions by their uncertainties. The requirement on the number of primary-vertex tracks associated with the jet induces a 6% systematic uncertainty in the corresponding efficiency, as estimated from the comparison of simulation and control samples of data.

In the leptonic analysis, the systematic uncertainties have a small effect on the final results, which are dominated by the statistical uncertainties originating from the small size of the selected sample. The main contributions arise from the uncertainty in the photon and electron resolution, from the spurious signal and from the luminosity uncertainty. They worsen the search sensitivity by only 4.0%–0.5%, 3.0%–2.0% and 0.5% respectively, over the  $m_X$  range from 250 GeV to 1.5 TeV.

In the hadronic analysis, the systematic uncertainties are dominated by estimates of the jet mass resolution and the jet energy resolution. The search sensitivity worsens by 4.3% (5.3%), 4.3% (1.1%) and 2.1% (1.0%) at  $m_{J\gamma}$  masses of 0.7 TeV, 1.5 TeV and 2.7 TeV, from the effects of the jet mass resolution (jet energy resolution) uncertainty. The degradation of the search sensitivity due to the uncertainty in the efficiency of the requirement on the number of tracks associated with the large-radius jet is less than 1% at all tested masses.

## 8. Statistical procedure

A profile-likelihood-ratio method [55] is used to search for a localized excess over a smoothly falling background in the  $m_{Z\gamma}$  distribution of the data, as well as to quantify its significance and estimate its production cross section. The extended likelihood function  $\mathcal{L}(\alpha, \theta)$  is given by the product of a Poisson term, the

values of the probability density function  $f_{\text{tot}}(m_{Z\gamma}^i, \alpha, \theta)$  of the invariant mass distribution for each candidate event  $i$  and constraint terms  $G(\theta)$ :

$$\begin{aligned} \mathcal{L}((\alpha, \theta) | \{m_{Z\gamma}^i\}_{i=1..n}) \\ = \frac{e^{-N(\alpha, \theta)} N^n(\alpha, \theta)}{n!} \prod_{i=1}^n f_{\text{tot}}(m_{Z\gamma}^i, \alpha, \theta) \times G(\theta). \end{aligned} \quad (2)$$

In this expression  $\alpha$  represents the parameter of interest,  $\alpha = \sigma(pp \rightarrow X) \times BR(X \rightarrow Z\gamma)$ ,  $\theta$  are *nuisance parameters*,  $n$  is the observed number of events, and the expected event yield  $N$  is the sum of the number of signal events  $N_{\text{sig}} = L_{\text{int}} \times (\sigma \times BR) \times \varepsilon$ , the number of background events  $N_{\text{bkg}}$ , and the spurious signal yield  $N_{\text{spur}}$  described in Section 6.2. The function  $f_{\text{tot}}(m_{Z\gamma}^i, \alpha, \theta)$  is built from the signal and background probability density functions of  $m_{Z\gamma}$ ,  $f_{\text{sig}}$  and  $f_{\text{bkg}}$ :

$$\begin{aligned} f_{\text{tot}}(m_{Z\gamma}^i, \alpha, \theta) = \frac{1}{N} & \left[ (N_{\text{sig}}(m_X, \alpha, \theta_{\text{sig}}) + N_{\text{spur}}(m_X) \times \theta_{\text{spur}}) \right. \\ & \times f_{\text{sig}}(m_{Z\gamma}^i, \theta_{\text{sig}}) + N_{\text{bkg}} \times f_{\text{bkg}}(m_{Z\gamma}^i, \theta_{\text{bkg}}) \left. \right]. \end{aligned} \quad (3)$$

The uncertainties in the signal parameterization, efficiency and bias in the signal yield due to the choice of the background model are included in the fit via nuisance parameters which are constrained with Gaussian or log-normal penalty terms for signal modelling and a Gaussian penalty term for the spurious signal uncertainty.

The significance of the signal is estimated by computing the  $p$ -value of the compatibility of the data with the background-only hypothesis ( $p_0$ ). A modified frequentist ( $CL_s$ ) method [56] is used to set upper limits on the signal cross section times branching ratio at 95% confidence level (CL), by identifying the value of  $\sigma \times BR$  for which  $CL_s$  is equal to 0.05.

Closed-form asymptotic formulae [55] are used to derive the results. Due to the small size of the selected dataset and of the expected background for large values of  $m_X$ , the results for some values of  $m_X$ , spread over the full tested range, are checked using ensemble tests. The results obtained using the asymptotic formulae are in good agreement (differences on the cross-section limits  $< 10\%$ ) with those from the ensemble tests for most of the  $m_X$  range, except at high  $m_X$  where the differences on the cross-section limits can be as large as 30%.


## 9. Results

In the data, there are 382  $Z(\rightarrow \ell\ell)\gamma$  candidates with  $m_{Z\gamma} > 200$  GeV and 534  $Z(\rightarrow J)\gamma$  candidates with  $m_{Z\gamma} > 640$  GeV. The candidates with largest invariant mass in the leptonic and hadronic analyses have  $m_{\ell\ell\gamma} = 1.47$  TeV and  $m_{J\gamma} = 2.58$  TeV respectively.

The invariant mass distributions of the selected  $Z\gamma$  candidates in data in the leptonic and hadronic final states are shown in Fig. 3. The solid lines represent the results of a background-only fit.

There is no significant excess with respect to the background-only hypothesis, and the largest deviations are observed around  $m_X = 350$  GeV in the leptonic analysis ( $2.0\sigma$  local significance) and around  $m_X = 1.9$  TeV in the hadronic analysis ( $1.8\sigma$  local significance).

For a narrow scalar boson  $X$  of mass  $m_X$ , 95% CL upper limits on  $\sigma(pp \rightarrow X) \times BR(X \rightarrow Z\gamma)$  are set for  $m_X$  between 250 GeV and 1.5 TeV in the leptonic analysis and between 700 GeV and 2.75 TeV in the hadronic analysis. In the  $m_X$  range between 700 GeV and 1.5 TeV the results of the two analyses are then



**Fig. 3.** Distribution of the reconstructed  $Z\gamma$  invariant mass in events in which the  $Z$  boson decays to (a) electron or muon pairs, or (b) to hadrons reconstructed as a single, large-radius jet. The solid lines show the results of background-only fits to the data. The residuals of the data points with respect to the fit are also shown.


combined. The observed limits range between 295 fb for  $m_X = 340$  GeV and 8.2 fb for  $m_X = 2.15$  TeV, while the expected limits range between 230 fb for  $m_X = 250$  GeV and 10 fb for  $m_X = 2.75$  TeV. The observed and expected limits as a function of  $m_X$  are shown in Fig. 4.

## 10. Conclusion

A search for new resonances with masses between 250 GeV and 2.75 TeV decaying to a photon and a  $Z$  boson has been performed using  $3.2 \text{ fb}^{-1}$  of proton-proton collision data at a centre-of-mass energy of  $\sqrt{s} = 13$  TeV collected by the ATLAS detector at the Large Hadron Collider. The  $Z$  bosons were reconstructed through their decays either to charged, light, lepton pairs ( $e^+e^-$ ,  $\mu^+\mu^-$ ) or to boosted quark-antiquark pairs giving rise to a single, large-radius, heavy jet of hadrons.

No significant excess in the invariant-mass distribution of the final-state particles due to a scalar boson with a narrow width (4 MeV) was found over the smoothly falling background.

Limits at 95% CL using a profile-likelihood ratio method were set on the production cross section times decay branching ratio to  $Z\gamma$  of such a boson. The observed limits range between 295 fb for  $m_X = 340$  GeV and 8.2 fb for  $m_X = 2.15$  TeV, while the expected limits range between 230 fb for  $m_X = 250$  GeV and 10 fb for  $m_X = 2.75$  TeV.



**Fig. 4.** Observed (solid lines) and median expected (dashed lines) 95% CL limits on the product of the production cross section times the branching ratio of a narrow scalar boson  $X$  decaying to a  $Z$  boson and a photon,  $\sigma(pp \rightarrow X) \times BR(X \rightarrow Z\gamma)$ , as a function of the boson mass  $m_X$ . The green and yellow solid bands correspond to the  $\pm 1\sigma$  and  $\pm 2\sigma$  intervals for the expected upper limit respectively. The limits in the  $m_X$  ranges of 250–700 GeV and 1.5–2.75 TeV are obtained from the leptonic and hadronic analyses respectively, while in the range 700 GeV–1.5 TeV they are obtained from the combination of the two analyses.

## Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [57].

## References

- [1] E. Eichten, K. Lane, Low-scale technicolor at the Tevatron and LHC, Phys. Lett. B 669 (2008) 235–238, arXiv:0706.2339 [hep-ph].
- [2] I. Low, J. Lykken, G. Shaughnessy, Singlet scalars as Higgs imposters at the Large Hadron Collider, Phys. Rev. D 84 (2011) 035027, arXiv:1105.4587 [hep-ph].
- [3] ATLAS Collaboration, Search for high-mass diphoton resonances in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, Phys. Rev. D 92 (2015) 032004, arXiv:1504.05511 [hep-ex].
- [4] CMS Collaboration, Search for diphoton resonances in the mass range from 150 to 850 GeV in  $pp$  collisions at  $\sqrt{s} = 8$  TeV, Phys. Lett. B 750 (2015) 494–519, arXiv:1506.02301 [hep-ex].
- [5] ATLAS Collaboration, Search for resonances in diphoton events at  $\sqrt{s} = 13$  TeV with the ATLAS detector, J. High Energy Phys. 1609 (2016) 001, arXiv:1606.03833 [hep-ex].
- [6] CMS Collaboration, Search for high-mass diphoton resonances in proton–proton collisions at 13 TeV and combination with 8 TeV search, arXiv:1609.02507 [hep-ex], 2016.
- [7] ATLAS Collaboration, Measurements of  $W\gamma$  and  $Z\gamma$  production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector at the LHC, Phys. Rev. D 87 (2013) 112003, arXiv:1302.1283 [hep-ex]; Phys. Rev. D 91 (2015) 119901, Erratum.
- [8] ATLAS Collaboration, Search for new resonances in  $W\gamma$  and  $Z\gamma$  final states in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, Phys. Lett. B 738 (2014) 428–447, arXiv:1407.8150 [hep-ex].
- [9] CMS Collaboration, Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at  $\sqrt{s} = 8$  TeV, J. High Energy Phys. 1408 (2014) 174, arXiv:1405.3447 [hep-ex].
- [10] ATLAS Collaboration, Combination of searches for  $WW$ ,  $WZ$ , and  $ZZ$  resonances in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, Phys. Lett. B 755 (2016) 285–305, arXiv:1512.05099 [hep-ex].
- [11] DO Collaboration, V.M. Abazov, et al., Search for a scalar or vector particle decaying into  $Z\gamma$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV, Phys. Lett. B 671 (2009) 349–355, arXiv:0806.0611 [hep-ex].
- [12] ATLAS Collaboration, The ATLAS Experiment at the CERN Large Hadron Collider, J. Instrum. 3 (2008) S08003.
- [13] ATLAS Collaboration, ATLAS Insertable B-Layer Technical Design Report, ATLAS-TDR-19, <http://cds.cern.ch/record/1451888>, 2010; ATLAS Insertable B-Layer Technical Design Report Addendum, ATLAS-TDR-19-ADD-1, <http://cds.cern.ch/record/1451888>, 2012.
- [14] ATLAS Collaboration, 2015 start-up trigger menu and initial performance assessment of the ATLAS trigger using Run-2 data, ATL-DAQ-PUB-2016-001, <http://cds.cern.ch/record/2136007>, 2016.
- [15] ATLAS Collaboration, Measurement of the inclusive isolated prompt photon cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector, Phys. Rev. D 83 (2011) 052005, arXiv:1012.4389 [hep-ex].
- [16] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823–874, arXiv:1005.4568 [physics.ins-det].
- [17] S. Agostinelli, et al., GEANT4 Collaboration, GEANT4 – a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.
- [18] T. Sjostrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [19] ATLAS Collaboration, Summary of ATLAS Pythia 8 tunes, ATL-PHYS-PUB-2012-003, <http://cds.cern.ch/record/1474107>, 2012.
- [20] A.D. Martin, et al., Parton distributions for the LHC, Eur. Phys. J. C 63 (2009) 189–285, arXiv:0901.0002 [hep-ph].
- [21] M. Grazzini, et al.,  $Z\gamma$  production at hadron colliders in NNLO QCD, Phys. Lett. B 731 (2014) 204–207, arXiv:1309.7000 [hep-ph].
- [22] S. Alioli, et al., A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, J. High Energy Phys. 1006 (2010) 043, arXiv:1002.2581 [hep-ph].
- [23] E. Bagnaschi, et al., Higgs production via gluon fusion in the POWHEG approach in the SM and in the MSSM, J. High Energy Phys. 1202 (2012) 088, arXiv:1111.2854 [hep-ph].
- [24] H.-L. Lai, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [25] ATLAS Collaboration, Measurement of the  $Z/\gamma^*$  boson transverse momentum distribution in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector, J. High Energy Phys. 1409 (2014) 145, arXiv:1406.3660 [hep-ex].
- [26] T. Gleisberg, et al., Event generation with SHERPA 1.1, J. High Energy Phys. 0902 (2009) 007, arXiv:0811.4622 [hep-ph].
- [27] S. Schumann, F. Krauss, A parton shower algorithm based on Catani-Seymour dipole factorisation, J. High Energy Phys. 0803 (2008) 038, arXiv:0709.1027 [hep-ph].
- [28] S. Hoche, et al., QCD matrix elements and truncated showers, J. High Energy Phys. 0905 (2009) 053, arXiv:0903.1219 [hep-ph].
- [29] S. Hoche, et al., QCD matrix elements + parton showers: the NLO case, J. High Energy Phys. 1304 (2013) 027, arXiv:1207.5030 [hep-ph].
- [30] T. Gleisberg, S. Hoche, Comix, a new matrix element generator, J. High Energy Phys. 0812 (2008) 039, arXiv:0808.3674 [hep-ph].

- [31] F. Cascioli, P. Maierhofer, S. Pozzorini, Scattering amplitudes with open loops, Phys. Rev. Lett. 108 (2012) 111601, arXiv:1111.5206 [hep-ph].
- [32] ATLAS Collaboration, Identification of boosted, hadronically-decaying  $W$  and  $Z$  bosons in  $\sqrt{s} = 13$  TeV Monte Carlo simulations for ATLAS, ATL-PHYS-PUB-2015-033, <http://cds.cern.ch/record/2041461>, 2015.
- [33] ATLAS Collaboration, Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data, arXiv:1606.01813 [hep-ex], 2016.
- [34] ATLAS Collaboration, Electron efficiency measurements with the ATLAS detector using the 2012 LHC proton-proton collision data, ATLAS-CONF-2014-032, <http://cds.cern.ch/record/1706245>, 2014.
- [35] ATLAS Collaboration, Measurement of isolated-photon pair production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector, J. High Energy Phys. 1301 (2013) 086, arXiv:1211.1913 [hep-ex].
- [36] ATLAS Collaboration, Electron efficiency measurements with the ATLAS detector using the 2015 LHC proton-proton collision data, ATLAS-CONF-2016-024, <http://cds.cern.ch/record/2157687>, 2016.
- [37] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton-proton collision data at  $\sqrt{s} = 13$  TeV, Eur. Phys. J. C 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [38] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, submitted to Eur. Phys. J. C (2016), arXiv: 1603.02934 [hep-ex].
- [39] M. Cacciari, G.P. Salam, G. Soyez, The anti- $k_t$  jet clustering algorithm, J. High Energy Phys. 0804 (2008) 063, arXiv:0802.1189 [hep-ph].
- [40] ATLAS Collaboration, Identification of boosted, hadronically decaying  $W$  bosons and comparisons with ATLAS data taken at  $\sqrt{s} = 8$  TeV, Eur. Phys. J. C 76 (2016) 154, arXiv:1510.05821 [hep-ex].
- [41] S.D. Ellis, D.E. Soper, Successive combination jet algorithm for hadron collisions, Phys. Rev. D 48 (1993) 3160–3166, arXiv:hep-ph/9305266.
- [42] S. Catani, et al., Longitudinally invariant  $k_\pm$  clustering algorithms for hadron-hadron collisions, Nucl. Phys. B 406 (1993) 187–224.
- [43] D. Krohn, J. Thaler, L.-T. Wang, Jet trimming, J. High Energy Phys. 1002 (2010) 084, arXiv:0912.1342 [hep-ph].
- [44] ATLAS Collaboration, Jet energy measurement with the ATLAS detector in proton-proton collisions at  $\sqrt{s} = 7$  TeV, Eur. Phys. J. C 73 (2013) 2304, arXiv: 1112.6426 [hep-ex].
- [45] A.J. Larkoski, I. Moult, D. Neill, Power counting to better jet observables, J. High Energy Phys. 1412 (2014) 009, arXiv:1409.6298 [hep-ph].
- [46] A.J. Larkoski, G.P. Salam, J. Thaler, Energy correlation functions for jet substructure, J. High Energy Phys. 1306 (2013) 108, arXiv:1305.0007 [hep-ph].
- [47] K.A. Olive, et al., Review of particle physics, Chin. Phys. C 38 (2014) 090001.
- [48] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B 716 (2012) 1–29, arXiv:1207.7214 [hep-ex].
- [49] M. Oreglia, A Study of the Reactions  $\psi' \rightarrow \gamma\gamma\psi$ , SLAC-R-236, PhD thesis, SLAC, 1980.
- [50] ATLAS Collaboration, Search for new phenomena in photon + jet events collected in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, Phys. Lett. B 728 (2014) 562, arXiv:1309.3230 [hep-ex].
- [51] ATLAS Collaboration, Measurement of Higgs boson production in the diphoton decay channel in  $pp$  collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector, Phys. Rev. D 90 (2014) 112015, arXiv:1408.7084 [hep-ex].
- [52] ATLAS Collaboration, The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim, ATL-PHYS-PUB-2010-013, <http://cds.cern.ch/record/1300517>, 2010.
- [53] ATLAS Collaboration, Improved luminosity determination in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 73 (2013) 2518, arXiv:1302.4393 [hep-ex].
- [54] ATLAS Collaboration, Performance of jet substructure techniques in early  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector, ATLAS-CONF-2015-035, <http://cds.cern.ch/record/2041462>, 2015.
- [55] G. Cowan, et al., Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an]; Eur. Phys. J. C 73 (2013) 2501, Erratum.
- [56] A.L. Read, Presentation of search results: the CLs technique, J. Phys. G, Nucl. Part. Phys. 28 (2002) 2693.
- [57] ATLAS Collaboration, ATLAS Computing Acknowledgements 2016–2017, ATL-GEN-PUB-2016-002, <https://cds.cern.ch/record/2202407>, 2016.

## ATLAS Collaboration

M. Aaboud <sup>135d</sup>, G. Aad <sup>86</sup>, B. Abbott <sup>113</sup>, J. Abdallah <sup>8</sup>, O. Abdinov <sup>12</sup>, B. Abeloos <sup>117</sup>, R. Aben <sup>107</sup>, O.S. AbouZeid <sup>137</sup>, N.L. Abraham <sup>149</sup>, H. Abramowicz <sup>153</sup>, H. Abreu <sup>152</sup>, R. Abreu <sup>116</sup>, Y. Abulaiti <sup>146a,146b</sup>, B.S. Acharya <sup>163a,163b,a</sup>, S. Adachi <sup>155</sup>, L. Adamczyk <sup>40a</sup>, D.L. Adams <sup>27</sup>, J. Adelman <sup>108</sup>, S. Adomeit <sup>100</sup>, T. Adye <sup>131</sup>, A.A. Affolder <sup>75</sup>, T. Agatonovic-Jovin <sup>14</sup>, J. Agricola <sup>56</sup>, J.A. Aguilar-Saavedra <sup>126a,126f</sup>, S.P. Ahlen <sup>24</sup>, F. Ahmadov <sup>66,b</sup>, G. Aielli <sup>133a,133b</sup>, H. Akerstedt <sup>146a,146b</sup>, T.P.A. Åkesson <sup>82</sup>, A.V. Akimov <sup>96</sup>, G.L. Alberghi <sup>22a,22b</sup>, J. Albert <sup>168</sup>, S. Albrand <sup>57</sup>, M.J. Alconada Verzini <sup>72</sup>, M. Alekša <sup>32</sup>, I.N. Aleksandrov <sup>66</sup>, C. Alexa <sup>28b</sup>, G. Alexander <sup>153</sup>, T. Alexopoulos <sup>10</sup>, M. Alhroob <sup>113</sup>, B. Ali <sup>128</sup>, M. Aliev <sup>74a,74b</sup>, G. Alimonti <sup>92a</sup>, J. Alison <sup>33</sup>, S.P. Alkire <sup>37</sup>, B.M.M. Allbrooke <sup>149</sup>, B.W. Allen <sup>116</sup>, P.P. Allport <sup>19</sup>, A. Aloisio <sup>104a,104b</sup>, A. Alonso <sup>38</sup>, F. Alonso <sup>72</sup>, C. Alpigiani <sup>138</sup>, A.A. Alshehri <sup>55</sup>, M. Alstaty <sup>86</sup>, B. Alvarez Gonzalez <sup>32</sup>, D. Álvarez Piqueras <sup>166</sup>, M.G. Alviggi <sup>104a,104b</sup>, B.T. Amadio <sup>16</sup>, K. Amako <sup>67</sup>, Y. Amaral Coutinho <sup>26a</sup>, C. Amelung <sup>25</sup>, D. Amidei <sup>90</sup>, S.P. Amor Dos Santos <sup>126a,126c</sup>, A. Amorim <sup>126a,126b</sup>, S. Amoroso <sup>32</sup>, G. Amundsen <sup>25</sup>, C. Anastopoulos <sup>139</sup>, L.S. Ancu <sup>51</sup>, N. Andari <sup>19</sup>, T. Andeen <sup>11</sup>, C.F. Anders <sup>59b</sup>, G. Anders <sup>32</sup>, J.K. Anders <sup>75</sup>, K.J. Anderson <sup>33</sup>, A. Andreazza <sup>92a,92b</sup>, V. Andrei <sup>59a</sup>, S. Angelidakis <sup>9</sup>, I. Angelozzi <sup>107</sup>, P. Anger <sup>46</sup>, A. Angerami <sup>37</sup>, F. Anghinolfi <sup>32</sup>, A.V. Anisenkov <sup>109,c</sup>, N. Anjos <sup>13</sup>, A. Annovi <sup>124a,124b</sup>, C. Antel <sup>59a</sup>, M. Antonelli <sup>49</sup>, A. Antonov <sup>98,\*</sup>, F. Anulli <sup>132a</sup>, M. Aoki <sup>67</sup>, L. Aperio Bella <sup>19</sup>, G. Arabidze <sup>91</sup>, Y. Arai <sup>67</sup>, J.P. Araque <sup>126a</sup>, A.T.H. Arce <sup>47</sup>, F.A. Ardhu <sup>72</sup>, J-F. Arguin <sup>95</sup>, S. Argyropoulos <sup>64</sup>, M. Arik <sup>20a</sup>, A.J. Armbruster <sup>143</sup>, L.J. Armitage <sup>77</sup>, O. Arnaez <sup>32</sup>, H. Arnold <sup>50</sup>, M. Arratia <sup>30</sup>, O. Arslan <sup>23</sup>, A. Artamonov <sup>97</sup>, G. Artoni <sup>120</sup>, S. Artz <sup>84</sup>, S. Asai <sup>155</sup>, N. Asbah <sup>44</sup>, A. Ashkenazi <sup>153</sup>, B. Åsman <sup>146a,146b</sup>, L. Asquith <sup>149</sup>, K. Assamagan <sup>27</sup>, R. Astalos <sup>144a</sup>, M. Atkinson <sup>165</sup>, N.B. Atlay <sup>141</sup>, K. Augsten <sup>128</sup>, G. Avolio <sup>32</sup>, B. Axen <sup>16</sup>, M.K. Ayoub <sup>117</sup>, G. Azuelos <sup>95,d</sup>, M.A. Baak <sup>32</sup>, A.E. Baas <sup>59a</sup>, M.J. Baca <sup>19</sup>, H. Bachacou <sup>136</sup>, K. Bachas <sup>74a,74b</sup>, M. Backes <sup>120</sup>, M. Backhaus <sup>32</sup>, P. Bagiacchi <sup>132a,132b</sup>, P. Bagnaia <sup>132a,132b</sup>, Y. Bai <sup>35a</sup>, J.T. Baines <sup>131</sup>, O.K. Baker <sup>175</sup>, E.M. Baldin <sup>109,c</sup>, P. Balek <sup>171</sup>, T. Balestri <sup>148</sup>, F. Balli <sup>136</sup>, W.K. Balunas <sup>122</sup>, E. Banas <sup>41</sup>, Sw. Banerjee <sup>172,e</sup>, A.A.E. Bannoura <sup>174</sup>, L. Barak <sup>32</sup>, E.L. Barberio <sup>89</sup>, D. Barberis <sup>52a,52b</sup>, M. Barbero <sup>86</sup>, T. Barillari <sup>101</sup>, M-S Barisits <sup>32</sup>, T. Barklow <sup>143</sup>, N. Barlow <sup>30</sup>, S.L. Barnes <sup>85</sup>, B.M. Barnett <sup>131</sup>, R.M. Barnett <sup>16</sup>, Z. Barnovska-Blenessy <sup>5</sup>, A. Baroncelli <sup>134a</sup>, G. Barone <sup>25</sup>, A.J. Barr <sup>120</sup>, L. Barranco Navarro <sup>166</sup>, F. Barreiro <sup>83</sup>, J. Barreiro Guimarães da Costa <sup>35a</sup>, R. Bartoldus <sup>143</sup>, A.E. Barton <sup>73</sup>,

- P. Bartos <sup>144a</sup>, A. Basalaev <sup>123</sup>, A. Bassalat <sup>117</sup>, R.L. Bates <sup>55</sup>, S.J. Batista <sup>158</sup>, J.R. Batley <sup>30</sup>, M. Battaglia <sup>137</sup>, M. Bauce <sup>132a,132b</sup>, F. Bauer <sup>136</sup>, H.S. Bawa <sup>143,f</sup>, J.B. Beacham <sup>111</sup>, M.D. Beattie <sup>73</sup>, T. Beau <sup>81</sup>, P.H. Beauchemin <sup>161</sup>, P. Bechtle <sup>23</sup>, H.P. Beck <sup>18,g</sup>, K. Becker <sup>120</sup>, M. Becker <sup>84</sup>, M. Beckingham <sup>169</sup>, C. Becot <sup>110</sup>, A.J. Beddall <sup>20e</sup>, A. Beddall <sup>20b</sup>, V.A. Bednyakov <sup>66</sup>, M. Bedognetti <sup>107</sup>, C.P. Bee <sup>148</sup>, L.J. Beemster <sup>107</sup>, T.A. Beermann <sup>32</sup>, M. Begel <sup>27</sup>, J.K. Behr <sup>44</sup>, C. Belanger-Champagne <sup>88</sup>, A.S. Bell <sup>79</sup>, G. Bella <sup>153</sup>, L. Bellagamba <sup>22a</sup>, A. Bellerive <sup>31</sup>, M. Bellomo <sup>87</sup>, K. Belotskiy <sup>98</sup>, O. Beltramello <sup>32</sup>, N.L. Belyaev <sup>98</sup>, O. Benary <sup>153</sup>, D. Benchekroun <sup>135a</sup>, M. Bender <sup>100</sup>, K. Bendtz <sup>146a,146b</sup>, N. Benekos <sup>10</sup>, Y. Benhammou <sup>153</sup>, E. Benhar Noccioli <sup>175</sup>, J. Benitez <sup>64</sup>, D.P. Benjamin <sup>47</sup>, J.R. Bensinger <sup>25</sup>, S. Bentvelsen <sup>107</sup>, L. Beresford <sup>120</sup>, M. Beretta <sup>49</sup>, D. Berge <sup>107</sup>, E. Bergeaas Kuutmann <sup>164</sup>, N. Berger <sup>5</sup>, J. Beringer <sup>16</sup>, S. Berlendis <sup>57</sup>, N.R. Bernard <sup>87</sup>, C. Bernius <sup>110</sup>, F.U. Bernlochner <sup>23</sup>, T. Berry <sup>78</sup>, P. Berta <sup>129</sup>, C. Bertella <sup>84</sup>, G. Bertoli <sup>146a,146b</sup>, F. Bertolucci <sup>124a,124b</sup>, I.A. Bertram <sup>73</sup>, C. Bertsche <sup>44</sup>, D. Bertsche <sup>113</sup>, G.J. Besjes <sup>38</sup>, O. Bessidskaia Bylund <sup>146a,146b</sup>, M. Bessner <sup>44</sup>, N. Besson <sup>136</sup>, C. Betancourt <sup>50</sup>, A. Bethani <sup>57</sup>, S. Bethke <sup>101</sup>, A.J. Bevan <sup>77</sup>, R.M. Bianchi <sup>125</sup>, L. Bianchini <sup>25</sup>, M. Bianco <sup>32</sup>, O. Biebel <sup>100</sup>, D. Biedermann <sup>17</sup>, R. Bielski <sup>85</sup>, N.V. Biesuz <sup>124a,124b</sup>, M. Biglietti <sup>134a</sup>, J. Bilbao De Mendizabal <sup>51</sup>, T.R.V. Billoud <sup>95</sup>, H. Bilokon <sup>49</sup>, M. Bindi <sup>56</sup>, S. Binet <sup>117</sup>, A. Bingul <sup>20b</sup>, C. Bini <sup>132a,132b</sup>, S. Biondi <sup>22a,22b</sup>, T. Bisanz <sup>56</sup>, D.M. Bjergaard <sup>47</sup>, C.W. Black <sup>150</sup>, J.E. Black <sup>143</sup>, K.M. Black <sup>24</sup>, D. Blackburn <sup>138</sup>, R.E. Blair <sup>6</sup>, J.-B. Blanchard <sup>136</sup>, T. Blazek <sup>144a</sup>, I. Bloch <sup>44</sup>, C. Blocker <sup>25</sup>, A. Blue <sup>55</sup>, W. Blum <sup>84,\*</sup>, U. Blumenschein <sup>56</sup>, S. Blunier <sup>34a</sup>, G.J. Bobbink <sup>107</sup>, V.S. Bobrovnikov <sup>109,c</sup>, S.S. Bocchetta <sup>82</sup>, A. Bocci <sup>47</sup>, C. Bock <sup>100</sup>, M. Boehler <sup>50</sup>, D. Boerner <sup>174</sup>, J.A. Bogaerts <sup>32</sup>, D. Bogavac <sup>14</sup>, A.G. Bogdanchikov <sup>109</sup>, C. Bohm <sup>146a</sup>, V. Boisvert <sup>78</sup>, P. Bokan <sup>14</sup>, T. Bold <sup>40a</sup>, A.S. Boldyrev <sup>163a,163c</sup>, M. Bomben <sup>81</sup>, M. Bona <sup>77</sup>, M. Boonekamp <sup>136</sup>, A. Borisov <sup>130</sup>, G. Borissov <sup>73</sup>, J. Bortfeldt <sup>32</sup>, D. Bortoletto <sup>120</sup>, V. Bortolotto <sup>61a,61b,61c</sup>, K. Bos <sup>107</sup>, D. Boscherini <sup>22a</sup>, M. Bosman <sup>13</sup>, J.D. Bossio Sola <sup>29</sup>, J. Boudreau <sup>125</sup>, J. Bouffard <sup>2</sup>, E.V. Bouhova-Thacker <sup>73</sup>, D. Boumediene <sup>36</sup>, C. Bourdarios <sup>117</sup>, S.K. Boutle <sup>55</sup>, A. Boveia <sup>32</sup>, J. Boyd <sup>32</sup>, I.R. Boyko <sup>66</sup>, J. Bracinik <sup>19</sup>, A. Brandt <sup>8</sup>, G. Brandt <sup>56</sup>, O. Brandt <sup>59a</sup>, U. Bratzler <sup>156</sup>, B. Brau <sup>87</sup>, J.E. Brau <sup>116</sup>, W.D. Breaden Madden <sup>55</sup>, K. Brendlinger <sup>122</sup>, A.J. Brennan <sup>89</sup>, L. Brenner <sup>107</sup>, R. Brenner <sup>164</sup>, S. Bressler <sup>171</sup>, T.M. Bristow <sup>48</sup>, D. Britton <sup>55</sup>, D. Britzger <sup>44</sup>, F.M. Brochu <sup>30</sup>, I. Brock <sup>23</sup>, R. Brock <sup>91</sup>, G. Brooijmans <sup>37</sup>, T. Brooks <sup>78</sup>, W.K. Brooks <sup>34b</sup>, J. Brosamer <sup>16</sup>, E. Brost <sup>108</sup>, J.H. Broughton <sup>19</sup>, P.A. Bruckman de Renstrom <sup>41</sup>, D. Bruncko <sup>144b</sup>, R. Bruneliere <sup>50</sup>, A. Bruni <sup>22a</sup>, G. Bruni <sup>22a</sup>, L.S. Bruni <sup>107</sup>, BH Brunt <sup>30</sup>, M. Bruschi <sup>22a</sup>, N. Bruscino <sup>23</sup>, P. Bryant <sup>33</sup>, L. Bryngemark <sup>82</sup>, T. Buanes <sup>15</sup>, Q. Buat <sup>142</sup>, P. Buchholz <sup>141</sup>, A.G. Buckley <sup>55</sup>, I.A. Budagov <sup>66</sup>, F. Buehrer <sup>50</sup>, M.K. Bugge <sup>119</sup>, O. Bulekov <sup>98</sup>, D. Bullock <sup>8</sup>, H. Burckhart <sup>32</sup>, S. Burdin <sup>75</sup>, C.D. Burgard <sup>50</sup>, B. Burghgrave <sup>108</sup>, K. Burka <sup>41</sup>, S. Burke <sup>131</sup>, I. Burmeister <sup>45</sup>, J.T.P. Burr <sup>120</sup>, E. Busato <sup>36</sup>, D. Büscher <sup>50</sup>, V. Büscher <sup>84</sup>, P. Bussey <sup>55</sup>, J.M. Butler <sup>24</sup>, C.M. Buttar <sup>55</sup>, J.M. Butterworth <sup>79</sup>, P. Butti <sup>107</sup>, W. Buttinger <sup>27</sup>, A. Buzatu <sup>55</sup>, A.R. Buzykaev <sup>109,c</sup>, S. Cabrera Urbán <sup>166</sup>, D. Caforio <sup>128</sup>, V.M. Cairo <sup>39a,39b</sup>, O. Cakir <sup>4a</sup>, N. Calace <sup>51</sup>, P. Calafiura <sup>16</sup>, A. Calandri <sup>86</sup>, G. Calderini <sup>81</sup>, P. Calfayan <sup>100</sup>, G. Callea <sup>39a,39b</sup>, L.P. Caloba <sup>26a</sup>, S. Calvente Lopez <sup>83</sup>, D. Calvet <sup>36</sup>, S. Calvet <sup>36</sup>, T.P. Calvet <sup>86</sup>, R. Camacho Toro <sup>33</sup>, S. Camarda <sup>32</sup>, P. Camarri <sup>133a,133b</sup>, D. Cameron <sup>119</sup>, R. Caminal Armadans <sup>165</sup>, C. Camincher <sup>57</sup>, S. Campana <sup>32</sup>, M. Campanelli <sup>79</sup>, A. Camplani <sup>92a,92b</sup>, A. Campoverde <sup>141</sup>, V. Canale <sup>104a,104b</sup>, A. Canepa <sup>159a</sup>, M. Cano Bret <sup>35e</sup>, J. Cantero <sup>114</sup>, T. Cao <sup>42</sup>, M.D.M. Capeans Garrido <sup>32</sup>, I. Caprini <sup>28b</sup>, M. Caprini <sup>28b</sup>, M. Capua <sup>39a,39b</sup>, R.M. Carbone <sup>37</sup>, R. Cardarelli <sup>133a</sup>, F. Cardillo <sup>50</sup>, I. Carli <sup>129</sup>, T. Carli <sup>32</sup>, G. Carlino <sup>104a</sup>, L. Carminati <sup>92a,92b</sup>, S. Caron <sup>106</sup>, E. Carquin <sup>34b</sup>, G.D. Carrillo-Montoya <sup>32</sup>, J.R. Carter <sup>30</sup>, J. Carvalho <sup>126a,126c</sup>, D. Casadei <sup>19</sup>, M.P. Casado <sup>13,h</sup>, M. Casolino <sup>13</sup>, D.W. Casper <sup>162</sup>, E. Castaneda-Miranda <sup>145a</sup>, R. Castelijn <sup>107</sup>, A. Castelli <sup>107</sup>, V. Castillo Gimenez <sup>166</sup>, N.F. Castro <sup>126a,i</sup>, A. Catinaccio <sup>32</sup>, J.R. Catmore <sup>119</sup>, A. Cattai <sup>32</sup>, J. Caudron <sup>23</sup>, V. Cavaliere <sup>165</sup>, E. Cavallaro <sup>13</sup>, D. Cavalli <sup>92a</sup>, M. Cavalli-Sforza <sup>13</sup>, V. Cavasinni <sup>124a,124b</sup>, F. Ceradini <sup>134a,134b</sup>, L. Cerdá Alberich <sup>166</sup>, B.C. Cerio <sup>47</sup>, A.S. Cerqueira <sup>26b</sup>, A. Cerri <sup>149</sup>, L. Cerrito <sup>133a,133b</sup>, F. Cerutti <sup>16</sup>, M. Cerv <sup>32</sup>, A. Cervelli <sup>18</sup>, S.A. Cetin <sup>20d</sup>, A. Chafaq <sup>135a</sup>, D. Chakraborty <sup>108</sup>, S.K. Chan <sup>58</sup>, Y.L. Chan <sup>61a</sup>, P. Chang <sup>165</sup>, J.D. Chapman <sup>30</sup>, D.G. Charlton <sup>19</sup>, A. Chatterjee <sup>51</sup>, C.C. Chau <sup>158</sup>, C.A. Chavez Barajas <sup>149</sup>, S. Che <sup>111</sup>, S. Cheatham <sup>163a,163c</sup>, A. Chegwidden <sup>91</sup>, S. Chekanov <sup>6</sup>, S.V. Chekulaev <sup>159a</sup>, G.A. Chelkov <sup>66,j</sup>, M.A. Chelstowska <sup>90</sup>, C. Chen <sup>65</sup>, H. Chen <sup>27</sup>, K. Chen <sup>148</sup>, S. Chen <sup>35c</sup>, S. Chen <sup>155</sup>, X. Chen <sup>35f</sup>, Y. Chen <sup>68</sup>, H.C. Cheng <sup>90</sup>, H.J. Cheng <sup>35a</sup>, Y. Cheng <sup>33</sup>, A. Cheplakov <sup>66</sup>, E. Cheremushkina <sup>130</sup>, R. Cherkaoui El Moursli <sup>135e</sup>, V. Chernyatkin <sup>27,\*</sup>, E. Cheu <sup>7</sup>, L. Chevalier <sup>136</sup>, V. Chiarella <sup>49</sup>, G. Chiarelli <sup>124a,124b</sup>, G. Chiodini <sup>74a</sup>, A.S. Chisholm <sup>32</sup>, A. Chitan <sup>28b</sup>, M.V. Chizhov <sup>66</sup>, K. Choi <sup>62</sup>, A.R. Chomont <sup>36</sup>, S. Chouridou <sup>9</sup>, B.K.B. Chow <sup>100</sup>,

- V. Christodoulou 79, D. Chromek-Burckhart 32, J. Chudoba 127, A.J. Chuinard 88, J.J. Chwastowski 41, L. Chytka 115, G. Ciapetti 132a, 132b, A.K. Ciftci 4a, D. Cinca 45, V. Cindro 76, I.A. Cioara 23, C. Ciocca 22a, 22b, A. Ciocio 16, F. Cirotto 104a, 104b, Z.H. Citron 171, M. Citterio 92a, M. Ciubancan 28b, A. Clark 51, B.L. Clark 58, M.R. Clark 37, P.J. Clark 48, R.N. Clarke 16, C. Clement 146a, 146b, Y. Coadou 86, M. Cobal 163a, 163c, A. Coccaro 51, J. Cochran 65, L. Colasurdo 106, B. Cole 37, A.P. Colijn 107, J. Collot 57, T. Colombo 162, G. Compostella 101, P. Conde Muiño 126a, 126b, E. Coniavitis 50, S.H. Connell 145b, I.A. Connnelly 78, V. Consorti 50, S. Constantinescu 28b, G. Conti 32, F. Conventi 104a, k, M. Cooke 16, B.D. Cooper 79, A.M. Cooper-Sarkar 120, K.J.R. Cormier 158, T. Cornelissen 174, M. Corradi 132a, 132b, F. Corriveau 88, l, A. Corso-Radu 162, A. Cortes-Gonzalez 32, G. Cortiana 101, G. Costa 92a, M.J. Costa 166, D. Costanzo 139, G. Cottin 30, G. Cowan 78, B.E. Cox 85, K. Cranmer 110, S.J. Crawley 55, G. Cree 31, S. Crépé-Renaudin 57, F. Crescioli 81, W.A. Cribbs 146a, 146b, M. Crispin Ortuzar 120, M. Cristinziani 23, V. Croft 106, G. Crosetti 39a, 39b, A. Cueto 83, T. Cuhadar Donszelmann 139, J. Cummings 175, M. Curatolo 49, J. Cúth 84, H. Czirr 141, P. Czodrowski 3, G. D’amen 22a, 22b, S. D’Auria 55, M. D’Onofrio 75, M.J. Da Cunha Sargedas De Sousa 126a, 126b, C. Da Via 85, W. Dabrowski 40a, T. Dado 144a, T. Dai 90, O. Dale 15, F. Dallaire 95, C. Dallapiccola 87, M. Dam 38, J.R. Dandoy 33, N.P. Dang 50, A.C. Daniells 19, N.S. Dann 85, M. Danninger 167, M. Dano Hoffmann 136, V. Dao 50, G. Darbo 52a, S. Darmora 8, J. Dassoulas 3, A. Dattagupta 116, W. Davey 23, C. David 168, T. Davidek 129, M. Davies 153, P. Davison 79, E. Dawe 89, I. Dawson 139, K. De 8, R. de Asmundis 104a, A. De Benedetti 113, S. De Castro 22a, 22b, S. De Cecco 81, N. De Groot 106, P. de Jong 107, H. De la Torre 91, F. De Lorenzi 65, A. De Maria 56, D. De Pedis 132a, A. De Salvo 132a, U. De Sanctis 149, A. De Santo 149, J.B. De Vivie De Regie 117, W.J. Dearnaley 73, R. Debbe 27, C. Debenedetti 137, D.V. Dedovich 66, N. Dehghanian 3, I. Deigaard 107, M. Del Gaudio 39a, 39b, J. Del Peso 83, T. Del Prete 124a, 124b, D. Delgove 117, F. Deliot 136, C.M. Delitzsch 51, A. Dell’Acqua 32, L. Dell’Asta 24, M. Dell’Orso 124a, 124b, M. Della Pietra 104a, k, D. della Volpe 51, M. Delmastro 5, P.A. Delsart 57, D.A. DeMarco 158, S. Demers 175, M. Demichev 66, A. Demilly 81, S.P. Denisov 130, D. Denysiuk 136, D. Derendarz 41, J.E. Derkaoui 135d, F. Derue 81, P. Dervan 75, K. Desch 23, C. Deterre 44, K. Dette 45, P.O. Deviveiros 32, A. Dewhurst 131, S. Dhaliwal 25, A. Di Caccio 133a, 133b, L. Di Caccio 5, W.K. Di Clemente 122, C. Di Donato 132a, 132b, A. Di Girolamo 32, B. Di Girolamo 32, B. Di Micco 134a, 134b, R. Di Nardo 32, A. Di Simone 50, R. Di Sipio 158, D. Di Valentino 31, C. Diaconu 86, M. Diamond 158, F.A. Dias 48, M.A. Diaz 34a, E.B. Diehl 90, J. Dietrich 17, S. Díez Cornell 44, A. Dimitrijevska 14, J. Dingfelder 23, P. Dita 28b, S. Dita 28b, F. Dittus 32, F. Djama 86, T. Djobava 53b, J.I. Djupsland 59a, M.A.B. do Vale 26c, D. Dobos 32, M. Dobre 28b, C. Doglioni 82, J. Dolejsi 129, Z. Dolezal 129, M. Donadelli 26d, S. Donati 124a, 124b, P. Dondero 121a, 121b, J. Donini 36, J. Dopke 131, A. Doria 104a, M.T. Dova 72, A.T. Doyle 55, E. Drechsler 56, M. Dris 10, Y. Du 35d, J. Duarte-Campderros 153, E. Duchovni 171, G. Duckeck 100, O.A. Ducu 95, m, D. Duda 107, A. Dudarev 32, A. Chr. Dudder 84, E.M. Duffield 16, L. Duflot 117, M. Dührssen 32, M. Dumancic 171, M. Dunford 59a, H. Duran Yildiz 4a, M. Düren 54, A. Durglishvili 53b, D. Duschinger 46, B. Dutta 44, M. Dyndal 44, C. Eckardt 44, K.M. Ecker 101, R.C. Edgar 90, N.C. Edwards 48, T. Eifert 32, G. Eigen 15, K. Einsweiler 16, T. Ekelof 164, M. El Kacimi 135c, V. Ellajosyula 86, M. Ellert 164, S. Elles 5, F. Ellinghaus 174, A.A. Elliot 168, N. Ellis 32, J. Elmsheuser 27, M. Elsing 32, D. Emeliyanov 131, Y. Enari 155, O.C. Endner 84, J.S. Ennis 169, J. Erdmann 45, A. Ereditato 18, G. Ernis 174, J. Ernst 2, M. Ernst 27, S. Errede 165, E. Ertel 84, M. Escalier 117, H. Esch 45, C. Escobar 125, B. Esposito 49, A.I. Etienne 136, E. Etzion 153, H. Evans 62, A. Ezhilov 123, M. Ezzi 135e, F. Fabbri 22a, 22b, L. Fabbri 22a, 22b, G. Facini 33, R.M. Fakhrutdinov 130, S. Falciano 132a, R.J. Falla 79, J. Faltova 32, Y. Fang 35a, M. Fanti 92a, 92b, A. Farbin 8, A. Farilla 134a, C. Farina 125, E.M. Farina 121a, 121b, T. Farooque 13, S. Farrell 16, S.M. Farrington 169, P. Farthouat 32, F. Fassi 135e, P. Fassnacht 32, D. Fassouliotis 9, M. Faucci Giannelli 78, A. Favareto 52a, 52b, W.J. Fawcett 120, L. Fayard 117, O.L. Fedin 123, n, W. Fedorko 167, S. Feigl 119, L. Feligioni 86, C. Feng 35d, E.J. Feng 32, H. Feng 90, M. Feng 47, A.B. Fenyuk 130, L. Feremenga 8, P. Fernandez Martinez 166, S. Fernandez Perez 13, J. Ferrando 44, A. Ferrari 164, P. Ferrari 107, R. Ferrari 121a, D.E. Ferreira de Lima 59b, A. Ferrer 166, D. Ferrere 51, C. Ferretti 90, A. Ferretto Parodi 52a, 52b, F. Fiedler 84, A. Filipčič 76, M. Filipuzzi 44, F. Filthaut 106, M. Fincke-Keeler 168, K.D. Finelli 150, M.C.N. Fiolhais 126a, 126c, L. Fiorini 166, A. Firan 42, A. Fischer 2, C. Fischer 13, J. Fischer 174, W.C. Fisher 91, N. Flaschel 44, I. Fleck 141, P. Fleischmann 90, G.T. Fletcher 139, R.R.M. Fletcher 122, T. Flick 174, L.R. Flores Castillo 61a, M.J. Flowerdew 101, G.T. Forcolin 85, A. Formica 136, A. Forti 85, A.G. Foster 19, D. Fournier 117, H. Fox 73,

- S. Fracchia <sup>13</sup>, P. Francavilla <sup>81</sup>, M. Franchini <sup>22a,22b</sup>, D. Francis <sup>32</sup>, L. Franconi <sup>119</sup>, M. Franklin <sup>58</sup>,  
 M. Frate <sup>162</sup>, M. Fraternali <sup>121a,121b</sup>, D. Freeborn <sup>79</sup>, S.M. Fressard-Batraneanu <sup>32</sup>, F. Friedrich <sup>46</sup>,  
 D. Froidevaux <sup>32</sup>, J.A. Frost <sup>120</sup>, C. Fukunaga <sup>156</sup>, E. Fullana Torregrosa <sup>84</sup>, T. Fusayasu <sup>102</sup>, J. Fuster <sup>166</sup>,  
 C. Gabaldon <sup>57</sup>, O. Gabizon <sup>174</sup>, A. Gabrielli <sup>22a,22b</sup>, A. Gabrielli <sup>16</sup>, G.P. Gach <sup>40a</sup>, S. Gadatsch <sup>32</sup>,  
 S. Gadomski <sup>78</sup>, G. Gagliardi <sup>52a,52b</sup>, L.G. Gagnon <sup>95</sup>, P. Gagnon <sup>62</sup>, C. Galea <sup>106</sup>, B. Galhardo <sup>126a,126c</sup>,  
 E.J. Gallas <sup>120</sup>, B.J. Gallop <sup>131</sup>, P. Gallus <sup>128</sup>, G. Galster <sup>38</sup>, K.K. Gan <sup>111</sup>, J. Gao <sup>35b</sup>, Y. Gao <sup>48</sup>, Y.S. Gao <sup>143,f</sup>,  
 F.M. Garay Walls <sup>48</sup>, C. García <sup>166</sup>, J.E. García Navarro <sup>166</sup>, M. Garcia-Sciveres <sup>16</sup>, R.W. Gardner <sup>33</sup>,  
 N. Garelli <sup>143</sup>, V. Garonne <sup>119</sup>, A. Gascon Bravo <sup>44</sup>, K. Gasnikova <sup>44</sup>, C. Gatti <sup>49</sup>, A. Gaudiello <sup>52a,52b</sup>,  
 G. Gaudio <sup>121a</sup>, L. Gauthier <sup>95</sup>, I.L. Gavrilenko <sup>96</sup>, C. Gay <sup>167</sup>, G. Gaycken <sup>23</sup>, E.N. Gazis <sup>10</sup>, Z. Gecse <sup>167</sup>,  
 C.N.P. Gee <sup>131</sup>, Ch. Geich-Gimbel <sup>23</sup>, M. Geisen <sup>84</sup>, M.P. Geisler <sup>59a</sup>, K. Gellerstedt <sup>146a,146b</sup>, C. Gemme <sup>52a</sup>,  
 M.H. Genest <sup>57</sup>, C. Geng <sup>35b,o</sup>, S. Gentile <sup>132a,132b</sup>, C. Gentsos <sup>154</sup>, S. George <sup>78</sup>, D. Gerbaudo <sup>13</sup>,  
 A. Gershon <sup>153</sup>, S. Ghasemi <sup>141</sup>, M. Ghneimat <sup>23</sup>, B. Giacobbe <sup>22a</sup>, S. Giagu <sup>132a,132b</sup>, P. Giannetti <sup>124a,124b</sup>,  
 B. Gibbard <sup>27</sup>, S.M. Gibson <sup>78</sup>, M. Gignac <sup>167</sup>, M. Gilchriese <sup>16</sup>, T.P.S. Gillam <sup>30</sup>, D. Gillberg <sup>31</sup>, G. Gilles <sup>174</sup>,  
 D.M. Gingrich <sup>3,d</sup>, N. Giokaris <sup>9</sup>, M.P. Giordani <sup>163a,163c</sup>, F.M. Giorgi <sup>22a</sup>, F.M. Giorgi <sup>17</sup>, P.F. Giraud <sup>136</sup>,  
 P. Giromini <sup>58</sup>, D. Giugni <sup>92a</sup>, F. Giuli <sup>120</sup>, C. Giuliani <sup>101</sup>, M. Giulini <sup>59b</sup>, B.K. Gjelsten <sup>119</sup>, S. Gkaitatzis <sup>154</sup>,  
 I. Gkialas <sup>154</sup>, E.L. Gkougkousis <sup>117</sup>, L.K. Gladilin <sup>99</sup>, C. Glasman <sup>83</sup>, J. Glatzer <sup>50</sup>, P.C.F. Glaysher <sup>48</sup>,  
 A. Glazov <sup>44</sup>, M. Goblirsch-Kolb <sup>25</sup>, J. Godlewski <sup>41</sup>, S. Goldfarb <sup>89</sup>, T. Golling <sup>51</sup>, D. Golubkov <sup>130</sup>,  
 A. Gomes <sup>126a,126b,126d</sup>, R. Gonçalo <sup>126a</sup>, J. Goncalves Pinto Firmino Da Costa <sup>136</sup>, G. Gonella <sup>50</sup>,  
 L. Gonella <sup>19</sup>, A. Gongadze <sup>66</sup>, S. González de la Hoz <sup>166</sup>, G. Gonzalez Parra <sup>13</sup>, S. Gonzalez-Sevilla <sup>51</sup>,  
 L. Goossens <sup>32</sup>, P.A. Gorbounov <sup>97</sup>, H.A. Gordon <sup>27</sup>, I. Gorelov <sup>105</sup>, B. Gorini <sup>32</sup>, E. Gorini <sup>74a,74b</sup>,  
 A. Gorišek <sup>76</sup>, E. Gornicki <sup>41</sup>, A.T. Goshaw <sup>47</sup>, C. Gössling <sup>45</sup>, M.I. Gostkin <sup>66</sup>, C.R. Goudet <sup>117</sup>,  
 D. Goujdami <sup>135c</sup>, A.G. Goussiou <sup>138</sup>, N. Govender <sup>145b,p</sup>, E. Gozani <sup>152</sup>, L. Graber <sup>56</sup>, I. Grabowska-Bold <sup>40a</sup>,  
 P.O.J. Gradin <sup>57</sup>, P. Grafström <sup>22a,22b</sup>, J. Gramling <sup>51</sup>, E. Gramstad <sup>119</sup>, S. Grancagnolo <sup>17</sup>, V. Gratchev <sup>123</sup>,  
 P.M. Gravila <sup>28e</sup>, H.M. Gray <sup>32</sup>, E. Graziani <sup>134a</sup>, Z.D. Greenwood <sup>80,q</sup>, C. Grefe <sup>23</sup>, K. Gregersen <sup>79</sup>,  
 I.M. Gregor <sup>44</sup>, P. Grenier <sup>143</sup>, K. Grevtsov <sup>5</sup>, J. Griffiths <sup>8</sup>, A.A. Grillo <sup>137</sup>, K. Grimm <sup>73</sup>, S. Grinstein <sup>13,r</sup>,  
 Ph. Gris <sup>36</sup>, J.-F. Grivaz <sup>117</sup>, S. Groh <sup>84</sup>, J.P. Grohs <sup>46</sup>, E. Gross <sup>171</sup>, J. Grosse-Knetter <sup>56</sup>, G.C. Grossi <sup>80</sup>,  
 Z.J. Grout <sup>79</sup>, L. Guan <sup>90</sup>, W. Guan <sup>172</sup>, J. Guenther <sup>63</sup>, F. Guescini <sup>51</sup>, D. Guest <sup>162</sup>, O. Gueta <sup>153</sup>,  
 E. Guido <sup>52a,52b</sup>, T. Guillemin <sup>5</sup>, S. Guindon <sup>2</sup>, U. Gul <sup>55</sup>, C. Gumpert <sup>32</sup>, J. Guo <sup>35e</sup>, Y. Guo <sup>35b,o</sup>, R. Gupta <sup>42</sup>,  
 S. Gupta <sup>120</sup>, G. Gustavino <sup>132a,132b</sup>, P. Gutierrez <sup>113</sup>, N.G. Gutierrez Ortiz <sup>79</sup>, C. Gutschow <sup>46</sup>, C. Guyot <sup>136</sup>,  
 C. Gwenlan <sup>120</sup>, C.B. Gwilliam <sup>75</sup>, A. Haas <sup>110</sup>, C. Haber <sup>16</sup>, H.K. Hadavand <sup>8</sup>, N. Haddad <sup>135e</sup>, A. Hadef <sup>86</sup>,  
 S. Hageböck <sup>23</sup>, M. Hagihara <sup>160</sup>, Z. Hajduk <sup>41</sup>, H. Hakobyan <sup>176,\*</sup>, M. Haleem <sup>44</sup>, J. Haley <sup>114</sup>,  
 G. Halladjian <sup>91</sup>, G.D. Hallewell <sup>86</sup>, K. Hamacher <sup>174</sup>, P. Hamal <sup>115</sup>, K. Hamano <sup>168</sup>, A. Hamilton <sup>145a</sup>,  
 G.N. Hamity <sup>139</sup>, P.G. Hamnett <sup>44</sup>, L. Han <sup>35b</sup>, S. Han <sup>35a</sup>, K. Hanagaki <sup>67,s</sup>, K. Hanawa <sup>155</sup>, M. Hance <sup>137</sup>,  
 B. Haney <sup>122</sup>, P. Hanke <sup>59a</sup>, R. Hanna <sup>136</sup>, J.B. Hansen <sup>38</sup>, J.D. Hansen <sup>38</sup>, M.C. Hansen <sup>23</sup>, P.H. Hansen <sup>38</sup>,  
 K. Hara <sup>160</sup>, A.S. Hard <sup>172</sup>, T. Harenberg <sup>174</sup>, F. Hariri <sup>117</sup>, S. Harkusha <sup>93</sup>, R.D. Harrington <sup>48</sup>,  
 P.F. Harrison <sup>169</sup>, F. Hartjes <sup>107</sup>, N.M. Hartmann <sup>100</sup>, M. Hasegawa <sup>68</sup>, Y. Hasegawa <sup>140</sup>, A. Hasib <sup>113</sup>,  
 S. Hassani <sup>136</sup>, S. Haug <sup>18</sup>, R. Hauser <sup>91</sup>, L. Hauswald <sup>46</sup>, M. Havranek <sup>127</sup>, C.M. Hawkes <sup>19</sup>, R.J. Hawkings <sup>32</sup>,  
 D. Hayakawa <sup>157</sup>, D. Hayden <sup>91</sup>, C.P. Hays <sup>120</sup>, J.M. Hays <sup>77</sup>, H.S. Hayward <sup>75</sup>, S.J. Haywood <sup>131</sup>, S.J. Head <sup>19</sup>,  
 T. Heck <sup>84</sup>, V. Hedberg <sup>82</sup>, L. Heelan <sup>8</sup>, S. Heim <sup>122</sup>, T. Heim <sup>16</sup>, B. Heinemann <sup>16</sup>, J.J. Heinrich <sup>100</sup>,  
 L. Heinrich <sup>110</sup>, C. Heinz <sup>54</sup>, J. Hejbal <sup>127</sup>, L. Helary <sup>32</sup>, S. Hellman <sup>146a,146b</sup>, C. Helsens <sup>32</sup>, J. Henderson <sup>120</sup>,  
 R.C.W. Henderson <sup>73</sup>, Y. Heng <sup>172</sup>, S. Henkelmann <sup>167</sup>, A.M. Henriques Correia <sup>32</sup>, S. Henrot-Versille <sup>117</sup>,  
 G.H. Herbert <sup>17</sup>, H. Herde <sup>25</sup>, V. Herget <sup>173</sup>, Y. Hernández Jiménez <sup>166</sup>, G. Herten <sup>50</sup>, R. Hertenberger <sup>100</sup>,  
 L. Hervas <sup>32</sup>, G.G. Hesketh <sup>79</sup>, N.P. Hessey <sup>107</sup>, J.W. Hetherly <sup>42</sup>, R. Hickling <sup>77</sup>, E. Higón-Rodriguez <sup>166</sup>,  
 E. Hill <sup>168</sup>, J.C. Hill <sup>30</sup>, K.H. Hiller <sup>44</sup>, S.J. Hillier <sup>19</sup>, I. Hinchliffe <sup>16</sup>, E. Hines <sup>122</sup>, R.R. Hinman <sup>16</sup>, M. Hirose <sup>50</sup>,  
 D. Hirschbuehl <sup>174</sup>, J. Hobbs <sup>148</sup>, N. Hod <sup>159a</sup>, M.C. Hodgkinson <sup>139</sup>, P. Hodgson <sup>139</sup>, A. Hoecker <sup>32</sup>,  
 M.R. Hoeferkamp <sup>105</sup>, F. Hoenig <sup>100</sup>, D. Hohn <sup>23</sup>, T.R. Holmes <sup>16</sup>, M. Homann <sup>45</sup>, T. Honda <sup>67</sup>, T.M. Hong <sup>125</sup>,  
 B.H. Hooberman <sup>165</sup>, W.H. Hopkins <sup>116</sup>, Y. Horii <sup>103</sup>, A.J. Horton <sup>142</sup>, J.-Y. Hostachy <sup>57</sup>, S. Hou <sup>151</sup>,  
 A. Hoummada <sup>135a</sup>, J. Howarth <sup>44</sup>, J. Hoya <sup>72</sup>, M. Hrabovsky <sup>115</sup>, I. Hristova <sup>17</sup>, J. Hrivnac <sup>117</sup>, T. Hrynev'ova <sup>5</sup>,  
 A. Hrynevich <sup>94</sup>, C. Hsu <sup>145c</sup>, P.J. Hsu <sup>151,t</sup>, S.-C. Hsu <sup>138</sup>, Q. Hu <sup>35b</sup>, S. Hu <sup>35e</sup>, Y. Huang <sup>44</sup>, Z. Hubacek <sup>128</sup>,  
 F. Hubaut <sup>86</sup>, F. Huegging <sup>23</sup>, T.B. Huffman <sup>120</sup>, E.W. Hughes <sup>37</sup>, G. Hughes <sup>73</sup>, M. Huhtinen <sup>32</sup>, P. Huo <sup>148</sup>,  
 N. Huseynov <sup>66,b</sup>, J. Huston <sup>91</sup>, J. Huth <sup>58</sup>, G. Iacobucci <sup>51</sup>, G. Iakovidis <sup>27</sup>, I. Ibragimov <sup>141</sup>,  
 L. Iconomidou-Fayard <sup>117</sup>, E. Ideal <sup>175</sup>, Z. Idrissi <sup>135e</sup>, P. Iengo <sup>32</sup>, O. Igolkina <sup>107,u</sup>, T. Iizawa <sup>170</sup>,

- Y. Ikegami 67, M. Ikeno 67, Y. Ilchenko 11,<sup>v</sup>, D. Iliadis 154, N. Ilic 143, T. Ince 101, G. Introzzi 121a, 121b,  
 P. Ioannou 9,\* M. Iodice 134a, K. Iordanidou 37, V. Ippolito 58, N. Ishijima 118, M. Ishino 155,  
 M. Ishitsuka 157, R. Ishmukhametov 111, C. Issever 120, S. Istiin 20a, F. Ito 160, J.M. Iturbe Ponce 85,  
 R. Iuppa 133a, 133b, W. Iwanski 63, H. Iwasaki 67, J.M. Izen 43, V. Izzo 104a, S. Jabbar 3, B. Jackson 122,  
 P. Jackson 1, V. Jain 2, K.B. Jakobi 84, K. Jakobs 50, S. Jakobsen 32, T. Jakoubek 127, D.O. Jamin 114,  
 D.K. Jana 80, R. Jansky 63, J. Janssen 23, M. Janus 56, G. Jarlskog 82, N. Javadov 66,b, T. Javurek 50,  
 F. Jeanneau 136, L. Jeanty 16, G.-Y. Jeng 150, D. Jennens 89, P. Jenni 50,w, C. Jeske 169, S. Jézéquel 5, H. Ji 172,  
 J. Jia 148, H. Jiang 65, Y. Jiang 35b, S. Jiggins 79, J. Jimenez Pena 166, S. Jin 35a, A. Jinaru 28b, O. Jinnouchi 157,  
 H. Jivan 145c, P. Johansson 139, K.A. Johns 7, W.J. Johnson 138, K. Jon-And 146a, 146b, G. Jones 169,  
 R.W.L. Jones 73, S. Jones 7, T.J. Jones 75, J. Jongmanns 59a, P.M. Jorge 126a, 126b, J. Jovicevic 159a, X. Ju 172,  
 A. Juste Rozas 13,r, M.K. Köhler 171, A. Kaczmarska 41, M. Kado 117, H. Kagan 111, M. Kagan 143, S.J. Kahn 86,  
 T. Kaji 170, E. Kajomovitz 47, C.W. Kalderon 120, A. Kaluza 84, S. Kama 42, A. Kamenshchikov 130,  
 N. Kanaya 155, S. Kaneti 30, L. Kanjir 76, V.A. Kantserov 98, J. Kanzaki 67, B. Kaplan 110, L.S. Kaplan 172,  
 A. Kapliy 33, D. Kar 145c, K. Karakostas 10, A. Karamaoun 3, N. Karastathis 10, M.J. Kareem 56,  
 E. Karentzos 10, M. Karnevskiy 84, S.N. Karpov 66, Z.M. Karpova 66, K. Karthik 110, V. Kartvelishvili 73,  
 A.N. Karyukhin 130, K. Kasahara 160, L. Kashif 172, R.D. Kass 111, A. Kastanas 15, Y. Kataoka 155, C. Kato 155,  
 A. Katre 51, J. Katzy 44, K. Kawagoe 71, T. Kawamoto 155, G. Kawamura 56, V.F. Kazanin 109,c, R. Keeler 168,  
 R. Kehoe 42, J.S. Keller 44, J.J. Kempster 78, K. Kentaro 103, H. Keoshkerian 158, O. Kepka 127, B.P. Kerševan 76,  
 S. Kersten 174, R.A. Keyes 88, M. Khader 165, F. Khalil-zada 12, A. Khanov 114, A.G. Kharlamov 109,c,  
 T. Kharlamova 109, T.J. Khoo 51, V. Khovanskiy 97, E. Khramov 66, J. Khubua 53b,x, S. Kido 68, C.R. Kilby 78,  
 H.Y. Kim 8, S.H. Kim 160, Y.K. Kim 33, N. Kimura 154, O.M. Kind 17, B.T. King 75, M. King 166, J. Kirk 131,  
 A.E. Kiryunin 101, T. Kishimoto 155, D. Kisielewska 40a, F. Kiss 50, K. Kiuchi 160, O. Kivernyk 136,  
 E. Kladiva 144b, M.H. Klein 37, M. Klein 75, U. Klein 75, K. Kleinknecht 84, P. Klimek 108, A. Klimentov 27,  
 R. Klingenberg 45, J.A. Klinger 139, T. Klioutchnikova 32, E.-E. Kluge 59a, P. Kluit 107, S. Kluth 101, J. Knapik 41,  
 E. Kneringer 63, E.B.F.G. Knoops 86, A. Knue 55, A. Kobayashi 155, D. Kobayashi 157, T. Kobayashi 155,  
 M. Kobel 46, M. Kocian 143, P. Kodys 129, N.M. Koehler 101, T. Koffas 31, E. Koffeman 107, T. Koi 143,  
 H. Kolanoski 17, M. Kolb 59b, I. Koletsou 5, A.A. Komar 96,\* Y. Komori 155, T. Kondo 67, N. Kondrashova 44,  
 K. Köneke 50, A.C. König 106, T. Kono 67.y, R. Konoplich 110,z, N. Konstantinidis 79, R. Kopeliansky 62,  
 S. Koperny 40a, L. Köpke 84, A.K. Kopp 50, K. Korcyl 41, K. Kordas 154, A. Korn 79, A.A. Korol 109,c,  
 I. Korolkov 13, E.V. Korolkova 139, O. Kortner 101, S. Kortner 101, T. Kosek 129, V.V. Kostyukhin 23,  
 A. Kotwal 47, A. Kourkoumeli-Charalampidi 121a, 121b, C. Kourkoumelis 9, V. Kouskoura 27,  
 A.B. Kowalewska 41, R. Kowalewski 168, T.Z. Kowalski 40a, C. Kozakai 155, W. Kozanecki 136, A.S. Kozhin 130,  
 V.A. Kramarenko 99, G. Kramberger 76, D. Krasnopevtsev 98, M.W. Krasny 81, A. Krasznahorkay 32,  
 A. Kravchenko 27, M. Kretz 59c, J. Kretzschmar 75, K. Kreutzfeldt 54, P. Krieger 158, K. Krizka 33,  
 K. Kroeninger 45, H. Kroha 101, J. Kroll 122, J. Krozeberg 23, J. Krstic 14, U. Kruchonak 66, H. Krüger 23,  
 N. Krumnack 65, M.C. Kruse 47, M. Kruskal 24, T. Kubota 89, H. Kucuk 79, S. Kuday 4b, J.T. Kuechler 174,  
 S. Kuehn 50, A. Kugel 59c, F. Kuger 173, A. Kuhl 137, T. Kuhl 44, V. Kukhtin 66, R. Kukla 136, Y. Kulchitsky 93,  
 S. Kuleshov 34b, M. Kuna 132a, 132b, T. Kunigo 69, A. Kupco 127, H. Kurashige 68, Y.A. Kurochkin 93, V. Kus 127,  
 E.S. Kuwertz 168, M. Kuze 157, J. Kvita 115, T. Kwan 168, D. Kyriazopoulos 139, A. La Rosa 101,  
 J.L. La Rosa Navarro 26d, L. La Rotonda 39a, 39b, C. Lacasta 166, F. Lacava 132a, 132b, J. Lacey 31, H. Lacker 17,  
 D. Lacour 81, V.R. Lacuesta 166, E. Ladygin 66, R. Lafaye 5, B. Laforge 81, T. Lagouri 175, S. Lai 56,  
 S. Lammers 62, W. Lampl 7, E. Lançon 136, U. Landgraf 50, M.P.J. Landon 77, M.C. Lanfermann 51,  
 V.S. Lang 59a, J.C. Lange 13, A.J. Lankford 162, F. Lanni 27, K. Lantzsch 23, A. Lanza 121a, S. Laplace 81,  
 C. Lapoire 32, J.F. Laporte 136, T. Lari 92a, F. Lasagni Manghi 22a, 22b, M. Lassnig 32, P. Laurelli 49,  
 W. Lavrijsen 16, A.T. Law 137, P. Laycock 75, T. Lazovich 58, M. Lazzaroni 92a, 92b, B. Le 89, O. Le Dortz 81,  
 E. Le Guiriec 86, E.P. Le Quilleuc 136, M. LeBlanc 168, T. LeCompte 6, F. Ledroit-Guillon 57, C.A. Lee 27,  
 S.C. Lee 151, L. Lee 1, B. Lefebvre 88, G. Lefebvre 81, M. Lefebvre 168, F. Legger 100, C. Leggett 16, A. Lehan 75,  
 G. Lehmann Miotto 32, X. Lei 7, W.A. Leight 31, A. Leisos 154, aa, A.G. Leister 175, M.A.L. Leite 26d,  
 R. Leitner 129, D. Lellouch 171, B. Lemmer 56, K.J.C. Leney 79, T. Lenz 23, B. Lenzi 32, R. Leone 7,  
 S. Leone 124a, 124b, C. Leonidopoulos 48, S. Leontsinis 10, G. Lerner 149, C. Leroy 95, A.A.J. Lesage 136,  
 C.G. Lester 30, M. Levchenko 123, J. Levêque 5, D. Levin 90, L.J. Levinson 171, M. Levy 19, D. Lewis 77,  
 A.M. Leyko 23, M. Leyton 43, B. Li 35b, o, C. Li 35b, H. Li 148, H.L. Li 33, L. Li 47, L. Li 35e, Q. Li 35a, S. Li 47,

- X. Li <sup>85</sup>, Y. Li <sup>141</sup>, Z. Liang <sup>35a</sup>, B. Liberti <sup>133a</sup>, A. Liblong <sup>158</sup>, P. Lichard <sup>32</sup>, K. Lie <sup>165</sup>, J. Liebal <sup>23</sup>, W. Liebig <sup>15</sup>, A. Limosani <sup>150</sup>, S.C. Lin <sup>151,ab</sup>, T.H. Lin <sup>84</sup>, B.E. Lindquist <sup>148</sup>, A.E. Lionti <sup>51</sup>, E. Lipeles <sup>122</sup>, A. Lipniacka <sup>15</sup>, M. Lisovyi <sup>59b</sup>, T.M. Liss <sup>165</sup>, A. Lister <sup>167</sup>, A.M. Litke <sup>137</sup>, B. Liu <sup>151,ac</sup>, D. Liu <sup>151</sup>, H. Liu <sup>90</sup>, H. Liu <sup>27</sup>, J. Liu <sup>86</sup>, J.B. Liu <sup>35b</sup>, K. Liu <sup>86</sup>, L. Liu <sup>165</sup>, M. Liu <sup>47</sup>, M. Liu <sup>35b</sup>, Y.L. Liu <sup>35b</sup>, Y. Liu <sup>35b</sup>, M. Livan <sup>121a,121b</sup>, A. Lleres <sup>57</sup>, J. Llorente Merino <sup>35a</sup>, S.L. Lloyd <sup>77</sup>, F. Lo Sterzo <sup>151</sup>, E.M. Lobodzinska <sup>44</sup>, P. Loch <sup>7</sup>, W.S. Lockman <sup>137</sup>, F.K. Loebinger <sup>85</sup>, A.E. Loevschall-Jensen <sup>38</sup>, K.M. Loew <sup>25</sup>, A. Loginov <sup>175,\*</sup>, T. Lohse <sup>17</sup>, K. Lohwasser <sup>44</sup>, M. Lokajicek <sup>127</sup>, B.A. Long <sup>24</sup>, J.D. Long <sup>165</sup>, R.E. Long <sup>73</sup>, L. Longo <sup>74a,74b</sup>, K.A.Looper <sup>111</sup>, J.A. López <sup>34b</sup>, D. Lopez Mateos <sup>58</sup>, B. Lopez Paredes <sup>139</sup>, I. Lopez Paz <sup>13</sup>, A. Lopez Solis <sup>81</sup>, J. Lorenz <sup>100</sup>, N. Lorenzo Martinez <sup>62</sup>, M. Losada <sup>21</sup>, P.J. Lösel <sup>100</sup>, X. Lou <sup>35a</sup>, A. Lounis <sup>117</sup>, J. Love <sup>6</sup>, P.A. Love <sup>73</sup>, H. Lu <sup>61a</sup>, N. Lu <sup>90</sup>, H.J. Lubatti <sup>138</sup>, C. Luci <sup>132a,132b</sup>, A. Lucotte <sup>57</sup>, C. Luedtke <sup>50</sup>, F. Luehring <sup>62</sup>, W. Lukas <sup>63</sup>, L. Luminari <sup>132a</sup>, O. Lundberg <sup>146a,146b</sup>, B. Lund-Jensen <sup>147</sup>, P.M. Luzi <sup>81</sup>, D. Lynn <sup>27</sup>, R. Lysak <sup>127</sup>, E. Lytken <sup>82</sup>, V. Lyubushkin <sup>66</sup>, H. Ma <sup>27</sup>, L.L. Ma <sup>35d</sup>, Y. Ma <sup>35d</sup>, G. Maccarrone <sup>49</sup>, A. Macchiolo <sup>101</sup>, C.M. Macdonald <sup>139</sup>, B. Maček <sup>76</sup>, J. Machado Miguens <sup>122,126b</sup>, D. Madaffari <sup>86</sup>, R. Madar <sup>36</sup>, H.J. Maddocks <sup>164</sup>, W.F. Mader <sup>46</sup>, A. Madsen <sup>44</sup>, J. Maeda <sup>68</sup>, S. Maeland <sup>15</sup>, T. Maeno <sup>27</sup>, A. Maevskiy <sup>99</sup>, E. Magradze <sup>56</sup>, J. Mahlstedt <sup>107</sup>, C. Maiani <sup>117</sup>, C. Maidantchik <sup>26a</sup>, A.A. Maier <sup>101</sup>, T. Maier <sup>100</sup>, A. Maio <sup>126a,126b,126d</sup>, S. Majewski <sup>116</sup>, Y. Makida <sup>67</sup>, N. Makovec <sup>117</sup>, B. Malaescu <sup>81</sup>, Pa. Malecki <sup>41</sup>, V.P. Maleev <sup>123</sup>, F. Malek <sup>57</sup>, U. Mallik <sup>64</sup>, D. Malon <sup>6</sup>, C. Malone <sup>143</sup>, C. Malone <sup>30</sup>, S. Maltezos <sup>10</sup>, S. Malyukov <sup>32</sup>, J. Mamuzic <sup>166</sup>, G. Mancini <sup>49</sup>, L. Mandelli <sup>92a</sup>, I. Mandić <sup>76</sup>, J. Maneira <sup>126a,126b</sup>, L. Manhaes de Andrade Filho <sup>26b</sup>, J. Manjarres Ramos <sup>159b</sup>, A. Mann <sup>100</sup>, A. Manousos <sup>32</sup>, B. Mansoulie <sup>136</sup>, J.D. Mansour <sup>35a</sup>, R. Mantifel <sup>88</sup>, M. Mantoani <sup>56</sup>, S. Manzoni <sup>92a,92b</sup>, L. Mapelli <sup>32</sup>, G. Marceca <sup>29</sup>, L. March <sup>51</sup>, G. Marchiori <sup>81</sup>, M. Marcisovsky <sup>127</sup>, M. Marjanovic <sup>14</sup>, D.E. Marley <sup>90</sup>, F. Marroquim <sup>26a</sup>, S.P. Marsden <sup>85</sup>, Z. Marshall <sup>16</sup>, S. Marti-Garcia <sup>166</sup>, B. Martin <sup>91</sup>, T.A. Martin <sup>169</sup>, V.J. Martin <sup>48</sup>, B. Martin dit Latour <sup>15</sup>, M. Martinez <sup>13,r</sup>, V.I. Martinez Outschoorn <sup>165</sup>, S. Martin-Haugh <sup>131</sup>, V.S. Martoiu <sup>28b</sup>, A.C. Martyniuk <sup>79</sup>, M. Marx <sup>138</sup>, A. Marzin <sup>32</sup>, L. Masetti <sup>84</sup>, T. Mashimo <sup>155</sup>, R. Mashinistov <sup>96</sup>, J. Masik <sup>85</sup>, A.L. Maslenikov <sup>109,c</sup>, I. Massa <sup>22a,22b</sup>, L. Massa <sup>22a,22b</sup>, P. Mastrandrea <sup>5</sup>, A. Mastroberardino <sup>39a,39b</sup>, T. Masubuchi <sup>155</sup>, P. Mättig <sup>174</sup>, J. Mattmann <sup>84</sup>, J. Maurer <sup>28b</sup>, S.J. Maxfield <sup>75</sup>, D.A. Maximov <sup>109,c</sup>, R. Mazini <sup>151</sup>, S.M. Mazza <sup>92a,92b</sup>, N.C. Mc Fadden <sup>105</sup>, G. Mc Goldrick <sup>158</sup>, S.P. Mc Kee <sup>90</sup>, A. McCarn <sup>90</sup>, R.L. McCarthy <sup>148</sup>, T.G. McCarthy <sup>101</sup>, L.I. McClymont <sup>79</sup>, E.F. McDonald <sup>89</sup>, J.A. McFayden <sup>79</sup>, G. Mchedlidze <sup>56</sup>, S.J. McMahon <sup>131</sup>, R.A. McPherson <sup>168,l</sup>, M. Medinnis <sup>44</sup>, S. Meehan <sup>138</sup>, S. Mehlhase <sup>100</sup>, A. Mehta <sup>75</sup>, K. Meier <sup>59a</sup>, C. Meineck <sup>100</sup>, B. Meirose <sup>43</sup>, D. Melini <sup>166</sup>, B.R. Mellado Garcia <sup>145c</sup>, M. Melo <sup>144a</sup>, F. Meloni <sup>18</sup>, A. Mengarelli <sup>22a,22b</sup>, S. Menke <sup>101</sup>, E. Meoni <sup>161</sup>, S. Mergelmeyer <sup>17</sup>, P. Mermod <sup>51</sup>, L. Merola <sup>104a,104b</sup>, C. Meroni <sup>92a</sup>, F.S. Merritt <sup>33</sup>, A. Messina <sup>132a,132b</sup>, J. Metcalfe <sup>6</sup>, A.S. Mete <sup>162</sup>, C. Meyer <sup>84</sup>, C. Meyer <sup>122</sup>, J.-P. Meyer <sup>136</sup>, J. Meyer <sup>107</sup>, H. Meyer Zu Theenhausen <sup>59a</sup>, F. Miano <sup>149</sup>, R.P. Middleton <sup>131</sup>, S. Miglioranzi <sup>52a,52b</sup>, L. Mijović <sup>48</sup>, G. Mikenberg <sup>171</sup>, M. Mikestikova <sup>127</sup>, M. Mikuž <sup>76</sup>, M. Milesi <sup>89</sup>, A. Milic <sup>63</sup>, D.W. Miller <sup>33</sup>, C. Mills <sup>48</sup>, A. Milov <sup>171</sup>, D.A. Milstead <sup>146a,146b</sup>, A.A. Minaenko <sup>130</sup>, Y. Minami <sup>155</sup>, I.A. Minashvili <sup>66</sup>, A.I. Mincer <sup>110</sup>, B. Mindur <sup>40a</sup>, M. Mineev <sup>66</sup>, Y. Minegishi <sup>155</sup>, Y. Ming <sup>172</sup>, L.M. Mir <sup>13</sup>, K.P. Mistry <sup>122</sup>, T. Mitani <sup>170</sup>, J. Mitrevski <sup>100</sup>, V.A. Mitsou <sup>166</sup>, A. Miucci <sup>18</sup>, P.S. Miyagawa <sup>139</sup>, J.U. Mjörnmark <sup>82</sup>, M. Mlynarikova <sup>129</sup>, T. Moa <sup>146a,146b</sup>, K. Mochizuki <sup>95</sup>, S. Mohapatra <sup>37</sup>, S. Molander <sup>146a,146b</sup>, R. Moles-Valls <sup>23</sup>, R. Monden <sup>69</sup>, M.C. Mondragon <sup>91</sup>, K. Mönig <sup>44</sup>, J. Monk <sup>38</sup>, E. Monnier <sup>86</sup>, A. Montalbano <sup>148</sup>, J. Montejo Berlingen <sup>32</sup>, F. Monticelli <sup>72</sup>, S. Monzani <sup>92a,92b</sup>, R.W. Moore <sup>3</sup>, N. Morange <sup>117</sup>, D. Moreno <sup>21</sup>, M. Moreno Llácer <sup>56</sup>, P. Morettini <sup>52a</sup>, S. Morgenstern <sup>32</sup>, D. Mori <sup>142</sup>, T. Mori <sup>155</sup>, M. Morii <sup>58</sup>, M. Morinaga <sup>155</sup>, V. Morisbak <sup>119</sup>, S. Moritz <sup>84</sup>, A.K. Morley <sup>150</sup>, G. Mornacchi <sup>32</sup>, J.D. Morris <sup>77</sup>, S.S. Mortensen <sup>38</sup>, L. Morvaj <sup>148</sup>, M. Mosidze <sup>53b</sup>, J. Moss <sup>143,ad</sup>, K. Motohashi <sup>157</sup>, R. Mount <sup>143</sup>, E. Mountricha <sup>27</sup>, E.J.W. Moyse <sup>87</sup>, S. Muanza <sup>86</sup>, R.D. Mudd <sup>19</sup>, F. Mueller <sup>101</sup>, J. Mueller <sup>125</sup>, R.S.P. Mueller <sup>100</sup>, T. Mueller <sup>30</sup>, D. Muenstermann <sup>73</sup>, P. Mullen <sup>55</sup>, G.A. Mullier <sup>18</sup>, F.J. Munoz Sanchez <sup>85</sup>, J.A. Murillo Quijada <sup>19</sup>, W.J. Murray <sup>169,131</sup>, H. Musheghyan <sup>56</sup>, M. Muškinja <sup>76</sup>, A.G. Myagkov <sup>130,ae</sup>, M. Myska <sup>128</sup>, B.P. Nachman <sup>143</sup>, O. Nackenhorst <sup>51</sup>, K. Nagai <sup>120</sup>, R. Nagai <sup>67,y</sup>, K. Nagano <sup>67</sup>, Y. Nagasaka <sup>60</sup>, K. Nagata <sup>160</sup>, M. Nagel <sup>50</sup>, E. Nagy <sup>86</sup>, A.M. Nairz <sup>32</sup>, Y. Nakahama <sup>103</sup>, K. Nakamura <sup>67</sup>, T. Nakamura <sup>155</sup>, I. Nakano <sup>112</sup>, H. Namasivayam <sup>43</sup>, R.F. Naranjo Garcia <sup>44</sup>, R. Narayan <sup>11</sup>, D.I. Narrius Villar <sup>59a</sup>, I. Naryshkin <sup>123</sup>, T. Naumann <sup>44</sup>, G. Navarro <sup>21</sup>, R. Nayyar <sup>7</sup>, H.A. Neal <sup>90</sup>, P.Yu. Nechaeva <sup>96</sup>, T.J. Neep <sup>85</sup>, A. Negri <sup>121a,121b</sup>, M. Negrini <sup>22a</sup>, S. Nektarijevic <sup>106</sup>, C. Nellist <sup>117</sup>, A. Nelson <sup>162</sup>, S. Nemecek <sup>127</sup>, P. Nemethy <sup>110</sup>,

- A.A. Nepomuceno <sup>26a</sup>, M. Nessi <sup>32,af</sup>, M.S. Neubauer <sup>165</sup>, M. Neumann <sup>174</sup>, R.M. Neves <sup>110</sup>, P. Nevski <sup>27</sup>, P.R. Newman <sup>19</sup>, D.H. Nguyen <sup>6</sup>, T. Nguyen Manh <sup>95</sup>, R.B. Nickerson <sup>120</sup>, R. Nicolaïdou <sup>136</sup>, J. Nielsen <sup>137</sup>, A. Nikiforov <sup>17</sup>, V. Nikolaenko <sup>130,ae</sup>, I. Nikolic-Audit <sup>81</sup>, K. Nikolopoulos <sup>19</sup>, J.K. Nilsen <sup>119</sup>, P. Nilsson <sup>27</sup>, Y. Ninomiya <sup>155</sup>, A. Nisati <sup>132a</sup>, R. Nisius <sup>101</sup>, T. Nobe <sup>155</sup>, M. Nomachi <sup>118</sup>, I. Nomidis <sup>31</sup>, T. Nooney <sup>77</sup>, S. Norberg <sup>113</sup>, M. Nordberg <sup>32</sup>, N. Norjoharuddeen <sup>120</sup>, O. Novgorodova <sup>46</sup>, S. Nowak <sup>101</sup>, M. Nozaki <sup>67</sup>, L. Nozka <sup>115</sup>, K. Ntekas <sup>162</sup>, E. Nurse <sup>79</sup>, F. Nuti <sup>89</sup>, F. O’grady <sup>7</sup>, D.C. O’Neil <sup>142</sup>, A.A. O’Rourke <sup>44</sup>, V. O’Shea <sup>55</sup>, F.G. Oakham <sup>31,d</sup>, H. Oberlack <sup>101</sup>, T. Obermann <sup>23</sup>, J. Ocariz <sup>81</sup>, A. Ochi <sup>68</sup>, I. Ochoa <sup>37</sup>, J.P. Ochoa-Ricoux <sup>34a</sup>, S. Oda <sup>71</sup>, S. Odaka <sup>67</sup>, H. Ogren <sup>62</sup>, A. Oh <sup>85</sup>, S.H. Oh <sup>47</sup>, C.C. Ohm <sup>16</sup>, H. Ohman <sup>164</sup>, H. Oide <sup>32</sup>, H. Okawa <sup>160</sup>, Y. Okumura <sup>155</sup>, T. Okuyama <sup>67</sup>, A. Olariu <sup>28b</sup>, L.F. Oleiro Seabra <sup>126a</sup>, S.A. Olivares Pino <sup>48</sup>, D. Oliveira Damazio <sup>27</sup>, A. Olszewski <sup>41</sup>, J. Olszowska <sup>41</sup>, A. Onofre <sup>126a,126e</sup>, K. Onogi <sup>103</sup>, P.U.E. Onyisi <sup>11,v</sup>, M.J. Oreglia <sup>33</sup>, Y. Oren <sup>153</sup>, D. Orestano <sup>134a,134b</sup>, N. Orlando <sup>61b</sup>, R.S. Orr <sup>158</sup>, B. Osculati <sup>52a,52b,\*</sup>, R. Ospanov <sup>85</sup>, G. Otero y Garzon <sup>29</sup>, H. Otono <sup>71</sup>, M. Ouchrif <sup>135d</sup>, F. Ould-Saada <sup>119</sup>, A. Ouraou <sup>136</sup>, K.P. Oussoren <sup>107</sup>, Q. Ouyang <sup>35a</sup>, M. Owen <sup>55</sup>, R.E. Owen <sup>19</sup>, V.E. Ozcan <sup>20a</sup>, N. Ozturk <sup>8</sup>, K. Pachal <sup>142</sup>, A. Pacheco Pages <sup>13</sup>, L. Pacheco Rodriguez <sup>136</sup>, C. Padilla Aranda <sup>13</sup>, M. Pagáčová <sup>50</sup>, S. Pagan Griso <sup>16</sup>, M. Paganini <sup>175</sup>, F. Paige <sup>27</sup>, P. Pais <sup>87</sup>, K. Pajchel <sup>119</sup>, G. Palacino <sup>159b</sup>, S. Palazzo <sup>39a,39b</sup>, S. Palestini <sup>32</sup>, M. Palka <sup>40b</sup>, D. Pallin <sup>36</sup>, E. St. Panagiotopoulou <sup>10</sup>, C.E. Pandini <sup>81</sup>, J.G. Panduro Vazquez <sup>78</sup>, P. Pani <sup>146a,146b</sup>, S. Panitkin <sup>27</sup>, D. Pantea <sup>28b</sup>, L. Paolozzi <sup>51</sup>, Th.D. Papadopoulou <sup>10</sup>, K. Papageorgiou <sup>154</sup>, A. Paramonov <sup>6</sup>, D. Paredes Hernandez <sup>175</sup>, A.J. Parker <sup>73</sup>, M.A. Parker <sup>30</sup>, K.A. Parker <sup>139</sup>, F. Parodi <sup>52a,52b</sup>, J.A. Parsons <sup>37</sup>, U. Parzefall <sup>50</sup>, V.R. Pascuzzi <sup>158</sup>, E. Pasqualucci <sup>132a</sup>, S. Passaggio <sup>52a</sup>, Fr. Pastore <sup>78</sup>, G. Pásztor <sup>31,ag</sup>, S. Pataraia <sup>174</sup>, J.R. Pater <sup>85</sup>, T. Pauly <sup>32</sup>, J. Pearce <sup>168</sup>, B. Pearson <sup>113</sup>, L.E. Pedersen <sup>38</sup>, M. Pedersen <sup>119</sup>, S. Pedraza Lopez <sup>166</sup>, R. Pedro <sup>126a,126b</sup>, S.V. Peleganchuk <sup>109,c</sup>, O. Penc <sup>127</sup>, C. Peng <sup>35a</sup>, H. Peng <sup>35b</sup>, J. Penwell <sup>62</sup>, B.S. Peralva <sup>26b</sup>, M.M. Perego <sup>136</sup>, D.V. Perepelitsa <sup>27</sup>, E. Perez Codina <sup>159a</sup>, L. Perini <sup>92a,92b</sup>, H. Pernegger <sup>32</sup>, S. Perrella <sup>104a,104b</sup>, R. Peschke <sup>44</sup>, V.D. Peshekhonov <sup>66</sup>, K. Peters <sup>44</sup>, R.F.Y. Peters <sup>85</sup>, B.A. Petersen <sup>32</sup>, T.C. Petersen <sup>38</sup>, E. Petit <sup>57</sup>, A. Petridis <sup>1</sup>, C. Petridou <sup>154</sup>, P. Petroff <sup>117</sup>, E. Petrolo <sup>132a</sup>, M. Petrov <sup>120</sup>, F. Petrucci <sup>134a,134b</sup>, N.E. Pettersson <sup>87</sup>, A. Peyaud <sup>136</sup>, R. Pezoa <sup>34b</sup>, P.W. Phillips <sup>131</sup>, G. Piacquadio <sup>143,ah</sup>, E. Pianori <sup>169</sup>, A. Picazio <sup>87</sup>, E. Piccaro <sup>77</sup>, M. Piccinini <sup>22a,22b</sup>, M.A. Pickering <sup>120</sup>, R. Piegaia <sup>29</sup>, J.E. Pilcher <sup>33</sup>, A.D. Pilkington <sup>85</sup>, A.W.J. Pin <sup>85</sup>, M. Pinamonti <sup>163a,163c,ai</sup>, J.L. Pinfold <sup>3</sup>, A. Pingel <sup>38</sup>, S. Pires <sup>81</sup>, H. Pirumov <sup>44</sup>, M. Pitt <sup>171</sup>, L. Plazak <sup>144a</sup>, M.-A. Pleier <sup>27</sup>, V. Pleskot <sup>84</sup>, E. Plotnikova <sup>66</sup>, P. Plucinski <sup>91</sup>, D. Pluth <sup>65</sup>, R. Poettgen <sup>146a,146b</sup>, L. Poggioli <sup>117</sup>, D. Pohl <sup>23</sup>, G. Polesello <sup>121a</sup>, A. Poley <sup>44</sup>, A. Policicchio <sup>39a,39b</sup>, R. Polifka <sup>158</sup>, A. Polini <sup>22a</sup>, C.S. Pollard <sup>55</sup>, V. Polychronakos <sup>27</sup>, K. Pommès <sup>32</sup>, L. Pontecorvo <sup>132a</sup>, B.G. Pope <sup>91</sup>, G.A. Popenciu <sup>28c</sup>, A. Poppleton <sup>32</sup>, S. Pospisil <sup>128</sup>, K. Potamianos <sup>16</sup>, I.N. Potrap <sup>66</sup>, C.J. Potter <sup>30</sup>, C.T. Potter <sup>116</sup>, G. Poulard <sup>32</sup>, J. Poveda <sup>32</sup>, V. Pozdnyakov <sup>66</sup>, M.E. Pozo Astigarraga <sup>32</sup>, P. Pralavorio <sup>86</sup>, A. Pranko <sup>16</sup>, S. Prell <sup>65</sup>, D. Price <sup>85</sup>, L.E. Price <sup>6</sup>, M. Primavera <sup>74a</sup>, S. Prince <sup>88</sup>, K. Prokofiev <sup>61c</sup>, F. Prokoshin <sup>34b</sup>, S. Protopopescu <sup>27</sup>, J. Proudfoot <sup>6</sup>, M. Przybycien <sup>40a</sup>, D. Puddu <sup>134a,134b</sup>, M. Purohit <sup>27,aj</sup>, P. Puzo <sup>117</sup>, J. Qian <sup>90</sup>, G. Qin <sup>55</sup>, Y. Qin <sup>85</sup>, A. Quadt <sup>56</sup>, W.B. Quayle <sup>163a,163b</sup>, M. Queitsch-Maitland <sup>85</sup>, D. Quilty <sup>55</sup>, S. Raddum <sup>119</sup>, V. Radeka <sup>27</sup>, V. Radescu <sup>120</sup>, S.K. Radhakrishnan <sup>148</sup>, P. Radloff <sup>116</sup>, P. Rados <sup>89</sup>, F. Ragusa <sup>92a,92b</sup>, G. Rahal <sup>177</sup>, J.A. Raine <sup>85</sup>, S. Rajagopalan <sup>27</sup>, M. Rammensee <sup>32</sup>, C. Rangel-Smith <sup>164</sup>, M.G. Ratti <sup>92a,92b</sup>, F. Rauscher <sup>100</sup>, S. Rave <sup>84</sup>, T. Ravenscroft <sup>55</sup>, I. Ravinovich <sup>171</sup>, M. Raymond <sup>32</sup>, A.L. Read <sup>119</sup>, N.P. Readioff <sup>75</sup>, M. Reale <sup>74a,74b</sup>, D.M. Rebuzzi <sup>121a,121b</sup>, A. Redelbach <sup>173</sup>, G. Redlinger <sup>27</sup>, R. Reece <sup>137</sup>, R.G. Reed <sup>145c</sup>, K. Reeves <sup>43</sup>, L. Rehnisch <sup>17</sup>, J. Reichert <sup>122</sup>, A. Reiss <sup>84</sup>, C. Rembser <sup>32</sup>, H. Ren <sup>35a</sup>, M. Rescigno <sup>132a</sup>, S. Resconi <sup>92a</sup>, O.L. Rezanova <sup>109,c</sup>, P. Reznicek <sup>129</sup>, R. Rezvani <sup>95</sup>, R. Richter <sup>101</sup>, S. Richter <sup>79</sup>, E. Richter-Was <sup>40b</sup>, O. Ricken <sup>23</sup>, M. Ridel <sup>81</sup>, P. Rieck <sup>17</sup>, C.J. Riegel <sup>174</sup>, J. Rieger <sup>56</sup>, O. Rifki <sup>113</sup>, M. Rijssenbeek <sup>148</sup>, A. Rimoldi <sup>121a,121b</sup>, M. Rimoldi <sup>18</sup>, L. Rinaldi <sup>22a</sup>, B. Ristić <sup>51</sup>, E. Ritsch <sup>32</sup>, I. Riu <sup>13</sup>, F. Rizatdinova <sup>114</sup>, E. Rizvi <sup>77</sup>, C. Rizzi <sup>13</sup>, S.H. Robertson <sup>88,l</sup>, A. Robichaud-Veronneau <sup>88</sup>, D. Robinson <sup>30</sup>, J.E.M. Robinson <sup>44</sup>, A. Robson <sup>55</sup>, C. Roda <sup>124a,124b</sup>, Y. Rodina <sup>86</sup>, A. Rodriguez Perez <sup>13</sup>, D. Rodriguez Rodriguez <sup>166</sup>, S. Roe <sup>32</sup>, C.S. Rogan <sup>58</sup>, O. Røhne <sup>119</sup>, A. Romanikou <sup>98</sup>, M. Romano <sup>22a,22b</sup>, S.M. Romano Saez <sup>36</sup>, E. Romero Adam <sup>166</sup>, N. Rompotis <sup>138</sup>, M. Ronzani <sup>50</sup>, L. Roos <sup>81</sup>, E. Ros <sup>166</sup>, S. Rosati <sup>132a</sup>, K. Rosbach <sup>50</sup>, P. Rose <sup>137</sup>, N.-A. Rosien <sup>56</sup>, V. Rossetti <sup>146a,146b</sup>, E. Rossi <sup>104a,104b</sup>, L.P. Rossi <sup>52a</sup>, J.H.N. Rosten <sup>30</sup>, R. Rosten <sup>138</sup>, M. Rotaru <sup>28b</sup>, I. Roth <sup>171</sup>, J. Rothberg <sup>138</sup>, D. Rousseau <sup>117</sup>, A. Rozanov <sup>86</sup>, Y. Rozen <sup>152</sup>, X. Ruan <sup>145c</sup>, F. Rubbo <sup>143</sup>, M.S. Rudolph <sup>158</sup>, F. Rühr <sup>50</sup>, A. Ruiz-Martinez <sup>31</sup>, Z. Rurikova <sup>50</sup>, N.A. Rusakovich <sup>66</sup>, A. Ruschke <sup>100</sup>, H.L. Russell <sup>138</sup>, J.P. Rutherford <sup>7</sup>, N. Ruthmann <sup>32</sup>, Y.F. Ryabov <sup>123</sup>,

- M. Rybar <sup>165</sup>, G. Rybkin <sup>117</sup>, S. Ryu <sup>6</sup>, A. Ryzhov <sup>130</sup>, G.F. Rzehorz <sup>56</sup>, A.F. Saavedra <sup>150</sup>, G. Sabato <sup>107</sup>, S. Sacerdoti <sup>29</sup>, H.-F.-W. Sadrozinski <sup>137</sup>, R. Sadykov <sup>66</sup>, F. Safai Tehrani <sup>132a</sup>, P. Saha <sup>108</sup>, M. Sahinsoy <sup>59a</sup>, M. Saimpert <sup>136</sup>, T. Saito <sup>155</sup>, H. Sakamoto <sup>155</sup>, Y. Sakurai <sup>170</sup>, G. Salamanna <sup>134a,134b</sup>, A. Salamon <sup>133a,133b</sup>, J.E. Salazar Loyola <sup>34b</sup>, D. Salek <sup>107</sup>, P.H. Sales De Bruin <sup>138</sup>, D. Salihagic <sup>101</sup>, A. Salnikov <sup>143</sup>, J. Salt <sup>166</sup>, D. Salvatore <sup>39a,39b</sup>, F. Salvatore <sup>149</sup>, A. Salvucci <sup>61a</sup>, A. Salzburger <sup>32</sup>, D. Sammel <sup>50</sup>, D. Sampsonidis <sup>154</sup>, A. Sanchez <sup>104a,104b</sup>, J. Sánchez <sup>166</sup>, V. Sanchez Martinez <sup>166</sup>, H. Sandaker <sup>119</sup>, R.L. Sandbach <sup>77</sup>, H.G. Sander <sup>84</sup>, M. Sandhoff <sup>174</sup>, C. Sandoval <sup>21</sup>, D.P.C. Sankey <sup>131</sup>, M. Sannino <sup>52a,52b</sup>, A. Sansoni <sup>49</sup>, C. Santoni <sup>36</sup>, R. Santonico <sup>133a,133b</sup>, H. Santos <sup>126a</sup>, I. Santoyo Castillo <sup>149</sup>, K. Sapp <sup>125</sup>, A. Sapronov <sup>66</sup>, J.G. Saraiva <sup>126a,126d</sup>, B. Sarrazin <sup>23</sup>, O. Sasaki <sup>67</sup>, K. Sato <sup>160</sup>, E. Sauvan <sup>5</sup>, G. Savage <sup>78</sup>, P. Savard <sup>158,d</sup>, N. Savic <sup>101</sup>, C. Sawyer <sup>131</sup>, L. Sawyer <sup>80,q</sup>, J. Saxon <sup>33</sup>, C. Sbarra <sup>22a</sup>, A. Sbrizzi <sup>22a,22b</sup>, T. Scanlon <sup>79</sup>, D.A. Scannicchio <sup>162</sup>, M. Scarcella <sup>150</sup>, V. Scarfone <sup>39a,39b</sup>, J. Schaarschmidt <sup>171</sup>, P. Schacht <sup>101</sup>, B.M. Schachtner <sup>100</sup>, D. Schaefer <sup>32</sup>, L. Schaefer <sup>122</sup>, R. Schaefer <sup>44</sup>, J. Schaeffer <sup>84</sup>, S. Schaepe <sup>23</sup>, S. Schaetzl <sup>59b</sup>, U. Schäfer <sup>84</sup>, A.C. Schaffer <sup>117</sup>, D. Schaile <sup>100</sup>, R.D. Schamberger <sup>148</sup>, V. Scharf <sup>59a</sup>, V.A. Schegelsky <sup>123</sup>, D. Scheirich <sup>129</sup>, M. Schernau <sup>162</sup>, C. Schiavi <sup>52a,52b</sup>, S. Schier <sup>137</sup>, C. Schillo <sup>50</sup>, M. Schioppa <sup>39a,39b</sup>, S. Schlenker <sup>32</sup>, K.R. Schmidt-Sommerfeld <sup>101</sup>, K. Schmieden <sup>32</sup>, C. Schmitt <sup>84</sup>, S. Schmitt <sup>44</sup>, S. Schmitz <sup>84</sup>, B. Schneider <sup>159a</sup>, U. Schnoor <sup>50</sup>, L. Schoeffel <sup>136</sup>, A. Schoening <sup>59b</sup>, B.D. Schoenrock <sup>91</sup>, E. Schopf <sup>23</sup>, M. Schott <sup>84</sup>, J.F.P. Schouwenberg <sup>106</sup>, J. Schovancova <sup>8</sup>, S. Schramm <sup>51</sup>, M. Schreyer <sup>173</sup>, N. Schuh <sup>84</sup>, A. Schulte <sup>84</sup>, M.J. Schultens <sup>23</sup>, H.-C. Schultz-Coulon <sup>59a</sup>, H. Schulz <sup>17</sup>, M. Schumacher <sup>50</sup>, B.A. Schumm <sup>137</sup>, Ph. Schune <sup>136</sup>, A. Schwartzman <sup>143</sup>, T.A. Schwarz <sup>90</sup>, H. Schweiger <sup>85</sup>, Ph. Schwemling <sup>136</sup>, R. Schwienhorst <sup>91</sup>, J. Schwindling <sup>136</sup>, T. Schwindt <sup>23</sup>, G. Sciolla <sup>25</sup>, F. Scuri <sup>124a,124b</sup>, F. Scutti <sup>89</sup>, J. Searcy <sup>90</sup>, P. Seema <sup>23</sup>, S.C. Seidel <sup>105</sup>, A. Seiden <sup>137</sup>, F. Seifert <sup>128</sup>, J.M. Seixas <sup>26a</sup>, G. Sekhniaidze <sup>104a</sup>, K. Sekhon <sup>90</sup>, S.J. Sekula <sup>42</sup>, D.M. Seliverstov <sup>123,\*</sup>, N. Semprini-Cesari <sup>22a,22b</sup>, C. Serfon <sup>119</sup>, L. Serin <sup>117</sup>, L. Serkin <sup>163a,163b</sup>, M. Sessa <sup>134a,134b</sup>, R. Seuster <sup>168</sup>, H. Severini <sup>113</sup>, T. Sfiligoj <sup>76</sup>, F. Sforza <sup>32</sup>, A. Sfyrla <sup>51</sup>, E. Shabalina <sup>56</sup>, N.W. Shaikh <sup>146a,146b</sup>, L.Y. Shan <sup>35a</sup>, R. Shang <sup>165</sup>, J.T. Shank <sup>24</sup>, M. Shapiro <sup>16</sup>, P.B. Shatalov <sup>97</sup>, K. Shaw <sup>163a,163b</sup>, S.M. Shaw <sup>85</sup>, A. Shcherbakova <sup>146a,146b</sup>, C.Y. Shehu <sup>149</sup>, P. Sherwood <sup>79</sup>, L. Shi <sup>151,ak</sup>, S. Shimizu <sup>68</sup>, C.O. Shimmin <sup>162</sup>, M. Shimojima <sup>102</sup>, S. Shirabe <sup>71</sup>, M. Shiyakova <sup>66,al</sup>, A. Shmeleva <sup>96</sup>, D. Shoaleh Saadi <sup>95</sup>, M.J. Shochet <sup>33</sup>, S. Shojaii <sup>92a,92b</sup>, D.R. Shope <sup>113</sup>, S. Shrestha <sup>111</sup>, E. Shulga <sup>98</sup>, M.A. Shupe <sup>7</sup>, P. Sicho <sup>127</sup>, A.M. Sickles <sup>165</sup>, P.E. Sidebo <sup>147</sup>, O. Sidiropoulou <sup>173</sup>, D. Sidorov <sup>114</sup>, A. Sidoti <sup>22a,22b</sup>, F. Siegert <sup>46</sup>, Dj. Sijacki <sup>14</sup>, J. Silva <sup>126a,126d</sup>, S.B. Silverstein <sup>146a</sup>, V. Simak <sup>128</sup>, Lj. Simic <sup>14</sup>, S. Simion <sup>117</sup>, E. Simioni <sup>84</sup>, B. Simmons <sup>79</sup>, D. Simon <sup>36</sup>, M. Simon <sup>84</sup>, P. Sinervo <sup>158</sup>, N.B. Sinev <sup>116</sup>, M. Sioli <sup>22a,22b</sup>, G. Siragusa <sup>173</sup>, S.Yu. Sivoklokov <sup>99</sup>, J. Sjölin <sup>146a,146b</sup>, M.B. Skinner <sup>73</sup>, H.P. Skottowe <sup>58</sup>, P. Skubic <sup>113</sup>, M. Slater <sup>19</sup>, T. Slavicek <sup>128</sup>, M. Slawinska <sup>107</sup>, K. Sliwa <sup>161</sup>, R. Slovak <sup>129</sup>, V. Smakhtin <sup>171</sup>, B.H. Smart <sup>5</sup>, L. Smestad <sup>15</sup>, J. Smiesko <sup>144a</sup>, S.Yu. Smirnov <sup>98</sup>, Y. Smirnov <sup>98</sup>, L.N. Smirnova <sup>99,am</sup>, O. Smirnova <sup>82</sup>, M.N.K. Smith <sup>37</sup>, R.W. Smith <sup>37</sup>, M. Smizanska <sup>73</sup>, K. Smolek <sup>128</sup>, A.A. Snesarev <sup>96</sup>, I.M. Snyder <sup>116</sup>, S. Snyder <sup>27</sup>, R. Sobie <sup>168,l</sup>, F. Socher <sup>46</sup>, A. Soffer <sup>153</sup>, D.A. Soh <sup>151</sup>, G. Sokhrannyi <sup>76</sup>, C.A. Solans Sanchez <sup>32</sup>, M. Solar <sup>128</sup>, E.Yu. Soldatov <sup>98</sup>, U. Soldevila <sup>166</sup>, A.A. Solodkov <sup>130</sup>, A. Soloshenko <sup>66</sup>, O.V. Solovyanov <sup>130</sup>, V. Solovyev <sup>123</sup>, P. Sommer <sup>50</sup>, H. Son <sup>161</sup>, H.Y. Song <sup>35b,an</sup>, A. Sood <sup>16</sup>, A. Sopczak <sup>128</sup>, V. Sopko <sup>128</sup>, V. Sorin <sup>13</sup>, D. Sosa <sup>59b</sup>, C.L. Sotiropoulou <sup>124a,124b</sup>, R. Soualah <sup>163a,163c</sup>, A.M. Soukharev <sup>109,c</sup>, D. South <sup>44</sup>, B.C. Sowden <sup>78</sup>, S. Spagnolo <sup>74a,74b</sup>, M. Spalla <sup>124a,124b</sup>, M. Spangenberg <sup>169</sup>, F. Spanò <sup>78</sup>, D. Sperlich <sup>17</sup>, F. Spettel <sup>101</sup>, R. Spighi <sup>22a</sup>, G. Spigo <sup>32</sup>, L.A. Spiller <sup>89</sup>, M. Spousta <sup>129</sup>, R.D. St. Denis <sup>55,\*</sup>, A. Stabile <sup>92a</sup>, R. Stamen <sup>59a</sup>, S. Stamm <sup>17</sup>, E. Stanecka <sup>41</sup>, R.W. Stanek <sup>6</sup>, C. Stanescu <sup>134a</sup>, M. Stanescu-Bellu <sup>44</sup>, M.M. Stanitzki <sup>44</sup>, S. Stapnes <sup>119</sup>, E.A. Starchenko <sup>130</sup>, G.H. Stark <sup>33</sup>, J. Stark <sup>57</sup>, P. Staroba <sup>127</sup>, P. Starovoitov <sup>59a</sup>, S. Stärz <sup>32</sup>, R. Staszewski <sup>41</sup>, P. Steinberg <sup>27</sup>, B. Stelzer <sup>142</sup>, H.J. Stelzer <sup>32</sup>, O. Stelzer-Chilton <sup>159a</sup>, H. Stenzel <sup>54</sup>, G.A. Stewart <sup>55</sup>, J.A. Stillings <sup>23</sup>, M.C. Stockton <sup>88</sup>, M. Stoebe <sup>88</sup>, G. Stoica <sup>28b</sup>, P. Stolte <sup>56</sup>, S. Stonjek <sup>101</sup>, A.R. Stradling <sup>8</sup>, A. Straessner <sup>46</sup>, M.E. Stramaglia <sup>18</sup>, J. Strandberg <sup>147</sup>, S. Strandberg <sup>146a,146b</sup>, A. Strandlie <sup>119</sup>, M. Strauss <sup>113</sup>, P. Strizenec <sup>144b</sup>, R. Ströhmer <sup>173</sup>, D.M. Strom <sup>116</sup>, R. Stroynowski <sup>42</sup>, A. Strubig <sup>106</sup>, S.A. Stucci <sup>27</sup>, B. Stugu <sup>15</sup>, N.A. Styles <sup>44</sup>, D. Su <sup>143</sup>, J. Su <sup>125</sup>, S. Suchek <sup>59a</sup>, Y. Sugaya <sup>118</sup>, M. Suk <sup>128</sup>, V.V. Sulin <sup>96</sup>, S. Sultansoy <sup>4c</sup>, T. Sumida <sup>69</sup>, S. Sun <sup>58</sup>, X. Sun <sup>35a</sup>, J.E. Sundermann <sup>50</sup>, K. Suruliz <sup>149</sup>, G. Susinno <sup>39a,39b</sup>, M.R. Sutton <sup>149</sup>, S. Suzuki <sup>67</sup>, M. Svatos <sup>127</sup>, M. Swiatlowski <sup>33</sup>, I. Sykora <sup>144a</sup>, T. Sykora <sup>129</sup>, D. Ta <sup>50</sup>, C. Taccini <sup>134a,134b</sup>, K. Tackmann <sup>44</sup>, J. Taenzer <sup>158</sup>, A. Taffard <sup>162</sup>, R. Tafirout <sup>159a</sup>, N. Taiblum <sup>153</sup>, H. Takai <sup>27</sup>, R. Takashima <sup>70</sup>, T. Takeshita <sup>140</sup>, Y. Takubo <sup>67</sup>, M. Talby <sup>86</sup>, A.A. Talyshев <sup>109,c</sup>, K.G. Tan <sup>89</sup>,

- J. Tanaka 155, M. Tanaka 157, R. Tanaka 117, S. Tanaka 67, R. Tanioka 68, B.B. Tannenwald 111,  
 S. Tapia Araya 34b, S. Tapprogge 84, S. Tarem 152, G.F. Tartarelli 92a, P. Tas 129, M. Tasevsky 127, T. Tashiro 69,  
 E. Tassi 39a,39b, A. Tavares Delgado 126a,126b, Y. Tayalati 135e, A.C. Taylor 105, G.N. Taylor 89, P.T.E. Taylor 89,  
 W. Taylor 159b, F.A. Teischinger 32, P. Teixeira-Dias 78, K.K. Temming 50, D. Temple 142, H. Ten Kate 32,  
 P.K. Teng 151, J.J. Teoh 118, F. Tepel 174, S. Terada 67, K. Terashi 155, J. Terron 83, S. Terzo 13, M. Testa 49,  
 R.J. Teuscher 158,l, T. Theveneaux-Pelzer 86, J.P. Thomas 19, J. Thomas-Wilsker 78, E.N. Thompson 37,  
 P.D. Thompson 19, A.S. Thompson 55, L.A. Thomsen 175, E. Thomson 122, M. Thomson 30, M.J. Tibbetts 16,  
 R.E. Ticse Torres 86, V.O. Tikhomirov 96,ao, Yu.A. Tikhonov 109,c, S. Timoshenko 98, P. Tipton 175,  
 S. Tisserant 86, K. Todome 157, T. Todorov 5,\* S. Todorova-Nova 129, J. Tojo 71, S. Tokár 144a  
 K. Tokushuku 67, E. Tolley 58, L. Tomlinson 85, M. Tomoto 103, L. Tompkins 143,ap, K. Toms 105, B. Tong 58,  
 P. Tornambe 50, E. Torrence 116, H. Torres 142, E. Torró Pastor 138, J. Toth 86,aq, F. Touchard 86,  
 D.R. Tovey 139, T. Trefzger 173, A. Tricoli 27, I.M. Trigger 159a, S. Trincaz-Duvold 81, M.F. Tripiana 13,  
 W. Trischuk 158, B. Trocmé 57, A. Trofymov 44, C. Troncon 92a, M. Trottier-McDonald 16, M. Trovatelli 168,  
 L. Truong 163a,163c, M. Trzebinski 41, A. Trzupek 41, J.-C.-L. Tseng 120, P.V. Tsiareshka 93, G. Tsipolitis 10,  
 N. Tsirintanis 9, S. Tsiskaridze 13, V. Tsiskaridze 50, E.G. Tskhadadze 53a, K.M. Tsui 61a, I.I. Tsukerman 97,  
 V. Tsulaia 16, S. Tsuno 67, D. Tsybychev 148, Y. Tu 61b, A. Tudorache 28b, V. Tudorache 28b, A.N. Tuna 58,  
 S.A. Tupputi 22a,22b, S. Turchikhin 66, D. Turecek 128, D. Turgeman 171, R. Turra 92a,92b, P.M. Tuts 37,  
 M. Tyndel 131, G. Ucchielli 22a,22b, I. Ueda 155, M. Ughetto 146a,146b, F. Ukegawa 160, G. Unal 32,  
 A. Undrus 27, G. Unel 162, F.C. Ungaro 89, Y. Unno 67, C. Unverdorben 100, J. Urban 144b, P. Urquijo 89,  
 P. Urrejola 84, G. Usai 8, L. Vacavant 86, V. Vacek 128, B. Vachon 88, C. Valderanis 100,  
 E. Valdes Santurio 146a,146b, N. Valencic 107, S. Valentini 22a,22b, A. Valero 166, L. Valery 13, S. Valkar 129,  
 J.A. Valls Ferrer 166, W. Van Den Wollenberg 107, P.C. Van Der Deijl 107, H. van der Graaf 107,  
 N. van Eldik 152, P. van Gemmeren 6, J. Van Nieuwkoop 142, I. van Vulpen 107, M.C. van Woerden 32,  
 M. Vanadia 132a,132b, W. Vandelli 32, R. Vanguri 122, A. Vaniachine 130, P. Vankov 107, G. Vardanyan 176,  
 R. Vari 132a, E.W. Varnes 7, T. Varol 42, D. Varouchas 81, A. Vartapetian 8, K.E. Varvell 150, J.G. Vasquez 175,  
 G.A. Vasquez 34b, F. Vazeille 36, T. Vazquez Schroeder 88, J. Veatch 56, V. Veeraraghavan 7, L.M. Veloce 158,  
 F. Veloso 126a,126c, S. Veneziano 132a, A. Ventura 74a,74b, M. Venturi 168, N. Venturi 158, A. Venturini 25,  
 V. Vercesi 121a, M. Verducci 132a,132b, W. Verkerke 107, J.C. Vermeulen 107, A. Vest 46,ar, M.C. Vetterli 142,d,  
 O. Viazlo 82, I. Vichou 165,\* T. Vickey 139, O.E. Vickey Boeriu 139, G.H.A. Viehhauser 120, S. Viel 16,  
 L. Vigani 120, M. Villa 22a,22b, M. Villaplana Perez 92a,92b, E. Vilucchi 49, M.G. Vincter 31, V.B. Vinogradov 66,  
 C. Vittori 22a,22b, I. Vivarelli 149, S. Vlachos 10, M. Vlasak 128, M. Vogel 174, P. Vokac 128, G. Volpi 124a,124b,  
 M. Volpi 89, H. von der Schmitt 101, E. von Toerne 23, V. Vorobel 129, K. Vorobev 98, M. Vos 166, R. Voss 32,  
 J.H. Vossebeld 75, N. Vranjes 14, M. Vranjes Milosavljevic 14, V. Vrba 127, M. Vreeswijk 107, R. Vuillermet 32,  
 I. Vukotic 33, Z. Vykydal 128, P. Wagner 23, W. Wagner 174, H. Wahlberg 72, S. Wahrmund 46,  
 J. Wakabayashi 103, J. Walder 73, R. Walker 100, W. Walkowiak 141, V. Wallangen 146a,146b, C. Wang 35c,  
 C. Wang 35d,86, F. Wang 172, H. Wang 16, H. Wang 42, J. Wang 44, J. Wang 150, K. Wang 88, R. Wang 6,  
 S.M. Wang 151, T. Wang 23, T. Wang 37, W. Wang 35b, X. Wang 175, C. Wanotayaroj 116, A. Warburton 88,  
 C.P. Ward 30, D.R. Wardrope 79, A. Washbrook 48, P.M. Watkins 19, A.T. Watson 19, M.F. Watson 19,  
 G. Watts 138, S. Watts 85, B.M. Waugh 79, S. Webb 84, M.S. Weber 18, S.W. Weber 173, S.A. Weber 31,  
 J.S. Webster 6, A.R. Weidberg 120, B. Weinert 62, J. Weingarten 56, C. Weiser 50, H. Weits 107, P.S. Wells 32,  
 T. Wenaus 27, T. Wengler 32, S. Wenig 32, N. Wermes 23, M. Werner 50, M.D. Werner 65, P. Werner 32,  
 M. Wessels 59a, J. Wetter 161, K. Whalen 116, N.L. Whallon 138, A.M. Wharton 73, A. White 8, M.J. White 1,  
 R. White 34b, D. Whiteson 162, F.J. Wickens 131, W. Wiedenmann 172, M. Wielers 131, C. Wiglesworth 38,  
 L.A.M. Wiik-Fuchs 23, A. Wildauer 101, F. Wilk 85, H.G. Wilkens 32, H.H. Williams 122, S. Williams 107,  
 C. Willis 91, S. Willocq 87, J.A. Wilson 19, I. Wingerter-Seez 5, F. Winklmeier 116, O.J. Winston 149,  
 B.T. Winter 23, M. Wittgen 143, J. Wittkowski 100, T.M.H. Wolf 107, M.W. Wolter 41, H. Wolters 126a,126c,  
 S.D. Worm 131, B.K. Wosiek 41, J. Wotschack 32, M.J. Woudstra 85, K.W. Wozniak 41, M. Wu 57, M. Wu 33,  
 S.L. Wu 172, X. Wu 51, Y. Wu 90, T.R. Wyatt 85, B.M. Wynne 48, S. Xella 38, D. Xu 35a, L. Xu 27, B. Yabsley 150,  
 S. Yacoob 145a, D. Yamaguchi 157, Y. Yamaguchi 118, A. Yamamoto 67, S. Yamamoto 155, T. Yamanaka 155,  
 K. Yamauchi 103, Y. Yamazaki 68, Z. Yan 24, H. Yang 35e, H. Yang 172, Y. Yang 151, Z. Yang 15, W.-M. Yao 16,  
 Y.C. Yap 81, Y. Yasu 67, E. Yatsenko 5, K.H. Yau Wong 23, J. Ye 42, S. Ye 27, I. Yeletskikh 66, A.L. Yen 58,  
 E. Yildirim 84, K. Yorita 170, R. Yoshida 6, K. Yoshihara 122, C. Young 143, C.J.S. Young 32, S. Youssef 24,

D.R. Yu<sup>16</sup>, J. Yu<sup>8</sup>, J.M. Yu<sup>90</sup>, J. Yu<sup>65</sup>, L. Yuan<sup>68</sup>, S.P.Y. Yuen<sup>23</sup>, I. Yusuff<sup>30,as</sup>, B. Zabinski<sup>41</sup>, R. Zaidan<sup>64</sup>, A.M. Zaitsev<sup>130,ae</sup>, N. Zakharchuk<sup>44</sup>, J. Zalieckas<sup>15</sup>, A. Zaman<sup>148</sup>, S. Zambito<sup>58</sup>, L. Zanello<sup>132a,132b</sup>, D. Zanzi<sup>89</sup>, C. Zeitnitz<sup>174</sup>, M. Zeman<sup>128</sup>, A. Zemla<sup>40a</sup>, J.C. Zeng<sup>165</sup>, Q. Zeng<sup>143</sup>, K. Zengel<sup>25</sup>, O. Zenin<sup>130</sup>, T. Ženiš<sup>144a</sup>, D. Zerwas<sup>117</sup>, D. Zhang<sup>90</sup>, F. Zhang<sup>172</sup>, G. Zhang<sup>35b,an</sup>, H. Zhang<sup>35c</sup>, J. Zhang<sup>6</sup>, L. Zhang<sup>50</sup>, R. Zhang<sup>23</sup>, R. Zhang<sup>35b,at</sup>, X. Zhang<sup>35d</sup>, Z. Zhang<sup>117</sup>, X. Zhao<sup>42</sup>, Y. Zhao<sup>35d</sup>, Z. Zhao<sup>35b</sup>, A. Zhemchugov<sup>66</sup>, J. Zhong<sup>120</sup>, B. Zhou<sup>90</sup>, C. Zhou<sup>172</sup>, L. Zhou<sup>37</sup>, L. Zhou<sup>42</sup>, M. Zhou<sup>148</sup>, N. Zhou<sup>35f</sup>, C.G. Zhu<sup>35d</sup>, H. Zhu<sup>35a</sup>, J. Zhu<sup>90</sup>, Y. Zhu<sup>35b</sup>, X. Zhuang<sup>35a</sup>, K. Zhukov<sup>96</sup>, A. Zibell<sup>173</sup>, D. Ziemińska<sup>62</sup>, N.I. Zimine<sup>66</sup>, C. Zimmermann<sup>84</sup>, S. Zimmermann<sup>50</sup>, Z. Zinonos<sup>56</sup>, M. Zinser<sup>84</sup>, M. Ziolkowski<sup>141</sup>, L. Živković<sup>14</sup>, G. Zobernig<sup>172</sup>, A. Zoccoli<sup>22a,22b</sup>, M. zur Nedden<sup>17</sup>, L. Zwalski<sup>32</sup>

<sup>1</sup> Department of Physics, University of Adelaide, Adelaide, Australia<sup>2</sup> Physics Department, SUNY Albany, Albany NY, United States<sup>3</sup> Department of Physics, University of Alberta, Edmonton AB, Canada<sup>4</sup> <sup>(a)</sup> Department of Physics, Ankara University, Ankara; <sup>(b)</sup> Istanbul Aydin University, Istanbul; <sup>(c)</sup> Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey<sup>5</sup> LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France<sup>6</sup> High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States<sup>7</sup> Department of Physics, University of Arizona, Tucson AZ, United States<sup>8</sup> Department of Physics, The University of Texas at Arlington, Arlington TX, United States<sup>9</sup> Physics Department, University of Athens, Athens, Greece<sup>10</sup> Physics Department, National Technical University of Athens, Zografou, Greece<sup>11</sup> Department of Physics, The University of Texas at Austin, Austin TX, United States<sup>12</sup> Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan<sup>13</sup> Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain<sup>14</sup> Institute of Physics, University of Belgrade, Belgrade, Serbia<sup>15</sup> Department for Physics and Technology, University of Bergen, Bergen, Norway<sup>16</sup> Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States<sup>17</sup> Department of Physics, Humboldt University, Berlin, Germany<sup>18</sup> Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland<sup>19</sup> School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom<sup>20</sup> <sup>(a)</sup> Department of Physics, Bogazici University, Istanbul; <sup>(b)</sup> Department of Physics Engineering, Gaziantep University, Gaziantep; <sup>(d)</sup> Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey; <sup>(e)</sup> Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey<sup>21</sup> Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia<sup>22</sup> <sup>(a)</sup> INFN Sezione di Bologna; <sup>(b)</sup> Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy<sup>23</sup> Physikalisches Institut, University of Bonn, Bonn, Germany<sup>24</sup> Department of Physics, Boston University, Boston MA, United States<sup>25</sup> Department of Physics, Brandeis University, Waltham MA, United States<sup>26</sup> <sup>(a)</sup> Universidade Federal do Rio de Janeiro COPPE/EE/IF, Rio de Janeiro; <sup>(b)</sup> Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; <sup>(c)</sup> Federal University of São João del Rei (UFSJ), São João del Rei; <sup>(d)</sup> Instituto de Física, Universidade de São Paulo, São Paulo, Brazil<sup>27</sup> Physics Department, Brookhaven National Laboratory, Upton NY, United States<sup>28</sup> <sup>(a)</sup> Transilvania University of Brasov, Brasov, Romania; <sup>(b)</sup> National Institute of Physics and Nuclear Engineering, Bucharest; <sup>(c)</sup> National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; <sup>(d)</sup> University Politehnica Bucharest, Bucharest; <sup>(e)</sup> West University in Timisoara, Timisoara, Romania<sup>29</sup> Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina<sup>30</sup> Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom<sup>31</sup> Department of Physics, Carleton University, Ottawa ON, Canada<sup>32</sup> CERN, Geneva, Switzerland<sup>33</sup> Enrico Fermi Institute, University of Chicago, Chicago IL, United States<sup>34</sup> <sup>(a)</sup> Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; <sup>(b)</sup> Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile<sup>35</sup> <sup>(a)</sup> Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; <sup>(b)</sup> Department of Modern Physics, University of Science and Technology of China, Anhui; <sup>(c)</sup> Department of Physics, Nanjing University, Jiangsu; <sup>(d)</sup> School of Physics, Shandong University, Shandong; <sup>(e)</sup> Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai <sup>au</sup>; <sup>(f)</sup> Physics Department, Tsinghua University, Beijing 100084, China<sup>36</sup> Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France<sup>37</sup> Nevis Laboratory, Columbia University, Irvington NY, United States<sup>38</sup> Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark<sup>39</sup> <sup>(a)</sup> INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; <sup>(b)</sup> Dipartimento di Fisica, Università della Calabria, Rende, Italy<sup>40</sup> <sup>(a)</sup> AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; <sup>(b)</sup> Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland<sup>41</sup> Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland<sup>42</sup> Physics Department, Southern Methodist University, Dallas TX, United States<sup>43</sup> Physics Department, University of Texas at Dallas, Richardson TX, United States<sup>44</sup> DESY, Hamburg and Zeuthen, Germany<sup>45</sup> Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany<sup>46</sup> Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany<sup>47</sup> Department of Physics, Duke University, Durham NC, United States<sup>48</sup> SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom<sup>49</sup> INFN Laboratori Nazionali di Frascati, Frascati, Italy<sup>50</sup> Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany<sup>51</sup> Section de Physique, Université de Genève, Geneva, Switzerland<sup>52</sup> <sup>(a)</sup> INFN Sezione di Genova; <sup>(b)</sup> Dipartimento di Fisica, Università di Genova, Genova, Italy<sup>53</sup> <sup>(a)</sup> E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; <sup>(b)</sup> High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia<sup>54</sup> II Physikalisch Institut, Justus-Liebig-Universität Giessen, Giessen, Germany<sup>55</sup> SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom<sup>56</sup> II Physikalisch Institut, Georg-August-Universität, Göttingen, Germany<sup>57</sup> Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France<sup>58</sup> Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States

- 59 <sup>(a)</sup> Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(b)</sup> Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(c)</sup> ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- 60 Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- 61 <sup>(a)</sup> Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; <sup>(b)</sup> Department of Physics, The University of Hong Kong, Hong Kong; <sup>(c)</sup> Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- 62 Department of Physics, Indiana University, Bloomington IN, United States
- 63 Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- 64 University of Iowa, Iowa City IA, United States
- 65 Department of Physics and Astronomy, Iowa State University, Ames IA, United States
- 66 Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- 67 KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- 68 Graduate School of Science, Kobe University, Kobe, Japan
- 69 Faculty of Science, Kyoto University, Kyoto, Japan
- 70 Kyoto University of Education, Kyoto, Japan
- 71 Department of Physics, Kyushu University, Fukuoka, Japan
- 72 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- 73 Physics Department, Lancaster University, Lancaster, United Kingdom
- 74 <sup>(a)</sup> INFN Sezione di Lecce; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- 75 Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- 76 Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- 77 School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- 78 Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- 79 Department of Physics and Astronomy, University College London, London, United Kingdom
- 80 Louisiana Tech University, Ruston LA, United States
- 81 Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- 82 Fysiska institutionen, Lunds universitet, Lund, Sweden
- 83 Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- 84 Institut für Physik, Universität Mainz, Mainz, Germany
- 85 School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- 86 CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- 87 Department of Physics, University of Massachusetts, Amherst MA, United States
- 88 Department of Physics, McGill University, Montreal QC, Canada
- 89 School of Physics, University of Melbourne, Victoria, Australia
- 90 Department of Physics, The University of Michigan, Ann Arbor MI, United States
- 91 Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States
- 92 <sup>(a)</sup> INFN Sezione di Milano; <sup>(b)</sup> Dipartimento di Fisica, Università di Milano, Milano, Italy
- 93 B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
- 94 National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
- 95 Group of Particle Physics, University of Montreal, Montreal QC, Canada
- 96 P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
- 97 Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- 98 National Research Nuclear University MEPhI, Moscow, Russia
- 99 D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- 100 Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- 101 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- 102 Nagasaki Institute of Applied Science, Nagasaki, Japan
- 103 Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- 104 <sup>(a)</sup> INFN Sezione di Napoli; <sup>(b)</sup> Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- 105 Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States
- 106 Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- 107 Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- 108 Department of Physics, Northern Illinois University, DeKalb IL, United States
- 109 Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- 110 Department of Physics, New York University, New York NY, United States
- 111 Ohio State University, Columbus OH, United States
- 112 Faculty of Science, Okayama University, Okayama, Japan
- 113 Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States
- 114 Department of Physics, Oklahoma State University, Stillwater OK, United States
- 115 Palacký University, RCPMT, Olomouc, Czechia
- 116 Center for High Energy Physics, University of Oregon, Eugene OR, United States
- 117 LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
- 118 Graduate School of Science, Osaka University, Osaka, Japan
- 119 Department of Physics, University of Oslo, Oslo, Norway
- 120 Department of Physics, Oxford University, Oxford, United Kingdom
- 121 <sup>(a)</sup> INFN Sezione di Pavia; <sup>(b)</sup> Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- 122 Department of Physics, University of Pennsylvania, Philadelphia PA, United States
- 123 National Research Centre "Kurchatov Institute" B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
- 124 <sup>(a)</sup> INFN Sezione di Pisa; <sup>(b)</sup> Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- 125 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States
- 126 <sup>(a)</sup> Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; <sup>(b)</sup> Faculdade de Ciências, Universidade de Lisboa, Lisboa; <sup>(c)</sup> Department of Physics, University of Coimbra, Coimbra; <sup>(d)</sup> Centro de Física Nuclear da Universidade de Lisboa, Lisboa; <sup>(e)</sup> Departamento de Física, Universidade do Minho, Braga; <sup>(f)</sup> Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain; <sup>(g)</sup> Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- 127 Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czechia
- 128 Czech Technical University in Prague, Praha, Czechia
- 129 Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czechia
- 130 State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
- 131 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- 132 <sup>(a)</sup> INFN Sezione di Roma; <sup>(b)</sup> Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- 133 <sup>(a)</sup> INFN Sezione di Roma Tor Vergata; <sup>(b)</sup> Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy

- <sup>134</sup> <sup>(a)</sup> INFN Sezione di Roma Tre; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy  
<sup>135</sup> <sup>(a)</sup> Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; <sup>(b)</sup> Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; <sup>(c)</sup> Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; <sup>(d)</sup> Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; <sup>(e)</sup> Faculté des sciences, Université Mohammed V, Rabat, Morocco  
<sup>136</sup> DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France  
<sup>137</sup> Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States  
<sup>138</sup> Department of Physics, University of Washington, Seattle WA, United States  
<sup>139</sup> Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom  
<sup>140</sup> Department of Physics, Shinshu University, Nagano, Japan  
<sup>141</sup> Fachbereich Physik, Universität Siegen, Siegen, Germany  
<sup>142</sup> Department of Physics, Simon Fraser University, Burnaby BC, Canada  
<sup>143</sup> SLAC National Accelerator Laboratory, Stanford CA, United States  
<sup>144</sup> <sup>(a)</sup> Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; <sup>(b)</sup> Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic  
<sup>145</sup> <sup>(a)</sup> Department of Physics, University of Cape Town, Cape Town; <sup>(b)</sup> Department of Physics, University of Johannesburg, Johannesburg; <sup>(c)</sup> School of Physics, University of the Witwatersrand, Johannesburg, South Africa  
<sup>146</sup> <sup>(a)</sup> Department of Physics, Stockholm University; <sup>(b)</sup> The Oskar Klein Centre, Stockholm, Sweden  
<sup>147</sup> Physics Department, Royal Institute of Technology, Stockholm, Sweden  
<sup>148</sup> Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States  
<sup>149</sup> Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom  
<sup>150</sup> School of Physics, University of Sydney, Sydney, Australia  
<sup>151</sup> Institute of Physics, Academia Sinica, Taipei, Taiwan  
<sup>152</sup> Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel  
<sup>153</sup> Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel  
<sup>154</sup> Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece  
<sup>155</sup> International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan  
<sup>156</sup> Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan  
<sup>157</sup> Department of Physics, Tokyo Institute of Technology, Tokyo, Japan  
<sup>158</sup> Department of Physics, University of Toronto, Toronto ON, Canada  
<sup>159</sup> <sup>(a)</sup> TRIUMF, Vancouver BC; <sup>(b)</sup> Department of Physics and Astronomy, York University, Toronto ON, Canada  
<sup>160</sup> Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan  
<sup>161</sup> Department of Physics and Astronomy, Tufts University, Medford MA, United States  
<sup>162</sup> Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States  
<sup>163</sup> <sup>(a)</sup> INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; <sup>(b)</sup> ICTP, Trieste; <sup>(c)</sup> Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy  
<sup>164</sup> Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden  
<sup>165</sup> Department of Physics, University of Illinois, Urbana IL, United States  
<sup>166</sup> Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain  
<sup>167</sup> Department of Physics, University of British Columbia, Vancouver BC, Canada  
<sup>168</sup> Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada  
<sup>169</sup> Department of Physics, University of Warwick, Coventry, United Kingdom  
<sup>170</sup> Waseda University, Tokyo, Japan  
<sup>171</sup> Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel  
<sup>172</sup> Department of Physics, University of Wisconsin, Madison WI, United States  
<sup>173</sup> Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany  
<sup>174</sup> Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany  
<sup>175</sup> Department of Physics, Yale University, New Haven CT, United States  
<sup>176</sup> Yerevan Physics Institute, Yerevan, Armenia  
<sup>177</sup> Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

<sup>a</sup> Also at Department of Physics, King's College London, London, United Kingdom.<sup>b</sup> Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.<sup>c</sup> Also at Novosibirsk State University, Novosibirsk, Russia.<sup>d</sup> Also at TRIUMF, Vancouver BC, Canada.<sup>e</sup> Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States of America.<sup>f</sup> Also at Department of Physics, California State University, Fresno CA, United States of America.<sup>g</sup> Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.<sup>h</sup> Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.<sup>i</sup> Also at Departamento de Física e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.<sup>j</sup> Also at Tomsk State University, Tomsk, Russia.<sup>k</sup> Also at Università di Napoli Parthenope, Napoli, Italy.<sup>l</sup> Also at Institute of Particle Physics (IPP), Canada.<sup>m</sup> Also at National Institute of Physics and Nuclear Engineering, Bucharest, Romania.<sup>n</sup> Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.<sup>o</sup> Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America.<sup>p</sup> Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.<sup>q</sup> Also at Louisiana Tech University, Ruston LA, United States of America.<sup>r</sup> Also at Institut Català de Recerca i Estudis Avançats, ICREA, Barcelona, Spain.<sup>s</sup> Also at Graduate School of Science, Osaka University, Osaka, Japan.<sup>t</sup> Also at Department of Physics, National Tsing Hua University, Taiwan.<sup>u</sup> Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.<sup>v</sup> Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America.<sup>w</sup> Also at CERN, Geneva, Switzerland.<sup>x</sup> Also at Georgian Technical University (GTU), Tbilisi, Georgia.<sup>y</sup> Also at Ochanomizu University, Ochanomizu University, Tokyo, Japan.<sup>z</sup> Also at Manhattan College, New York NY, United States of America.<sup>aa</sup> Also at Hellenic Open University, Patras, Greece.

- ab* Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.  
*ac* Also at School of Physics, Shandong University, Shandong, China.  
*ad* Also at Department of Physics, California State University, Sacramento CA, United States of America.  
*ae* Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.  
*af* Also at Section de Physique, Université de Genève, Geneva, Switzerland.  
*ag* Also at Eotvos Lorand University, Budapest, Hungary.  
*ah* Also at Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America.  
*ai* Also at International School for Advanced Studies (SISSA), Trieste, Italy.  
*aj* Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America.  
*ak* Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.  
*al* Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.  
*am* Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.  
*an* Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.  
*ao* Also at National Research Nuclear University MEPhI, Moscow, Russia.  
*ap* Also at Department of Physics, Stanford University, Stanford CA, United States of America.  
*aq* Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.  
*ar* Also at Flensburg University of Applied Sciences, Flensburg, Germany.  
*as* Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.  
*at* Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.  
*au* Also affiliated with PKU-CHEP.

\* Deceased.